





DIGITX® GLOVES

 \checkmark

 \checkmark

 \checkmark

 \checkmark

18G. The word "gauge" designates the number of stitches per inch of a particular glove. The rule is that as the glove's gauge increases, the amount of yarn used per square inch actually decreases. In general, 13 gauge gloves are the most coarse, thicker gloves on the DigitX-gloves line-up. In contrast, the smallest needles are needed to make our 18 gauge gloves, since the yarn used to make them is much thinner.

DEXTERITY. By definition, dexterity refers to the ease at which a task can be performed easily using your hands. Level 5 is the maximum dexterity level tested by the norm.

DOTS OR STRIPES. On the glove's palm, serve to improve grip and prevent slipping especially in oily or humid environments


REINFORCEMENT. It is an additional piece placed between the index finger and the thumb that serves to prevent erosion of the finger joint and extend the life of the glove.

HAND FATIGUE. DigitX-gloves are designed and manufactured always taking into account the reduction of hand fatigue



5

DIG



DIGITX® GLOVES

FOCUSED ON INNOVATION

DESIGN AND QUALITY DERMATOLOGICAL COMFORT & HANDCARE

> Patented technology that extends wear life tripling the durability

Improved dexterity for maximum comfort Reduces hand fatigue

Sanitized® Freshnesh, comfort and protection Hihgly breathable gloves

Standard 100 by OEKOTEX® Tested for harmful substances Extended safety, skin friendly

Enhanced protection According to the European standards Certified to ensure the best protection

ISO 9001 Quality system





DULLIX

The glove that breaths. So you feel safe and protected!

- 15G nylon/lycra with new generation spraying nitrile coated glove.
- Excellent dexterity (level 5), sensitivity and tactility.
- Surface enables a secure grip on slippery objects. Designed for easy movement and continuous wear. Extended protection and precision handling.

• Anti-microbial treatment.

- Confidence in textiles.
- Applications: Handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, agriculture, ...

Ð

÷

AVAILABLE SIZES 6 7 8 9 10 11

EXTRA-LONG CUFF Greater protection

EXTRA RESISTANT 21,000 abrasion cycles

BREATHABLE Fresh feelings

ANTIMICROBIAL Greater hygiene

> EN ISO 21420:2020 EN388:2016+A1:2018

> > EN388:2016 +A1:2018



144 pairs per box12 pairs per polybagSupplied with hang tag (Individual)





NITRILE NYLON LYCRA 15G

Extended tactility and sensitivity

PALM

COATING

EN388:2016 +A1:2018

C=

4121X

19 g

TOUCH

Only 19 g!

60-20 DigiLux Palm

N.

super light foam nitrile

5

DEXTERITY

- 15G nylon/lycra with new generation spraying nitrile coated glove.
- Super thin foam nitrile palm coating glove: Ultra thin glove that absorbs perspiration without reducing the tactile feel.
- Surface enables a secure grip on slippery objects. Designed for easy movement and continuous wear.
- Greater hygiene thanks the **anti-microbial** treatment: Long-lasting, safe and fresh wearing comfort.
- Applications: handling of small components, automotive, construction, assembly, maintenance, logistic, packaging, paper, plastics, building, small tools, ...

144 pairs per box 12 pairs per polybag Supplied with hang tag (individual)



digitx-gloves.com

60-22 DigiLux Coated



EN388:2016+A1:2018

EN ISO 21420:2020

CONFIDENCE IN TEXTILES

ANTI MICROBIAL

TREATMENT

Sanitized. More that



CONFIDENCE Dested for harmful substances Ultra light Only 23 g!

Design & performance. Maximum comfort!

- 15G hylon/spandex with a new generation foam nitrile palm coating glove. High quality glove that combines design and performance for precision handling.
- Ultra lightweight glove with great elasticity and making hand movements easier.
- Excellent breathability, getting the maximum comfort during long periods of use. The user will keep the hands dry, even in warm conditions.
- Applications: Dry handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, agriculture, ...

- Greater hygiene thanks the anti-microbial treatment: Long-lasting, safe and fresh wearing comfort.
- Knitted extra-long wrist helps to prevent dirt and debris from entering the glove.

THE WORLD IS IN YOUR HANDS

digr

- Snug fit. If seals and protects the hand against mechanical risks while remaining flexible.
- Unrivaled dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance and keeping the maximum touch, as our second skin.

144 pairs per box 12 pairs per polybag **Supplied with hang tag**





144 pairs per box

12 pairs per polybag

Supplied with hang tag (individual)

glass and screen industries,

logistics, using tools, wiring...

Driver's style



SCAN QR

AVAILABLE SIZES **6 7 8 9 10 11** Waterproof, flexible and durable

- 15G Super thin foam nitrile glove, driver's style.
- Good grip and fit: Its design gives better grip and greater glove hand movement. Designed for easy movement and continuous wear.
- Extended protection and precision handling in oil, greasy and dirty environments.
- Elastic on reverse for an improved fit and better comfort. Easy on and off flexibility between tasks.
- Gloves are suitable for multi-purpose use. Ideal for handling in dirty environments, assembly, building, construction, carpentry, machinary, automotive, etc..

144 pairs per box12 pairs per polybagSupplied with hang tag (individual)

4121X

EN388:2016 +A1:2018

EN ISO 21420:2020 EN388:2016+A1:2018



DIGITX® HIGH-TECH GLOVES

BREATHABLE

FOAM NITRILE

15G

TOUCH

LON

35 g

FULL COATED LYCRA

5

DEXTERIT






AVAILABLE SIZES 6 7 8 9 10 11

Water and oil repelent. Flexible and durable

- 15G nitrile glove, water and oil repellent. Seamless knit nylon/lycra liner.
- Excellent dexterity, sensitivity and tactility.
- Very good grip: Palm and fingertips made of sandy finish. It provides an excellent grip, whether in dry, wet or water applications. The rough powered finish improves the glove's grip and grasping of objects in a greasy or damp enviroment.
- Heat protection: Up to 100°C contact heat.
- Extended protection and precision handling in oily, greasy and dirty environments. It stays flexible and liquid proof in contact with oil.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Ideal for handling in wet, oily and greasy environments, dirty environments, assembly, building, construction, carpentry, machinary, automotive, etc.



EN ISO 21420:2020 EN388:2016+A1:2018 EN407:2020



Supplied with hang tag (individual)

armolux

AVAILABLE SIZES

- 15G spandex/nylon liner with nitrile micro foam coating, with embossing.
- Very good grip: ArmoLux® incoporates raised stripes to increase durability and additional grip, without the loss of dexterity. The stripes improve the glove's grip and grasping of objects in a greasy or damp enviroments.
- HEAT RESISTANT UP TO 100°C (palm coated 62-10).
- Absolute and maximum abrasion resistance.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Ideal for gardening, automobile and aircraft maintenance, light industry assembly line, plastics injection and moulding, transportation, agriculture, aeronautics, electronic...





+A1:2018

41**3**1X



digitX®

CUT **TESISTANT** GLOVES

High Tech working gloves

CUT RESISTANT FIBRES FIBRAS ANTICORTE FIBRES ANTI-COUPURE FIBRE ANTITAGLIO ANTI-CUT FASERN WÓKNA ANTYCIĘCIOWE Priešpjaustyti pluoštai ANTI-CUT FIBERS ПРОТИВОРЕЗАННЫЕ ВОЛОКНА أعطق لل قداض م فاي ل Patented technology







DFYCUT 64-23



1200 Wall 350 mm



EN ISO 21420:2020 EN388:2016+A1:2018



144 pairs per box 12 pairs per polybag Supplied with hang tag (individual)

AVAILABLE SIZES

- 13G fully nitrile sandy double coating provides superior grip in dry, wet and oily conditions.
- Special seamless knit Digitx® cut resistant fibres shell offers good comfort, finger dexterity and high protection.
- Excellent resistance to liquid permeation. Oil and water does not penetrate the glove, keeping hands dry.
- It combines cut protection with oil grip, excellent dexterity, sensitivity and tactility: Long-life glove, reaching a maximum dexterity level (level 5), and absolute and maximum abrasion resistance.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove. Anatomically shaped to provide good fit.
- Dark coating hide dirt.
- Ideal for glass handling operations, general maintenance, piscatorial, sheet metal handling, sharp small parts handling, waste handling and recycling, construction, ...





AVAILABLE SIZES 678901

Extra thin & breathable

- 18G exclusive lining technology contributing it the thinnest and finest cut B nitrile glove.
- Over 30% lighter than a standard cut B nitrile glove. Perfect dexterity, flexibility, super comfort and very good fitting.
- Thermal risks: 100°C (heat contact)
- Super grip in both dry and oily working conditions.
- Greater hygiene thanks the anti-microbial treatment: Sanitized® hygiene function.



EN ISO 21420:2020 EN388:2016+A1:2018 EN407:2020

144 pairs per box 12 pairs per polybag Supplied with hang tag (individual)

- Knitted extra-long wrist helps to prevent dirt
- and debris from entering the glove.
- Washable: We have developed in-house tests for our cut protective gloves which can withstand 10 washes with cut level remai-
- ning the same. Wash at 40°C max.
- Applications: Automotive industry, glass industry, paper industry, blades manufacturing, machinery and equipment maintenance...



SCAN QR NITRILI PALM 3G COATED

Reinforced!

Reinforcement nitrile

thumb scrotch

CUT

R



PICCUT 64-50



EN ISO 21420:2020 EN388:2016+A1:2018

EN388:2016 +A1:2018

4XĂ2B

- 13G Digitx® cut resistant fibres/nylon/ spandex liner with water PU coating.
- Reinforcement nitrile at the thumb crotch extends the glove lifetime and prevents injuries.
- Back of the hand is uncoated for good breathability while thumb crotch area is reinforced with nitrile patch to reduce wear in critical area.
- Special seamless knit nylon and spandex shell offers increased comfort, finger dexterity and breathability.
- Ideal for glass handling operations, general maintenance, wood working, sheet metal handling, waste handling and recycling, sharp small parts handling,



24

FOLTILUX 64-61

AVAILABLE SIZES 6 7 8 9 10 11

Reinforced thumb CUT resistant B

-1-

18G

YARN THICKNESS

CUT

B

- 18G HDPE liner, with nitrile palm coating and reinforced thumb.
- Over 30% lighter than a standard cut B nitrile glove.
- Maximum touch, as our second skin.
- Super grip in both dry and oily working conditions.
- Tested for harmul substances according the Oekotex standard® 100.
- Reinforced thumb for enhanced protection and durability.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.

• Ideal for glass handling operations, general maintenance, wood working, sheet metal handling, waste handling and recycling, sharp small parts handling, ...

EN ISO 21420:2020 EN388:2016+A1:2018



144 pairs per box 12 pairs per polybag Supplied with hang tag (individual)





18G

111 × C.

UHMWP

CUT

NITRILE

BREATHABLE

PALM

COATING



26 g

TOUCH

5

DEXTERITY

ษ





EN ISO 21420:2020 EN388:2016+A1:2018

• Pads sewed on the palm enhance the puncture level and durability.

- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Ideal for glass handling operations, general maintenance, wood working, sheet metal handling, waste handling and recycling, sharp small parts handling, ...

144 pairs per box 12 pairs per polybag Supplied with hang tag (individual)

BLadelux 64-10 AVAILABLE SIZES 678900

CUT

PALM COATE

CUT

D

Excellent cut protection: Level D Pads on palm

- 13G High performance Digitx® cut resistant fibres provide excellent cut resistance while maintaining flexibility and dexterity (level 5).
- Excellent mechanical resistances: 4X43.
- Light, comfortable and anti-vibration pads.
- Seals and protects the hand against mechanical risks while remaining flexible.
- Polyurethane coating will stretch with the hand, provide good grip and is form-fitting to reduce hand fatigue and increase worker comfort and productivity.



PU CUT 5 GRIP BREATHABLE THUMB RESISTAN 13G PALM »»» ««« 72 g DEXTERIT

AVAILABLE SIZES 6789101

Reinforced

- Cut protection 13G glove.
- High tech granulated micro foam sandy finished nitrile coated glove.
- Fully nitrile sandy coating provides superior grip in dry, wet and oily conditions.
- Reinforced thumb. PU sewed on thumb crotch, prevents injuries and extends glove lifetime.
- Excellent cut protection: Level D.
- Special seamless knit ultrahigh molecular weigth polyethylene and Digitx® cut resistant fibres offer increased comfort, finger dexterity and breathability. It combines cut protection with oil grip, excellent dexterity, sensitivity and tactility.

- Excellent mechanical resistances.
- Excellent resistance to liquid permeation.
- An elastic extra-long cuff ensures a secure fit, preventing dirt and protecting partial the forearm.
- Ideal for glass handling operations, general maintenance, wood working, sheet metal handling, waste handling and recycling, sharp small parts handling, ...

144 pairs per box 12 pairs per polybag Supplied with hang tag (individual)







Optimized grip

- Cut protection glove (level D).
- 13G Digitx® cut resistant fibres, polyester, spandex with micro foam nitrile coating and nitrile dots on the palm.
- The dots increase grip, reducing hand fatigue and increasing comfort.
- GripCut® incorporates micro dots to increase durability and additional grip, without the loss of dexterity.
- An elastic extra-long cuff ensures a secure fit, preventing dirt and debris from entering the glove.


- Excellent mechanical resistances.
- It combines cut protection with oil grip, excellent dexterity, sensitivity and tactility.
- Back of the hand is uncoated for good breathability.
- Excellent resistance to liquid permeation.
- Ideal for glass handling, gardening, automobile and aircraft maintenance, light industry assembly line, plastics injection and moulding, transportation, agriculture, aeronautics, electronic...





144 pairs per box 12 pairs per polybag Supplied with hang tag (individual)

> EN ISO 21420:2020 EN388:2016+A1:2018 EN407:2020







UHMWPE STEEL GLASS CUT FIBRES NITTRILE PALM 13G FOAM FINISH 49 g 5 Dextertry Herathable +++

Extra thin & breathable

- 13G UHMWPE/steel/glass nitrile palm coated cut resistant glove. Te highest ISO 13997 cut level F and ANSI CUT A8 glove. Thermal risks: 100°C (heat contact).
- Advanced yarns technology providing the highest cut protection but still soft, flexible and comfortable. Ideal for heavy duty work and critical cut/blade hazards.
- Foam nitrile coating provides great grip.
- Super oil resistance.
- Unrivaled dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance and keeping the maximum touch, as our second skin.

- Snug fit. It seals and protects the hand against mechanical risks while remaining flexible.
- Greater hygiene thanks the anti-microbial treatment: Long-lasting, safe and fresh wearing comfort. Sanitized® hygiene function.
- Knitted extra-long wrist helps to prevent dirt and debris from entering the glove.
- Washable: We have developed in-house tests for our cut protective gloves which can withstand 10 washes with cut level remaining the same. Wash at 40°C max.
- Applications: Automotive industry, glass industry, paper industry, blades manufacturing, machinery and equipment maintenance...





Water resistant glove for cold and wet conditions

- Fully coated with super thin foam nitrile. It includes 10G napped acrylic liner. Very soft to protect against cold, ensuring superior insulation.
- The ergonomic seamless knit construction conforms better to the natural shape of the hand for greater strength and durability, superior comfort.
- Extra cold resistance: Ideally suited to tasks where workers need protection from the cold, maintaining comfort and dexterity.
- Suitable for use in wet/cold environments. Excellent resistance to liquid permeation.
- Seals and protects the hand against mechanical risks while remaining flexible and warm.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Excellent abrasion resistance equal to heavier gloves.
- Maximum flexibility and dexterity (level 5).
- Applications: Assembly, building, construction, carpentry, machinary, automotive, forestry, transport, etc.




Winter glove















email:cmc@cmc.pt

web:www.cmc.pt

(f) www.facebook.com/CunhaMendesCunhaLda

www.youtube.com/c/CUNHAMENDESCUNHALDA