Lawn & Garden 2019









Our tools are built to last. So is our warranty.

You want more out of everything. Which is what Ryobi® delivers. And now thanks to its advanced technology and innovation, Ryobi brings you their first ever 3 year warranty* for all of their electric and cordless tools, including the 18V ONE+ System and the 36V range of tools.**

For T&Cs and more information, please visit ryobitools.eu

RYOBI® is a registered trademark of Ryobi Limited used under licence.



At Ryobi® we've built a solid and enviable reputation by developing a real knowledge of exactly what people need from their garden tools.

| | _ | | |
|-------------|-------|--------|---|
| (\cdot) | ess 7 | \sim | |
| () | | | • |
| | | | |

| ONE+ Cordless Garden tools | 4-18 |
|----------------------------|---------|
| ONE+ Cordless Power tools | 19-36 |
| ONE+ Batteries & Chargers | 37 – 41 |
| 36V Cordless Garden Tools | 42-47 |
| 36V Batteries & Chargers | 48-49 |

Electric and Petrol Tools

| ROBOYAGI™ | 50-54 |
|--------------------------------|---------|
| Lawnmowers | 55–57 |
| Grass Trimmers & Brush Cutters | 58-63 |
| Expand-it™ | 64-65 |
| Hedge Trimmers | 66-68 |
| Pole Products | 69 |
| Chainsaws | 70-71 |
| Blowers | 71 – 73 |
| Generators | 73–75 |
| Shredders | 75 |

Accessories

| Replacement Accessories | 76 |
|-------------------------|----|
| Outdoor Accessories | 77 |



We offer a 3 year European warranty* on our **battery powered or electric tools**** excluding accessories and components subject to natural and normal wear and tear. Please refer to our warranty conditions in the user's manual for further information.

All products shown are in compliance with the appropriate European regulations (displaying the CE approval mark on the rating plate).

PLEASE NOTE: Tools purchased e.g. in the USA or via the internet, and imported into Europe, which are not CE approved, not only violate EU legislation, but will not be supported/serviced in Europe by Ryobi® as a result. Only tools bought in the European Union displaying the CE approval mark on the rating plate (incl. Switzerland) are covered by a European warranty. Ryobi® reserves the right to revise product specifications at any time without notice.

*Registration needs to take place within 30 days from the date of purchase. Registration is required for extension for the 3 year European warranty. Please visit our website www.ryobitools.eu for detailed information about warranty conditions and extension registration. This warranty is valid in the European Community, Switzerland, Iceland, Norway, Liechtenstein, Turkey and Russia. Outside these areas, please contact your authorised Ryobi® dealer to determine if another warranty applies.

THIS EUROPEAN WARRANTY DOES NOT AFFECT YOUR STATUTORY RIGHTS. ALL STATUTORY WARRANTIES ARE SUBJECT TO APPLICABLE LAW.

^{**} This does not include any petrol tools which are subject to a 2 year Ryobi® warranty without registration.

180 NE 575104

ONE+ Range

| ONE+ Power Tools | XX |
|----------------------|----|
| Drilling & Fastening | XX |
| Nailers | |
| Metal Working | XX |
| Saws | XX |
| Woodworking | XX |
| Sanding | XX |
| Lifestyle | XX |
| Cleaning | XX |
| Lighting | XX |
| | |
| ONE+ Garden Tools | XX |
| Lawn Care | XX |
| Trees and Hedges | XX |
| | |

XX

XX



BUY THE TOOLS YOU WANT

at the time you need them...

...and avoid paying for excess batteries and chargers. With everything from drills to radios, trimmers to seed spreaders the choice is there for you to grow your family of tools.

Garden Clean Up

Specialty Outdoor Tools

SAOBI®







CHOOSE A KIT...

Buy any kit with a tool, battery & charger included to start your family.

OR

PICK A TOOL ...

Expand your family for less by buying individual bare tools, batteries or chargers.



The battery that thinks for itself.



Fuel Gauge

The simplest way to monitor your battery life and manage your workload.

Protection Electronics

The electronics shut down the tool if there is too much strain on the battery or if it gets too hot, protecting both tool and battery from damage.

High Power Cells

High performance cells minimise heat generation and provide the power for more demanding applications.



HIGH ENERGY

DRILLS UP TO 1080*



600 Meters²



320* Meters







IntelliCell[™] battery technology

Uniquely manages its own power to deliver optimum performance and runtime for any ONE+ tool and application.











Never run out of power.

Switch seamlessly between cordless or electric power.





RLM18C36H225F Cordless Hybrid Lawn Mower, 36cm Deck (2x2.5Ah)



Also Available as

| | Cordless Hybrid Lawn Mower, 36cm Deck (2x5 0Ah) | |
|----|--|-----------------------------|
| x2 | Name: RLM18X36H250F | Product Code: 5133003705 |

| Power | 18 V |
|-------------------------------|---------------|
| No. of batteries supplied | 2 |
| Battery pack capacity (Ah) | 2.5 |
| Charging time (min) | 75 |
| Decksize (cm) | 36 |
| Drive mechanism | Push |
| Mulching capable | Yes |
| Weight with battery pack (kg) | 16.1 |
| Article Number | 5133003704 |
| EAN Code | 4892210160010 |

OHT1850H 18V Hybrid Hedge Trimmer,

- Innovative 18V Hybrid power allows for either cordless convenience or unlimited runtime to best suit all hedge trimming needs
- Excellent cutting quality through precision 50cm diamond ground blades
- Capable of cutting large branches with 22mm blade gap and sawing function



| | 18V Hybrid Hedge Trimmer, 50cm Blade (1x2.5Ah) | |
|----|---|--------------------------|
| x1 | Name: RHT1850H25HS | Product Code: 5133003660 |

| Power | 18V |
|-------------------------------|----------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Max. cutting capacity (mm) | 22 |
| Blade length (cm) | 50 |
| Blade type | Diamond ground |
| Weight (without battery) (Kg) | 3.1 |
| Article Number | 5133003657 |
| EAN Code | 4892210157881 |
| | |

RLT1831H20F 18V Hybrid Grass Trimmer, 25/30cm Cutting Width (1x2.0Ah)

Innovative 18V Hybrid power allows for either cordless convenience or unlimited runtime to best suit all grass trimming needs

Adjustable cutting width of 25 or 30cm for great versatility when grass and weed cutting

EasyEdge" for quick transitions between edging and trimming modes



Also Available as

| nd. | 18V Hybrid Grass Trimmer, 25/30cm Cutting Width (1x2 5Ah) | |
|-----|--|-----------------------------|
| | Name: RLT1831H25F | Product Code: 5133003711 |

| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 9 |
| Battery pack capacity (Ah) | 2.0 |
| Charging time (min) | 60 |
| Cutting path width (cm) | 25/30 |
| Cutting line diameter (mm) | 1.6 |
| Line feed system | Auto-feed |
| Weight with battery pack (kg) | 3.2 |
| Article Number | 5133003710 |
| EAN Code | 4892210160072 |
| | |

OBL1820H 18V Hybrid Blower

- Innovative 18V Hybrid motor offers the choice to seamlessly switch between cordless and corded power
- Lightweight design with overmould for comfort during extended use
- High speed nozzle provides airflow speed of 250 km/h



| Power | 18 V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Air volume (m³/min) | 2.8 |
| Airflow speed (km/h) | 250 |
| Weight with battery pack (kg) | 2.1 |
| Article Number | 5133002340 |
| EAN Code | 4892210822673 |
| | |

18V Cordless Lawnmower 33cm Deck

OLM1833B


Cutting Performance

33cm cutting deck designed for easy maneuverability around the garden

Up to the Edge

Mow to the perimeter with the EasyEdge grass comb feature







OLM1833B 18V Cordless Mower, 33cm deck

NEW

- 33cm cutting path designed for easy manoeuvrability around the
- 5-position, single point cutting height adjustment from 25-65mm
- Ergonomic handle design, with 3 height positions to accommodate all
- Mow right to the perimeter of your garden with EasyEdge grass comb feature
- Folding and removable handles with a collapsible grass catcher for easy and compact storage
- Includes Mulching plug, 35L grass catcher bag

Also Available as

| x1 | 18V Cordless Mower, 33cm deck (1x4 0Ah) | |
|----|--|--------------------------|
| | Name: RLM18X33B40 | Product Code: 5133004306 |



| 18V |
|---------------|
| 0 |
| No |
| 33 |
| Push |
| Yes |
| 8.1 |
| 5133004305 |
| 4892210171948 |
| |

Standard equipment (OLM 1833B) Mulch Plug, 35L Grass Catcher



OLM1841H

Cordless Lawn Mower, 40cm Deck, Powered by ONE+

The performance of 36V with Ryobi Lithium Fusion "technology, powered by dual 18V ONE+ Lithium+ batteries

40cm cutting path with metal blade for excellent cutting and mulching

5-position, single-point height adjustment from 20mm-70mm

Mow up to the edge or around flower beds with EasyEdge grass

Telescoping, ergonomic handles provide a comfortable mowing experience for users of all heights

Collapsible handles and grass catcher for easy storage

50L grass catcher capacity



| Power | 18 V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Decksize (cm) | 40 |
| Drive mechanism | Push |
| Mulching capable | Yes |
| Weight with battery pack (kg) | 18.9 |
| Article Number | 5133002805 |
| EAN Code | 4892210147592 |

Standard equipment (OLM1841H) Mulching plug, 50L grass catcher

Also Available as

| x2 | Cordless Lawn Mower, 40cm Deck, Powered by ONE+ (2x4.0Ah) | |
|----|--|--------------------------|
| | Name: RLM18X41H240F | Product Code: 5133003706 |



OLT1825M

18V Cordless Grass Trimmer, 25cm Cutting Width

- 25cm cutting path for effcient grass and weed cutting
- EasyEdge for quick transitions between edging and trimming modes
- Two-handle design for improved ergonomics
- All-metal boom for durability



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Cutting path width (cm) | 25 |
| Cutting line diameter (mm) | 1.6 |
| Line feed system | Auto-feed |
| Weight with battery pack (kg) | 1.7 |
| Article Number | 5133002822 |
| EAN Code | 4892210147776 |

Standard equipment (OLT1825M) Auto-feed spool

Also Available as

| x1 Nam | | V Cordless Grass Trimmer, 25cm Culting Width (1x1 3Ah) | |
|--------|----------------------|---|--|
| | Name: RLT1825M13S | Product Code: 5133003723 | |





OLT1832

18V Cordless Grass Trimmer, 25/30cm Cutting Width

- Adjustable cutting width of 25 or 30cm for great versatility when grass and weed cutting
- EasyEdge for quick transitions between edging and trimming modes
- Telescoping boom and adjustable handle provide comfort for any user
- Three-position pivoting string head for more versatile trimming



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Culting path width (cm) | 25/30 |
| Cutting line diameter (mm) | 1.6 |
| Line feed system | Auto-feed |
| Weight with battery pack (kg) | 2.7 |
| Article Number | 5133002813 |
| EAN Code | 4892210147684 |
| | |

Standard equipment (OLT1832) Auto-feed spool

Alee Aveileble ee

| x1 | | ss Grass Trimmer, ing Width (1x2.5Ah) |
|----|---------------------|--|
| | Name: RLT183225F | Product Code: 5133003709 |

ONE+ Lawncare

OBC1820B 18V Cordless Brush Cutter with Bike Handle

- High-performance 18V motor provides optimum power for cutting tough grass and tong weeds
- 2-in-1 brush cutter and trimmer with both blade and trimmer head for versatility
- 20cm hardened steel TriArc cutting blade for tough jobs
- Large 30cm line trimmer cutting path to complete tasks quickly
- Soft-grip bike handle design with variable speed control for optimum control



| Power | 18V |
|---|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Cutting path with Brushcutter (cm) | 20 |
| Cutting path with Grass Trimmer (cm) | 30 |
| Line diameter (mm) | 1.6 |
| Weight with battery pack (kg) | 5.1 |
| Article Number | 5133002619 |
| EAN Code | 4892210141033 |

Standard equipment (OBC1820B)

Tri-Arc[™] blade, bump feed spool, Vertebrae [™] comfort harness

Also Available as

| x1 | 18V Cordless Bru Handle | ush Cutter with Bike (1x40Ah) |
|----|----------------------------|----------------------------------|
| | Name: RBC18X20B4F | Product Code: 5133003713 |



OLT1833

18V Cordless Brushless Grass Trimmer, 28/33cm Cutting Width

- 18V premium Brushless motor delivers superior cutting performance to quickly complete even the toughest trimming jobs
- Adjustable cutting width of 28 or 33cm for great versatility when grass and weed cutting
- Two speed settings with variable speed trigger provides optimum control between power and runtime
- Soft-grip ergo handle and lightweight contruction for comfort over extended use



BRUSHLESS

| 18V |
|---------------|
| 0 |
| No |
| 28/33 |
| 2.0 |
| Bump head |
| 3.7 |
| 5133003651 |
| 4892210159755 |
| |

Standard equipment (OLT1833) Bump feed spool

Also Available as

| x1 | 18V Cordless Brushless Grass Trimmer, 28/33cm Culting Width (1x5.0Ah) | |
|----|--|-----------------------------|
| | | Product Code: 5133003652 |



OGS1822

18V Cordless Grass Shear and Shrubber

- 2-in-1 shear and shrubber for versatility around the garden
- Compact, slim, and lightweight design for user comfort
- Quick and easy tool-less blade change between shear and shrubber
- Durable hardened steel blades



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Shear blade (mm) | 120 |
| Shrubber blade (mm) | 200 |
| Weight with battery pack (kg) | 1.3 |
| Article Number | 5133002830 |
| EAN Code | 4892210147837 |

Standard equipment (OGS1822) Grass shear blade, shrubbing blade







- Cordless topper for effortless pruning, even in hard-to-reach areas
- 18V motor effortlessly cuts through branches up to 32mm thick
- High-quality bypass blades provide 250Nm of torque for quickly completing any pruning job
- Soft-grip handles for comfort over extended use



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Blade type | Bypass |
| Culting capacity (mm) | 32 |
| Cutting Angle | Fixed |
| Length (m) | 0.85 |
| Weight with battery pack (kg) | 2.4 |
| Article Number | 5133004392 |
| EAN Code | 4892210174529 |

Standard equipment (OLP1832BX) Branch hook



- Lightweight and ultra-compact hedge trimmer, perfect for sculpting hedges and maintaining shrubbery
- 45cm diamond-ground blade with a 18mm cut capacity
- High-quality diamond-ground blades for precision cutting
- Overmould for comfort over extended use



| Power | 18V |
|-------------------------------|----------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Max. cutting capacity (mm) | 18 |
| Blade length (cm) | 45 |
| Blade type | Diamond ground |
| Weight with battery pack (kg) | 2.9 |
| Article Number | 5133003654 |
| EAN Code | 4892210157867 |

Standard equipment (OHT1845) Blade sheath

Also Available as



| 18V Cordless Hedge Trimmer, 45cm Blade (1x1.3Ah) | |
|---|-----------------------------|
| Name: RHT184513 | Product Code: 5133003802 |

OHT1851R 18V Cordless Hedge Trimmer, 50cm Blade

- High torque motor delivers powerful cutting performance for pruning hedges and shrubs
- Excellent cutting quality through precision 50cm diamond-ground blades
- Capable of cutting large branches with 22mm blade gap and sawing function
- Anti-jam system prevents accidential blocking
- Rotating rear handle with overmould for ease of use in multiple positions
- HedgeSweep attachment offers easy removal of clippings



| Power | 18V |
|-------------------------------|----------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Max. cutting capacity (mm |) 22 |
| Blade length (cm) | 50 |
| Blade type | Diamond ground |
| Weight with battery pack (kg) | 3.1 |
| Article Number | 5133002682 |
| EAN Code | 4892210144638 |
| | |

Standard equipment (OHT1851R)
HedgeSweep™ attachment, blade sheath

Also Available as



| | 18V Cordless Hedge Trimmer, 50cm Blade (1x 2.5Ah) | |
|----|--|--------------------------|
| x1 | Name: RHT1851R25F | Product Code: 5133003716 |

ONE+ Trees & Hedges



- High torque motor delivers powerful cutting performance for pruning hedges and shrubs
- Excellent cutting quality through precision 55cm laser cut, diamond ground blades
- Capable of cutting large branches with 22mm blade gap and sawing function
- Anti-jam system prevents accidental blocking
- Rotating rear handle with overmould for ease of use in multiple positions
- HedgeSweep attachment offers easy removal of clippings



| Power | 18V |
|-------------------------------|----------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Max. cutting capacity (mm |) 22 |
| Blade length (cm) | 55 |
| Bladetype | Diamond ground |
| Weight with battery pack (kg) | 3.2 |
| Article Number | 5133002161 |
| EAN Code | 4892210821249 |
| | |

Standard equipment (OHT1855R)
HedgeSweep**; attachment, blade sheath

Also Available as





OHT1850X

18V Cordless Extended Reach Hedge Trimmer, 50cm Blade

- Extended reach hedge trimmer makes easy work of trimming hard-toreach hedges and shrubs
- 50cm blade with 16mm blade gap to cut through branches
- 4-position articulating head for pruning all sizes of hedges and shrubs
- Rotating rear handle for optimum reach in all cutting applications
- Central trigger for easy use in extended reach position
- HedgeSweep debris sweeper for easy removal of clippings



| Power | 18V |
|----------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Max. cutting capacity (mm) | 16 |
| Blade length (cm) | 50 |
| Bladetype D | iamond ground |
| Weight (without battery) (Kg) | 3.2 |
| Article Number | 5133001249 |
| EAN Code | 4892210815439 |

Standard equipment (OHT1850X)
HedgeSweep' altachment, blade sheath

Also Available as

| | ended Reach Hedge n Blade (1x1 3Ah) |
|----------------------|--|
| Name: RHT1850XLiS | Product Code: 5133003728 |



- Powerful 18V motor easily cuts through hedges and branches
- 45cm diamond ground blades for clean cutting
- Capable of cutting large branches with 18mm blade gap

115° articulating cutting head with 4 positions for versatile trimming
 Removable extension shaft for full length of 2.9m for extended reach tasks



| Power | 18V |
|-------------------------------|----------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Max. cutting capacity (mm) | 18 |
| Blade length (cm) | 45 |
| Blade type | Diamond Ground |
| Weight with battery pack (kg) | 4.6 |
| Article Number | 5133002523 |
| EAN Code | 4892210138521 |

Standard equipment (OPT1845)
HedgeSweep' attachment, blade sheath, shoulder strap





- 20cm Oregon* bar and chain for effective pruning and cutting
- High torque performance with 5.5m/s chain speed
- Extendable shaft for a reach of up to 4m
- 30° angled cutting head for easy pruning and better control
- Automatic bar and chain lubrication for continuous cutting



| Power | 18 V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Chain bar length (cm) | 20 |
| Chain speed (m/s) | 5.5 |
| Weight with battery pack (kg) | 4.2 |
| Article Number | 5133001250 |
| EAN Code | 4892210815446 |

Standard equipment (OPP1820)
Bar and chain oil, bar sheath, shoulder strap

Also Available as







OCS1830

18V Cordless Brushless Chainsaw, 30cm Bar

- High-performance premium Brushless motor for the ultimate cutting experience
- 30cm Oregon® bar and chain
- Automatic oiling system for user convenience
- Tool-less chain tensioning for easy adjustments
- Rear handle with overmould for comfortable use in any orientation
- Mechanical and electrical chain brake for safety



BRUSHLESS

| Power | 18 V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Chain bar length (cm) | 30 |
| Chain speed (m/s) | 10 |
| Tool-less chain tensioner | Yes |
| Weight with battery pack (kg) | 3.6 |
| Article Number | 5133002829 |
| EAN Code | 4892210147820 |

Standard equipment (OCS1830)
Bar and chain oil, bar sheath

Also Available as

| x | 18V Cordless Brushless Chain Saw, 30cm Bar (1x5.0Ah) | |
|---|---|--------------------------|
| | Name: RCS18X3050F | Product Code: 5133003800 |



18V Cordless Brushless Blower Vac

TOV COTAICOS BIGORICOS BIOWEI VAS

- High-performance Brushless motor technology to blow and vacuum with greater efficiency
- Turbo mode turns up the power for even the toughest jobs
- Over/under combination blower vac to easily switch between modes
- Overmould handle for comfort during extended use
- Variable speed for ultimate control during gardening tasks
- Ideal for hard surfaces, such as driveways, paths, and decks



BRUSHLESS

| Power | 18 V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Airflow speed (km/h) | 201 |
| Air volume (m³/min) | 6.0 |
| Weight with battery pack (kg) | 4.1 |
| Article Number | 5133003661 |
| EAN Code | 4892210157904 |
| | |

Standard equipment (OBV18)
35L leal bag, shoulder strap, curb wheels

ONE+ Garden Tidy Up

OBL18JB 18V Cordless Jet Blower

- High-efficiency jet fan design provides maximum performance
- Variable speed control for ultimate versatility
- Built-in debris scraper to loosen stubborn dirt and leaves
- Overmould handle for comfort during extended use



| Power | 18 V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Airflow speed (km/h) | 160 |
| Air volume (m³/min) | 7.9 |
| Weight with battery pack (kg) | 2.5 |
| Article Number | 5133003662 |
| EAN Code | 4892210157911 |
| | |

Standard equipment (OBL18JB)

.

Also Available as





- Ideal for hard surface sweeping, such as decks, patios, and driveways
- High speed nozzle provides airflow of 245km/h
- Lightweight design with ultimate cordless convenience makes quick work of clearing jobs
- Overmould for comfort over extended use



| Power | 18 V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Air volume (m³/min) | 2.6 |
| Airflow speed (km/h) | 245 |
| Weight with battery pack (kg) | 2 |
| Article Number | 5133002663 |
| EAN Code | 4892210143488 |

Standard equipment (OBL1820S)

High speed nozzle

Also Available as





18V Cordless Patio Cleaner

OPC1800

Easy to use

Ergonomic design with telescoping handle.

Versatile

Easily clear weeds and grass from between bricks, paving slabs, and more.







- Easily clear weeds and grass from between bricks, paving slabs, and
- No more kneeling: telescoping height adjustment means upright cleaning for any user
- Overmould and adjustable auxiliary handle for comfort over extended
- Tool-free accessory change for quick transitions
- Detergents and accessories specialized to clean a variety of surfaces sold separately




NEW

| Power | 18V |
|-------------------------------|------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Weight with battery pack (kg) | 3.2 |
| Article Number | 5133004315 |
| EAN Code 489221017 | |

Standard equipment (OPC1800) Wire Brush

Also Available as



| ×0 | 18V Cordless Palio Cleaner with Scrubbing Brush | |
|----|--|-----------------------------|
| | Name: OPC1815 | Product Code: 5133004467 |

ONE+ Speciality

OSS1800 18V Cordless Seed Spreader

- Works with dry material including seed, fertiliser, salt and feed
- Variable flow rate and adjustable distribution area from 2.5m to 3.5m for control
- Anti-clog agitator keeps material flowing
- Holds up to 4L of dry material



| Power | 18 V |
|-------------------------------|---------------|
| Power | 16 V |
| No. of batteries supplied | 0 |
| Charger included? | No |
| Capacity (I) | 4 |
| Weight with battery pack (kg) | 1.9 |
| Article Number | 5133003729 |
| EAN Code | 4892210160201 |

Standard equipment (OSS1800)

-6

OWS1880 18V Cordless Weed Sprayer

 Pressurises with the touch of a button, removing fatigue from manually pumping to pressurise

- 3.5L tank with built-in measuring cup
- Integrated lance design for single-handed operation
- Adjustable spray tip for variable spray



| 18 V |
|---------------|
| 0 |
| No |
| 30 |
| 3.5 |
| 1.9 |
| 5133002676 |
| 4892210144447 |
| |

Standard equipment (OWS1880)

8







Power Tools







- Brushless percussion drill ideal for drilling in wood or metal, driving screws or even drilling in masonry thanks to the hammer function
- Ryobi's Brushless technology uses patented electronics to deliver more runtime and power
- All Metal 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- 24 torque settings help to drive screws flush every time
- LED lights up your work area for better visibility



BRUSHLES

| Power | 18V |
|-------------------------------|----------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| No load speed (rpm) | 0-410 / 0-1800 |
| Max. torque (Nm) | 85 |
| Chuck capacity (mm) | 13 |
| Max. drilling masonry (mm) | 13 |
| Max. drilling steel (mm) | 13 |
| Max. drilling wood (mm) | 54 |
| Max. percussion rate (bpm) | 5330 / 23400 |
| Torque settings | 24 |
| Weight with battery pack (kg) | 2.1 |
| Article Number | 5133003941 |
| EAN Code | 4892210164315 |

Standard equipment (R18PD7-0) Double ended bit



- Brushless drill driver ideal for drilling in wood or metal and screw
- Ryobi's Brushless technology uses patented electronics to deliver more runtime and power
- All metal 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- e-Torque control settings make it easy to drive screws flush everytime
- LED lights up your work area for better visibility



Also Available as

| x2 | 18V Cordless Brushless Drill Driver (2x2.0Ah) | |
|----|--|--------------------------|
| | Name: R18DDBL-220S | Product Code: 5133003435 |

| x2 | 18V Cordless Brushless Drill Driver (2x2,5Ah) | |
|----|--|--------------------------|
| | Name: R18DDBL-225B | Product Code: 5133003611 |

BRUSHLESS

| Power | 18V |
|-------------------------------|----------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| No load speed (rpm) | 0-440 / 0-1700 |
| Max. torque (Nm) | 60 |
| Chuck capacity (mm) | 13 |
| Max. drilling steel (mm) | 13 |
| Max. drilling wood (mm) | 50 |
| Torque settings | 10 |
| Weight with battery pack (kg) | 1.7 |
| Article Number | 5133002437 |
| EAN Code | 4892210135629 |
| | |

Standard equipment (R18DDBL-0) Double ended bit

ONE+ Drilling and Fastening



- Brushless percussion drill ideal for drilling in wood or metal, driving screws or even drilling in masonry thanks to the hammer function
- Ryobi's Brushtess technology uses patented electronics to deliver more runtime and power
- All metal 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- e-Torque control settings make it easy to drive screws flush everytime
- LED lights up your work area for better visibility



BRUSHLESS

| Power | 18 V |
|-------------------------------|----------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Max. torque (Nm) | 60 |
| No load speed (rpm) | 0-440 / 0-1700 |
| Chuck capacity (mm) | 13 |
| Max. drilling masonry (mm) | 13 |
| Max. drilling steel (mm) | 13 |
| Max. drilling wood (mm) | 50 |
| Max. percussion rate (bpm) | 7040 / 27200 |
| Torque settings | 10 |
| Weight with battery pack (kg) | 1.7 |
| Article Number | 5133002438 |
| EAN Code | 4892210135636 |
| | |

Standard equipment (R18PDBL-0)

Double ended bit

Also Available as







R18PD5-0 18V Cordless Brushless Percussion Drill

NEW

- Brushless percussion drill ideal for drilling in wood or metal, driving screws or even drilling in masonry thanks to the hammer function
- Ryobi's Brushless technology uses patented electronics to deliver more runtime and power
- e-Torque[®] control automatically drives screws flush for a perfect finish every lime
- 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- LED lights up your work area for better visibility



BRUSHLESS

| Power | 18V |
|-------------------------------|----------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| No load speed (rpm) | 0-400 / 0-1400 |
| Max. torque (Nm) | 50 |
| Chuck capacity (mm) | 13 |
| Max. drilling masonry (mm) | 13 |
| Max. drilling steel (mm) | 13 |
| Max. drilling wood (mm) | 32 |
| Max. percussion rate (bpm) | 6800 / 23800 |
| Torque settings | Automatic |
| Weight with battery pack (kg) | 1.5 |
| Article Number | 5133003595 |
| EAN Code | 4892210156631 |

Standard equipment (R18PD5-0) Double ended bit

R18DD5-0 18V Cordless Brushless Drill/Driver

- Brushless drill driver ideal for drilling in wood or metal and screw
- Ryobi's Brushless technology uses patented electronics to deliver more runtime and power
- e-Torque control automatically drives screws flush for a perfect finish every time
- 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- LED lights up your work area for better visibility





BRUSHLESS

| 0 |
|----------------|
| No |
| 0-400 / 0-1400 |
| 50 |
| 13 |
| 13 |
| 32 |
| Automatic |
| 1.4 |
| 5133003596 |
| 4892210156648 |
| |

Standard equipment (R18DD5-0) Double ended bit

ONE+ Drilling and Fastening







- Cordless percussion drill ideal for drilling in wood or metal, driving screws or even drilling in masonry thanks to the hammer function
- 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- 24 torque settings help to drive screws flush every time
- LED lights up your work area for better visibility




| Power | 18\ |
|-------------------------------|----------------|
| No. of batteries supplied | C |
| Charger included? | No |
| No load speed (rpm) | 0-500 / 0-1800 |
| Max. torque (Nm) | 50 |
| Chuck capacity (mm) | 13 |
| Max. drilling masonry (mm) | 13 |
| Max. dnlling steel (mm) | 13 |
| Max. drilling wood (mm) | 38 |
| Torque settings | 24 |
| Weight wilh battery pack (kg) | 1.7 |
| Article Number | 5133002888 |
| EAN Code | 4892210149145 |
| | |

Standard equipment (R18PD3-0) Double ended bit

Also Available as

| | Percussion Drill 2.0Ah) |
|----------------------|----------------------------|
| Name: R18PD3-220S | Product Code: 5133003342 |





R18DD3-0 18V Cordless Drill/Driver



- Cordless drill driver ideal for drilling in wood or metal and screw driving applications
- 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- 24 torque settings help to drive screws flush every time
- LED lights up your work area for better visibility



| Power | 18V |
|-------------------------------|----------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| No load speed (rpm) | 0-500 / 0-1800 |
| Max. torque (Nm) | 50 |
| Chuck capacity (mm) | 13 |
| Max. drilling wood (mm) | 38 |
| Max. drilling steel (mm) | 13 |
| Torque settings | 24 |
| Weight with battery pack (kg) | 1.7 |
| Article Number | 5133002889 |
| EAN Code | 4892210149152 |
| | |

Standard equipment (R18DD3-0) Double ended bit

Also Available as



| - 11 | 18V Cordless Drill/Driver (1x5.0Ah & 1x2.0Ah) | |
|------|---|-----------------------------|
| x2 | Name: R18DD3-252S | Product Code: 5133003353 |



- Pneumatic hammer drill ideal for drilling holes in stone and concrete
- SDS+ chuck for fast drilling and easy accessory bit changes
- 4 modes for extra versatility (hammer drill, rotary drill, chisel, chisel alignment)
- Chisel function ideal for applications such as light tile removal
- Pneumatic hammer mechanism delivers 1.3J of impact energy making it easy to drill in hard materials like concrete
- LED lights up your work area for better visibility



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Impact rate (ipm) | 0-5000 |
| Blow energy (J) | 1.3 |
| Max. drilling wood (mm) | 16 |
| Max. drilling steel (mm) | 13 |
| Max. dnlling masonry (mm) | 16 |
| Weight wilh battery pack (kg) | 2.1 |
| Article Number | 5133002305 |
| EAN Code | 4892210130211 |

Standard equipment (R18SDS-0) None

Also Avallable as

| _R | 18V SDS+ Rotary (Pneumalic) Hammer Drill (1x2.5Ah) | |
|----|---|-----------------------------|
| | Name: R18SDS-L25S | Product Code: 5133002325 |

ONE+ Drilling and Fastening



R18PD2-0

18V Cordless Percussion Drill

NEW

- Cordless percussion drill ideal for drilling in wood or metal, driving screws or even drilling in masonry thanks to the hammer function
- Keyless chuck for quick and easy bit changes
- 2 gears to control the max speed to match different materials and applications



| Power | 18 V |
|-------------------------------|----------------|
| No. of batteries supplied | 0 |
| No load speed (rpm) | 0-400 / 0-1350 |
| Max. lorque (Nm) | 40 |
| Max. drilling wood (mm) | 32 |
| Max. drilling steel (mm) | 10 |
| Max. drilling masonry (mm) | 10 |
| Weight with battery pack (kg) | 1.5 |
| Article Number | 5133003815 |
| EAN Code | 4892210161468 |
| | |



R18DD2-0


18V Cordless Drill/Driver



- Cordless drill driver ideal for drilling in wood or metal and screw driving applications
- Keyless chuck for quick and easy bit changes
- 2 gears to control the max speed to match different materials and applications



| Power | 18 V |
|-------------------------------|----------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| No load speed (rpm) | 0-400 / 0-1350 |
| Max. lorque (Nm) | 40 |
| Max, drilling wood (mm) | 32 |
| Max. drilling steel (mm) | 10 |
| Weight with battery pack (kg) | 1.4 |
| Article Number | 5133003816 |
| EAN Code | 4892210161475 |
| | |



- Cordless right angle drill ideal for drilling in wood and metal or driving screws in tight spaces
- Keyless chuck for quick and easy bit changes
- LED lights up your work area for better visibility



| Power | 18 V |
|-------------------------------|---------------|
| No. of balteries supplied | 0 |
| No load speed (rpm) | 0-1100 |
| Max. drilling wood (mm) | 38 |
| Max. drilling steel (mm) | 10 |
| Weight with battery pack (kg) | 1.8 |
| Article Number | 5133001166 |
| EAN Code | 4892210118578 |

R18IDBL-0 18V Cordless Brushless Impact Driver

- Brushless impact driver ideal for fast tightening and removing of fasteners
- Ryobi's Brushless technology combines a friction-less Brushless motor, intelligent electronics and lithium+ battery technology to deliver up to 20% more runtime and 20% more power in a smaller tool
- Powerful impact mechanism delivers up to 5x the power of a Ryobi[®] drill



BRUSHLESS

| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Max. lorque (Nm) | 270 |
| No load speed (rpm) | 0-3000 |
| Max. lorque (Nm) | 270 |
| Tool reception | 1/4° Hex |
| Weighl with battery pack (kg) | 1.5 |
| Article Number | 5133002662 |
| EAN Code | 4892210143457 |
| | |





- Quiet Strike impact driver ideal for fast tightening and removing of fasteners
- Innovative oil pulse mechanism delivers more power and speed than a drill but with half the noise of an impact driver
- Tri-Beam LED light illuminates the work area and eliminates shadows on bits and fasteners



| Power | 18V |
|-------------------------------|---------------|
| No of batteries supplied | 0 |
| Max. torque (Nm) | 45 |
| No load speed (rpm) | 0-3200 |
| Impact rate (ipm) | 0-2200 |
| Weight with battery pack (kg) | 1.8 |
| Article Number | 5133002642 |
| EAN Code | 4892210142443 |

RID1801M 18V Cordless Impact Driver

- High power cordless impact driver perfect for screwing and loosening larger bolts
- Motor deliveres 220Nm of torque to easily drive long screws and nuts
- Keyless bit changes 6.35mm (1/4 ") hex drive



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Max. lorque (Nm) | 220 |
| No load speed (rpm) | 0-3200 |
| Impact rate (ipm) | 0-3400 |
| Weight with battery pack (kg) | 1.6 |
| Article Number | 5133001168 |
| EAN Code | 4892210118592 |



- Impact driver ideal for fast tightening and removing of fasteners
- Powerful impact mechanism delivers up to 4x the power of a drill
- 3 power levels for wide range of applications, from fitting door hinges to driving decking screws and coach bolts



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Max. lorque (Nm) | 220 |
| No load speed (rpm) | 0-3,200 |
| Impact rate (ipm) | 0-3,400 |
| Weight with battery pack (kg) | 1.7 |
| Article Number | 5133002613 |
| EAN Code | 4892210140708 |



- Impact driver ideal for fast tightening and removing of fasteners
- Powerful impact mechanism delivers up to 3x the power of a drill
- Quick load 1/4" (6.35mm) chuck



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Impact rate (ipm) | 0-3,200 |
| Max. torque (Nm) | 170 |
| No load speed (rpm) | 0-3,200 |
| Weight with battery pack (kg) | 1.6 |
| Article Number | 5133002640 |
| EAN Code | 4892210142436 |

ONE+ Nailers

CCG1801M 18V Cordless Caulking Gun

- Produces high force for high viscosity materials
- Switch lock helps prevent accidental start-ups
- Variable speed adjustment lever for flow control



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| No load speed high (rpm) | 6 |
| No load speed low (rpm) | _1 |
| Max. output force | 225 |
| Weight with battery pack (kg) | 2.1 |
| Article Number | 5133000060 |
| EAN Code | 4892210100962 |



- AirStrike Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 18 Gauge (1.2mm) nails from 15 to 50mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening



Also available as:

x1 battery version | R18N18G-120S

| 18V |
|---------------|
| 0 |
| 15-50mm |
| 105 |
| 1.2 |
| 2.9 |
| 5133002093 |
| 4892210128058 |
| |



- AirStrike Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 16 Gauge (1.6mm) nails from 19 to 65mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening



Also available as:

pattery version | R18N16G-120S

| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Nail capacity | 19-65mm |
| Magazine capacity nails | 100 |
| Nail type (mm) | 1.6 |
| Weight with battery pack (kg) | 3.1 |
| Article Number | 5133002222 |
| EAN Code | 4892210128898 |



- AirStrike Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires narrow crown staples (5.5-6.1mm) from 10 to 38mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening



| 18V |
|--|
| 0 |
| No |
| 100 |
| Narrow Crown (5.5-6.1mm) from 10 to 38mm long |
| 2.9 |
| 5133002516 |
| 4892210138781 |
| |





- Cordless 115mm grinder ideal for a variety of cutting and grinding applications
- 3 position handle for better control when grinding or cutting
- Tool-less wheel guard and nut for easy accessory fitting



Also available as:

battery version | R18AG-140S

| Power | 18 V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Disc diameter (mm) | 115 |
| No load speed (rpm) | 7500 |
| Bore size (mm) | 22 |
| Weight with battery pack (kg) | 2.9 |
| Article Number | 5133001903 |
| EAN Code | 4892210123657 |





- Powerful brushless motor provides industry leading 30mm stroke length ideal for cutting wide range of materials with ease
- Orbital function boosts cutting speed by up to 40% compared to with no orbital
- LED work light illuminates the cut line and work area



BRUSHLESS

| Downer | 18V |
|---------------------------------|---------------|
| Power | 104 |
| No. of batteries supplied | 0 |
| Stroke length (mm) | 30 |
| No load speed (rpm) | 3200 |
| Max. cutting capacity wood (mm) | 210 |
| Weight with battery pack (kg) | 3.0 |
| Article Number | 5133003809 |
| EAN Code | 4892210158673 |



- Powerful Brushless 125mm grinder ideal for a variety of cutting and grinding applications
- Brushless motor eliminates friction to provide the power to cut, grind or even work with masonry
- Intelligent electronics constantly regulate the motor to maximum runtime



BRUSHLESS

| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Disc diameter (mm) | 125 |
| No load speed (rpm) | 11000 |
| Bore size (mm) | 22 |
| Weight with battery pack (kg) | 2.6 |
| Article Number | 5133002852 |
| EAN Code | 4892210149404 |
| | |



- Ideal for rough and fast cutting for demolition tasks in materials such as wood, metal and plastic.
- Cuts faster than corded, compared to Ryobi corded saw ERS80VHG
- Anti-Vibe" handle increases comfort and control while cutting



| Power | 18V |
|---------------------------------|---------------|
| No. of batteries supplied | 0 |
| Stroke length (mm) | 28 |
| No load speed (rpm) | 2900 |
| Max. cutting capacity wood (mm) | 200 |
| Weight with battery pack (kg) | 2.8 |
| Article Number | 5133002637 |
| EAN Code | 4892210141910 |
| | |

ONE+ Woodworking

RRS1801M 18V Cordless Reciprocating Saw

- Universal saw for cutting a variety of materials
- Tool-less blade clamp for quick and easy blade changes
- Variable speed and brake



| Power | 18 V |
|---------------------------------|---------------|
| No. of batteries supplied | 0 |
| Stroke length (mm) | 22 |
| No load speed (rpm) | 3100 |
| Max. cutting capacity wood (mm) | 180 |
| Weight with battery pack (kg) | 2.3 |
| Article Number | 5133001162 |
| EAN Code | 4892210118691 |

R18CS-0 18V Cordless Circular Saw

- Ideal for making long straight cuts, trimming sheet wood to size, cutting kitchen work tops, flooring or to make quick and accurate cross cuts in timber
- Impressive cut capacities 52mm at 90°, 36mm at 45° allows you to complete applications usually reserved for corded tools
- Tool less depth and bevel adjustments make it quick at easy to set up the saw



| Power | 18 V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Blade diameter (mm) | 165 |
| Max. cutting depth 90° (mm) | 52 |
| Bevel capacity (') | 0-56 |
| Weight with battery pack (kg) | 2.8 |
| Article Number | 5133002338 |
| EAN Code | 4892210117304 |



- Powerful Brushless circular saw ideal for making long straight cuts, trimming sheet wood to size, cutting kitchen work top, flooring or to make quick and accurate cross cuts in timber
- Brushless motor eliminates friction to provide the power to cut and saw into variety of wood materials
- Intelligent electronics constantly regulate the motor to maximum runtime



| Power | 18 V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Blade diameter (mm) | 184 |
| Max. cutting depth 90° (mm) | 60 |
| Bevel capacity (°) | 50 |
| Weight with battery pack (kg) | 3.3 |
| Article Number | 5133002890 |
| EAN Code | 4892210150080 |
| | |



- Ideal for making long straight cuts, trimming sheet wood to size, cutting kitchen work tops, flooring or to make quick and accurate cross cuts in timber
- Impressive cut capacities 45mm at 90°, 32mm at 45°
- Tool less depth and bevel adjustments make it quick at easy to set up the saw



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Blade diameter (mm) | 150 |
| Max. cutting depth 90° (mm) | 45 |
| Bevel capacity (*) | 50 |
| Weight (without battery) (Kg) | 2.8 |
| Article Number | 5133001164 |
| EAN Code | 4892210118554 |
| | |





- Powerful brushless jigsaw with 25mm stroke length ideal for cutting wood, plastic and metal at a variety of angles
- Premium aluminium die cast base plate and plate cover for greater stability and more durable
- 1 handed speed control for easy speed adjustment to suit different applications





Also available as:

battery version | R18JS-120S

battery version | R18JS-120S5

BRUSHLESS

| Power | 18V |
|---|---------------|
| No. of batteries supplied | 0 |
| Stroke length (mm) | 25 |
| No load speed (rpm) | 800 - 3500 |
| Max. cutting capacity wood/ steel/ aluminium (mm) | 135/10/10 |
| Weight with battery pack (kg) | 1.8 |
| Article Number | 5133004223 |
| EAN Code | 4892210170521 |
| | |

R18MS216-0 18V Cordless Sliding Mitre Saw

- Cordless sliding mitre saw cuts up to 70x270mm at 90
- Pre selected miter angles to 45 and bevel from 0 to 45
- Premium thin kerf 216mm blade with 48 carbide tipped teeth provides superb performance and cut quality



| Power | 18V |
|---|---------------|
| No. of batteries supplied | 0 |
| Blade diameter (mm) | 216 |
| Max. cutting capacity 0 mitre/ 45 bevel [mm] | 48 x 270 |
| Max. cutting capacity 45° mitre/ 45° bevel (mm) | 48 x 185 |
| Weight with battery pack (kg) | 14.8 |
| Article Number | 5133003597 |
| EAN Code | 4892210156952 |



- Cordless jigsaw with 25mm stroke length ideal for cutting wood at a variety of different angles
- 1 handed speed control for easy speed adjustment to suit different applications
- 4 stage pendulum action for enhanced cutting performance



| Power | 18V |
|----------------------------------|---------------|
| No. of batteries supplied | 0 |
| Stroke length (mm) | 25 |
| No load stroke rate (spm) | 1,100 - 3,000 |
| Max. cutting capacity wood (mm) | 101 |
| Max. cutting capacity sleel (mm) | 6 |
| Weight with battery pack (kg) | 2.5 |
| Article Number | 5133002158 |
| EAN Code | 4892210128010 |

EMS190DCL 18V Cordless Mitre Saw

- Cordless mitre saw cuts up to 38x108mm at 90°
- Exactline laser accurately aligns the cut line with the blade
- Pre-select mitre angles at 0,15,22.5,31.6 and 45° and bevel from 0-45°



| Power | 18V |
|---|---------------|
| Charger included? | No |
| Blade diameter (mm) | 190 |
| Max cutting capacity 0 mitre/ 45 bevel [mm] | 19 x 114 |
| Max. cutting capacity 45° mitre/ 45° bevel (mm) | 19 x 82 |
| Weight with battery pack (kg) | 7.4 |
| Article Number | 5133000932 |
| EAN Code | 4892210116895 |
| | |

ONE+ Woodworking

ELTS180M 18V Cordless Tile Saw

- Powerful 18V motor cuts through ceramic, granite, marble and masonry
- Steel base includes oversized knobs for easy adjustments
- 102mm 4" continuous rim diamond cutting wheel offers precision cutting and prevents chipping



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| No toad speed (rpm) | 5000 |
| Wheel size (mm) | 102 |
| Max. cutting depth 90° (mm) | 22 |
| Weight with battery pack (kg) | 2.6 |
| Article Number | 5133000154 |
| EAN Code | 4892210110688 |



- A versatile multi purpose tool that cuts drywalt, metal, wood, plastic, composite and many other materials; it also sands the finest details
- Plunge cuts into any material quickly and easily or cut flush, right up to a surface without damaging it
- 5 position pivoting head makes it even easier to cut and sand in those hard to reach areas



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Oscillation angle (°) | 3.2° |
| Oscillation rate (opm) | 10000-20000 |
| Weight with battery pack (kg) | 1.4 |
| Article Number | 5133002466 |
| EAN Code | 4892210136534 |





- A versatile multi purpose tool that cuts drywall, metal, wood, plastic, composite and many other materials; it also sands the finest details
- Plunge cuts into any material quickly and easily or cut flush, right up to a surface without damaging it
- Quick change attachments for hassle free transition between sanding and sawing



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Oscillation angle (*) | 3° |
| Oscillation rate (opm) | 10000-20000 |
| Weight with battery pack (kg) | 1.22 |
| Article Number | 5133003797 |
| EAN Code | 4892210161413 |



- Cordless planer delivers fast stock removal, ideal for trimming doors and other surfaces leaving a smooth finish
- Adjustable depth of cut from 0-1.6mm and 82mm planning width
- Additionat front handle for greater control



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Planing depth (mm) | 1.6 |
| Planing width (mm) | 82 |
| No load speed (rpm) | 11000 |
| Weight with battery pack (kg) | 2.8 |
| Article Number | 5133002921 |
| EAN Code | 4892210151520 |





- Cordless trim router ideal for adding edge profiles to enhance any woodworking project
- Micro depth adjustment for precise and accurate cutting
- Aluminum base offers stability and accuracy



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Max. cutting capacity (mm) | 38 |
| Collet capacity (mm) | 6mm & 6.35mm |
| No load speed (rpm) | 29000 |
| Weight with battery pack (kg) | 1.7 |
| Article Number | 5133002917 |
| EAN Code | 4892210151483 |



- Ideal for light to medium weight applications such as fine finishing and paint removal
- 2.5mm orbital sanding motion for fast and efficient stock removal
- Random orbital action delivers a swirl free finish



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Orbit rate [opm] | 20000 |
| Diameter of orbit (mm) | 2.5 |
| Sanding pad size (mm) | 125 |
| Weight with battery pack (kg) | 1.6 |
| Article Number | 5133002471 |
| EAN Code | 4892210136855 |
| | |



- Powerful and fast 76 x 457mm belt sander ideal for heavy duty applications over large areas
- Remove up to 700g of material per hour
- 3 position front handle gives the added control and versatility for this sander to reach into tight spaces that normal belt sanders cannot



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Belt length (mm) | 457 |
| Belt width (mm) | 76 |
| Belt speed (m/min) | 250 |
| Weight with battery pack (kg) | 3 |
| Article Number | 5133002916 |
| EAN Code | 4892210149992 |



- Ideal for light to medium work applications such as fine finishing and paint removal
- Remove up to 150g of material per hour
- 1.6mm orbital sanding motion for fast and efficient stock removal



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Orbit rate [opm] | 24000 |
| Diameter of orbit (mm) | 1.6 |
| Sanding pad size (mm) | 113x106 |
| Weight with battery pack (kg) | 1.6 |
| Article Number | 5133002918 |
| EAN Code | 4892210151384 |
| | |

ONE+ Woodworking & Inflators

R18PS-0 18V Cordless Palm Sander

- Ideal for light to medium weight applications such as fine finshing and paint removal
- 1.8mm orbital sanding motion for fast and efficient stock removal
- Compact design allows users to sand easily in corners and tight spaces



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Orbit rate [opm] | 22000 |
| Diameter of orbit (mm) | 1.8 |
| Sanding pad size (mm) | 100x140 |
| Weight with battery pack (kg) | 1.1 |
| Article Number | 5133002443 |
| EAN Code | 4892210133700 |
| | |



- Dual function inflator/deflator provides high pressure inflation for tyres and high volume for inflatables
- Easy to use controls allow automatic shut off at any pressure you choose and there is a digital pressure readout for accurate inflation
- Connect the hose to a separate port for deflation mode ideal for packing down air beds or other inflatables



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| High Pressure Hose [mm] | 711 |
| High Volume Hose [mm] | 756 |
| Max. pressure (bar) | 10.3 |
| Weight with battery pack (kg) | 1.7 |
| Article Number | 5133001834 |
| EAN Code | 4892210122780 |





- Slimline 13 x 457mm file sander ideal for flexible sanding in tight spaces
- Up to 660 m/min with variable speed control, ideal for sanding and shaping in a variety of materials
- Tool-free belt tracking maximises user control and convenience



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Belt length (mm) | 457 |
| Belt width (mm) | 13 |
| Belt speed (m/min) | 660 |
| Weight with battery pack (kg) | 1.5 |
| Article Number | 5133004179 |
| EAN Code | 4892210169693 |





- Ideal for inflating car tyres, bike tyres or sports balls, it will inflate a car tyre to 32PSI in just 2 minutes
- Rapid inflation up to 10.3 Bar/150 PSI at 16I/min
- Easy to view pressure gauge for quick reading and fine control



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| High Pressure Hose [mm] | 508 |
| Max. pressure (bar) | 10.3 |
| Air flow (l/min) | 16 |
| Weight with battery pack (kg) | 1.1 |
| Article Number | 5133003931 |
| EAN Code | 4892210164674 |
| | |







- Ideal for inflating paddling pools, air mattresses and large inflatables, it will inflate a queen sized air mattress in just 2 minutes
- Rapid inflation at 210l/min and up to 0.034 Bar/0.5 PSI
- Can be used as a workshop blower, quickly clearing your workplace mid-project



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Max. pressure (bar) | 0.034 |
| Air flow (l/min) | 210 |
| Weight with battery pack (kg) | 0.7 |
| Article Number | 5133003880 |
| EAN Code | 4892210162441 |
| | |



NEW

- Up to 1300l/min of air flow providing powerful suction to clean your home, car or workshop
- Easy to empty 540ml dust bowl for quick and clean waste disposal
- Includes a crevice tool with extendable bristle head for cleaning in hard to reach places



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Air Watts | 20 |
| Air flow (I/min) | 1300 |
| Container capacity (ml) | 540 |
| Weight (without battery) (Kg) | 1 |
| Article Number | 5133003834 |
| EAN Code | 4892210162199 |

R18HVF-0 18V Cordless Hand Vac with Floorcare Kit



- Up to 1300l/min of air flow providing powerful suction to clean your home, car or workshop
- Easy to empty 540ml dust bowl for quick and clean waste disposal
- Includes a full floorcare kit for improved reach and vacuuming hard floors



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Air Watts | 20 |
| Air flow (Vmin) | 1300 |
| Container capacity (ml) | 540 |
| Weight with battery pack (kg) | 1.4 |
| EAN Code | 4892210162205 |
| Article Number | 5133003835 |
| | |



- Ideal for cleaning up work shop dust and dirt including sawdust, wood and metal chippings
- Compact and powerful blower with air speed up to 200 km/h
- 3 Speed control: low speed optimised for workshop applications, mid speed gives added control while high speed provides maximum power



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Air Flow Speed 1 (km/h) | 115 |
| Air Flow Speed 2 (km/h) | 150 |
| Air Flow Speed 3 (km/h) | 200 |
| Weight with battery pack (kg) | 1.6 |
| Article Number | 5133002915 |
| EAN Code | 4892210149985 |

ONE+ Cleaning & Automotive



NEW

- Up to 1400l/min of air flow providing powerful suction for workshop debris
- Universal adaptor included for dust extraction on ONE+ tools
- Can be used as a workshop blower, quickly clearing your workspace mid-project



| Power | 18 V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Air Watts | 95 |
| Air flow (I/min) | 1400 |
| Pressure [kPA] | 11.8 |
| Container capacity (ml) | 11000 |
| Weight with battery pack (kg) | 4.5 |
| Article Number | 5133003786 |
| EAN Code | 4892210163332 |



R18SW3-0

18V Cordless Debris Sweeper

NEW

- Powered sweeper for cleaning up your workshop, garage or paths with ease
- Two side brushes and the 53cm width provides a wide collection area for minimal passes and ensures deep cleaning even up against edges
- 17 litre container allows you to clear your workspace with minimal stoppages



| Power | 18 V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Cleaning Width [cm] | 53 |
| Container Capacity [I] | 17 |
| No load speed (rpm) | 155 |
| Weight with battery pack (kg) | 8.2 |
| Article Number | 5133004365 |
| EAN Code | 4892210170972 |





- Cordless water pump ideal for numerous water transfer applications, such as removing water from flooded areas, blocked bathtub or water basins
- Fast flow rate of 1500 litres per hour, able to empty a full bathtub in just under 3 minutes
- Powerful motor can pump water up to 14 metres high



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Max. suction lift [m] | 2.5 |
| Max. water lift [m] | 14 |
| Flow rate (I/h) | 1500 |
| IPX rating | 4 |
| Weight with battery pack (kg) | 1.8 |
| Article Number | 5133003934 |
| EAN Code | 4892210163004 |
| | |





- Compact and intelligent brushless impact wrench delivers 270Nm of torque, ideal for automotive applications
- Impact mechanism allows for high amounts of torque with little reactionary feedback through the handle
- 4 torque settings including AutoStop, a setting optimised for tightening and loosening wheel nuts on cars



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Impact rate (ipm) | 0-3900 |
| Max. torque (Nm) | 270 |
| No load speed (rpm) | 0-3000 |
| Weight with battery pack (kg) | 1.3 |
| Article Number | 5133004220 |
| EAN Code | 4892210164568 |





- 18V high power motor delivers 400Nm of torque ideal for fast tightening/removing of heavy duty fasteners
- Impact mechanism allows for high amounts of torque with little reactionary feedback through the handle
- 3 speed settings provide added control and versatility



Also available as:

battery version | R18IW3-120S

| Power | 18V |
|-------------------------------|---------------|
| No of batteries supplied | 0 |
| Impact rate (ipm) | 0-3200 |
| Max. torque (Nm) | 400 |
| No load speed (rpm) | 0-2900 |
| Weight with battery pack (kg) | 2 |
| Article Number | 5133002436 |
| EAN Code | 4892210132352 |
| | |



- Ideal for applying polish and wax to maintain your car's paint finish
- Also great for use on boats, wooden furniture and flooring
- · Random orbit motion delivers a swirl free finish



| Power | 18 V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Diameter of orbit (mm) | 12.5 |
| Oscillation rate (opm) | 2500 |
| Size (mm) | 254 |
| Weight with battery pack (kg) | 2.4 |
| Article Number | 5133002465 |
| EAN Code | 4892210135483 |

R18RT-0 18V Cordless Rotary Tool



- Powerful cordless rotary tool for cutting, sanding, grinding, engraving and many more applications
- Slimline pencil design and variable speed control up to 34000rpm provides fine control and use on a variety of materials
- 90cm cable for flexible working in situ



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Collet capacity (mm) | 3.2 |
| Cable lengh [cm] | 90 |
| No load speed (rpm) | 5000 - 34000 |
| Weight with battery pack (kg) | 1.2 |
| Article Number | 5133004366 |
| EAN Code | 4892210172273 |
| | |



NEW

- Cordless soldering iron, ideal for automotive and craft applications
- Cordless and small in size; perfect for working in situ
- Takes just 1 minute to heat up to 480°C



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Temperature range (°C) | 480° |
| Weight with battery pack (kg) | 0.4 |
| Article Number | 5133004382 |
| EAN Code | 4892210173324 |

ONE+ Lifestyle & Lighting

R18GLU-0 18V Cordless Glue Gun

- Cordless glue gun, ideal for use on a wide selection of materials such as paper, cardboard, textiles, leather, plastic, wood, metal, cork or stone
- Two-finger trigger for enhanced control
- 3 minute warm up means you're ready to glue in next to no time



| Power | 18 V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Nozzle Hole (mm) | 3 |
| Glue Stick Diameter (mm) | 11 |
| Weight with battery pack (kg) | 0.7 |
| Article Number | 5133002868 |
| EAN Code | 4892210149428 |

R18RH-0 18V Cordless Stereo with Bluetooth®

- Stereo sound from two premium 7W speakers for clear, crisp music at a range of volumes
- Integrated Bluetooth® Wireless Technology for ultimate versatility to stream full audio from up to than 10 metres away
- Digital tuning with capability to save 10 FM and 10 AM station presets



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Weight with battery pack (kg) | 2.3 |
| Article Number | 5133002734 |
| EAN Code | 4892210145390 |



- Ideal for painting fences, exterior walls, garage doors and outbuildings
- Choose between three spray patterns, horizontal, vertical or round, to provide you with the best coverage whilst minimising overspray
- Suitable for use with any brand paint



| Power | 18 V |
|---------------------------------|---------------|
| No. of batteries supplied | 0 |
| Container capacity (ml) | 1000 |
| Paint coverage sprayer (m²/min) | 10 |
| Flow rate (I/h) | 20 |
| Weight with battery pack (kg) | 2.4 |
| Article Number | 5133000155 |
| EAN Code | 4892210110589 |
| | |



NEW

- Charge your USB devices anywhere with our portable USB adaptor, ideal for on the go or camping
- Adaptor detects the charge rate of your devices to minimise charge time
- The 2.1A and 1A ports provide flexible and fast charging



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Output Voltage [V] | 5 |
| Charge rate (Amps per hour) | 2.1A / 1.0A |
| Weight with battery pack (kg) | 0.4 |
| Article Number | 5133004381 |
| EAN Code | 4892210154576 |



R18R-0 18V Cordless Radio with Bluetooth®

- Premium speaker provides clear, crisp music at a range of volumes
- Integrated Bluetooth® Wireless Technology for ultimate versatility to stream full audio from up to than 10 metres away
- Digital tuning with capability to save 10 FM and 10 AM station presets



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Speaker diameter (mm) | 90 |
| Speaker output (W) | 3 |
| Weight with battery pack (kg) | 1.1 |
| Article Number | 5133002455 |
| EAN Code | 4892210135476 |



- Switch between cordless and corded power with the innovative Hybrid technology, Works with any Lithium + battery or electric power with an extension cord
- 20W lifetime LED emits up to 1,800 Lumens

Also available as:

360° rotation of the lens and multiple hanging options add versatility



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Butb type | LED |
| Lumens | 1800 |
| Weight with battery pack (kg) | 1.9 |
| Article Number | 5133002339 |
| EAN Code | 4892210117311 |



- Cordless fan ideal for indoor or outdoor use, compact and portable with built in carry handle
- 8 adjustable positions to aim air in multiple directions
- Multiple hanging options for maximum versatility



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Fan speed (rpm) | 2100/1400 |
| Weight with battery pack (kg) | 1.6 |
| Article Number | 5133002612 |
| EAN Code | 4892210140678 |



- 20 high power LEDs emit up to 850 Lumens
- Stand, fold or hang almost anywhere, allowing you to work with both hands in a clearly lit environment
- 2 separate banks of LED's so you can choose to have either half of the light on or all 20 LEDs for full power



| 18V |
|---------------|
| 0 |
| LED |
| 850 |
| 1.3 |
| 5133002304 |
| 4892210130525 |
| |

ONE+ Lifestyle & Lighting

R18ALU-0 18V Cordless LED Area light

- Ideal for short to mid distance 0-3M thanks to a frosted lens which decreases glare
- Emits a bright white light and the long lasting LED means you no longer need to replace bulbs
- USB charging port helps you to charge your phone on the go



| 0 |
|---------------|
| LED |
| 330 |
| 0.9 |
| 5133003371 |
| 4892210152565 |
| |

R18SPL-0 18V Cordless LED Hi-Beam Spotlight

- Ideal for mid to long distance with a recommended throw of up to 600 metres
- Emits a bright white light and the long lasting LED means you no longer need to replace bulbs
- Can be used with Ryobi ONE+ 18V batteries or 12V car adaptor (included)



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Bulb type | LED |
| Lumens | 2300 |
| Weight with battery pack (kg) | 1 |
| Article Number | 5133003372 |
| EAN Code | 4892210152572 |



- Rotating head directs light where needed
- Multi-functional design that is capable of sitting flat on the battery or hanging from a nail, screw or hook
- Lightweight and durable for every day use



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Bulb type | Hatogen |
| Weight with battery pack (kg) | 0.7 |
| Article Number | 5133001636 |
| EAN Code | 4892210120182 |



- Ideal for short to mid distance with a recommended throw of up to 20 metres
- Emits a bright white light and the long lasting LED means you no longer need to replace bulbs
- Rotating head helps direct light where needed when using as a work light



| Power | 18V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Bulb type | LED |
| Lumens | 140 |
| Weight with battery pack (kg) | 0.7 |
| Article Number | 5133003373 |
| EAN Code | 4892210152589 |



RB18L50 18V 5.0Ah Lithium+ Battery

- Powerful 5.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell[®] technology monitors and balances individual cells to maximise run-times, storage life and safety



| ONE L | RB18L40 |
|-------|-----------------------------|
| | 18V 4 0Ah Lithium + Battery |

- Powerful 4.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell technology monitors and balances individual cells to maximise run-times, storage life and safety



| Article Number | 5133002433 | Article Number | 5133001907 |
|----------------|---------------|----------------|---------------|
| EAN Code | 4892210135940 | EAN Code | 4892210124104 |



- Powerful 2.5Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell[®] technology monitors and balances individual cells to maximise run-times, storage life and safety



| Article Number | 5133002237 |
|----------------|---------------|
| EAN Code | 4892210129062 |



- Powerful 2.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- Tough pack design with built in impact protection for long term durability
- Drive up to 600 4x32mm screws with R18DD3



| Article Number | 5133002737 |
|----------------|---------------|
| EAN Code | 4892210145093 |

ONE+ Batteries & Chargers

RB18L15 18V 1.5Ah Lithium+ Battery

- Powerful 1.5Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell technology monitors and balances individual cells to maximise run-times, storage life and safety



| ONE - | RB18L13 18V 1.3Ah Lithium Battery |
|---------|--------------------------------------|
| SIME TO | 18V 1.3Ah Lithium Battery |

- Powerful 1.3Ah Lithium battery
- Tough pack design with built in impact protection for long term durability
- Drive up to 380 4x32mm screws with R18DD3



| Article Number | 5133001904 |
|----------------|---------------|
| EAN Code | 4892210124074 |

EAN Code 4892210124081

RB18L30 18V 3.0Ah Lithium+ HIGH ENERGY Battery

Article Number



5133001905

- Powerful 3.0Ah Lithium+ HIGH ENERGY battery provides 3 times more runtime and 20% more power than previous lithium technologies
- High Power battery cells generate up to 25% less heat in high demand applications which maximises runtime
- New highly efficient 4 tab design makes it easier for energy to flow increasing power by up to 20%



 Article Number
 5133002867

 EAN Code
 4892210149343





- Powerful 9.0Ah Lithium+ HIGH ENERGY battery provides 3 times more runtime and 20% more power than previous lithium technologies
- High Power battery cells generate up to 25% less heat in high demand applications which maximises runtime
- New highly efficient 4 tab design makes it easier for energy to flow increasing power by up to 20%



 Article Number
 5133002865

 EAN Code
 4892210149381






- The fastest ONE+ charger ever. Charges at a rate of 5.0Amp/h meaning you can charge a 5.0Ah battery in 1 hour
- ONE+ charger compatible with all ONE+ 18V Lithium ion batteries
- Indicator lights show the status as batteries are charged and maintained



 Article Number
 5133002638

 EAN Code
 4892210141873



- Compact fast charger. Charges at a rate of 1.5Amp/h meaning you can charge a 1.5Ah battery in 1 hour
- ONE+ charger compatible with all ONE+ 18V Lithium ion batteries
- Indicator lights show the status as batteries are charged and maintained



 Article Number
 5133003589

 EAN Code
 4892210156372



- Power on demand 6 port charging station makes an ideal hub to store all your ONE+ batteries
- Charges at a rate of 2.7Amp/h meaning you can charge a 2.5Ah battery in 1 hour
- ONE+ charger compatible with all ONE+ 18V Lithium ion batteries



 Article Number
 5133002630

 EAN Code
 4892210140906

RC18120 18V ONE+ Compact Charger

- Compact fast charger. Charges at a rate of 2.0Amp/h meaning you can charge a 2.0Ah battery in 1 hour
- ONE+ charger compatible with all ONE+ 18V Lithium ion batteries
- Indicator lights show the status as batteries are charged and maintained



 Article Number
 5133002891

 EAN Code
 4892210150103



- Plugs into vehicle's 12V DC outlet, giving you the flexibility to charge batteries while driving or when access to power is limited
- ONE+ charger compatible with all ONE+ 18V Lithium+ batteries
- Indicator lights show the status as batteries are charged and maintained



 Article Number
 \$133002893

 EAN Code
 4892210150134



- 1 x 5.0Ah Lithium+ battery and charger
- Lithium+ battery technology gives more power, longer runtimes and better durability than previous lithium batteries
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)



 Article Number
 5133003366

 EAN Code
 4892210152206



PETROL PERFC CORDLESS CON



The battery technology that gives you the power of petrol* with no mess!

The 36V range of cordless garden tools truly deliver petrol performance. Powered by 36V Lithium+ batteries, you will never want to use anything else in your garden again.

Ryobi has a 36V cordless tool to cover any garden application. From mowing, trimming grass and hedges, chopping logs, garden tidy up or pressure washing. Best thing of all, you only need one battery to power them all!

IntelliCell[™] battery technology

Uniquely manages its own power to deliver optimum performance and runtime for any 36V tool and application.



RMANCE ENIENCE

SAOB



RLM36X41H40

36V Cordless Lawnmower, 40cm Deck (1x4.0Ah)

- High-torque 36V motor delivers premium performance even in tough grass conditions
- Optimised cutting deck with 40cm metal blade for excellent cutting, mulching, and bagging performance
- Robust 5-position, single-point height adjustment provides a cutting range from 20-70mm
- Mow up to the edge or around flower beds with EasyEdge grass comb
- Telescoping, ergonomic handles provide a comfortable mowing experience for users of all heights
- Collapsible handles and grass catcher for easy and compact storage



| Power | 36 V |
|----------------------------|---------------|
| No. of batteries supplied | 1 |
| Battery pack capacity (Ah) | 4.0 |
| Charger included? | Yes |
| Charging time (min) | 130 |
| Decksize (cm) | 40 |
| Orive mechanism | Push |
| Mulching capable | Yes |
| Weight (without battery) | 18.5 |
| Article Number | 5133002806 |
| EAN Code | 4892210147608 |
| | |

Standard equipment (RLM36X41H40) Mulching plug, 50L grass catcher

Also Available as

| | | awnmower, 40cm (1x5 0Ah) |
|---|----------------------|-----------------------------|
| - | Name: RLM36X41H50 | Product Code: 5133002807 |

RLM36X41H50P

36V Cordless Lawnmower with Power Assist, 40cm Deck (1x5.0Ah)

- High-torque 36V motor delivers premium performance even in tough grass conditions
- Optimised cutting deck with 40cm metal blade for excellent cutting, mulching, and bagging performance
- Robust 5-position, single-point height adjustment provides a cutting range from 20-70mm
- Mow up to the edge or around flower beds with EasyEdge grass comb
- Telescoping, ergonomic handles provide a comfortable mowing experience for users of all heights
- Collapsible handles and grass catcher for easy and compact storage



| Power | 36 V |
|----------------------------------|---------------|
| No. of batteries supplied | 1 |
| Battery pack capacity (Ah) | 5.0 |
| Charger included? | Yes |
| Charging time (min) | 150 |
| Decksize (cm) | 40 |
| Drive mechanism | Power Assist |
| Mulching capable | Yes |
| Weight (without battery) (Kg) | 18.5 |
| Article Number | 5133002809 |
| EAN Code | 4892210147912 |

Standard equipment (RLM36X41H50P) Mulching plug, 50L grass catcher

RLM36X46S5

36V Cordless Brushless Lawmower, 46cm Deck (1x5.0Ah)

- High-torque 36V brushless motor delivers enough power to optimise performance for even the toughest cutting jobs
- 46cm cutting path for quick cutting and mulching of even the largest tasks
- Robust 5-position, single-point height adjustment provides a cutting range from 20-70mm
- EasyEdge" grass comb allows for moving right to the edge of the grass
- Telescoping, ergonomic handles provide a comfortable mowing experience for users of all heights
- Collapsible handles and grass catcher for easy and compact storage
- Includes Mulching plug, 55L grass catcher



BRUSHLESS

| Power | 36V |
|-------------------------------|---------------|
| No. of batteries supplied | 3 |
| Battery pack capacity (Ah) | 5.0 |
| Charger included? | Yes |
| Charging time (min) | 180 |
| Decksize (cm) | 46 |
| Drive mechanism | Push |
| Mulching capable | Yes |
| Weight with battery pack (kg) | 19.9 |
| Article Number | 5133003831 |
| EAN Code | 4892210162496 |

Standard equipment (RLM36X46S5) Mulching plug, 55L grass catcher



RLM36X46H5P

36V Cordless Brushless Lawmower with Power Assist, 46cm Deck (1x5.0Ah)

- High-torque 36V brushless motor delivers enough power to optimise performance for even the toughest cutting jobs
- Power Assist mode gives an extra boost up inclines or through thick grass
- 46cm cutting path for quick cutting and mulching of even the largest tasks
- Robust 5-position, single-point height adjustment provides a cutting range from 20-70mm
- EasyEdge grass comb allows for mowing right to the edge of the grass
- Telescoping, ergonomic handles provide a comfortable mowing experience for users of all heights
- Collapsible handles and grass catcher for easy and compact storage



BRUSHLESS

| Power | 36 V |
|-------------------------------|---------------|
| No. of batteries supplied | 1 |
| Battery pack capacity (Ah) | 5.0 |
| Charger included? | Yes |
| Charging time (min) | 65 |
| Decksize (cm) | 46 |
| Drive mechanism | Power Assist |
| Mulching capable | Yes |
| Weight with battery pack (kg) | 19.9 |
| Article Number | 5133002811 |
| EAN Code | 4892210147646 |
| | |

Standard equipment (RLM36X46H5P) Mulching plug, 55L grass catcher

RLT36B33

36V Cordless Grass Trimmer, 33cm Cutting Width

- Adjustable cutting width from 28-33cm for great versatility when trimming long grass
- Ergonomic front handle reduces vibration and improves comfort
- Variable speed trigger extends run time and allows for trimming against delicate surfaces
- Rear mount battery for better balance and weight distribution
- Flower guard prevents accidental trimming of flowers



| Power | 36V |
|----------------------------------|----------------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Cutting path width (cm) | 28-33 |
| Cutting line diameter (mm) | 2.0 |
| Line feed sys 1em | Auto-feed |
| Weight (without battery) (Kg) | 2.8 |
| Supplied in | Recyclable Carton |
| Article Number | 5133002404 |
| EAN Code | 4892210134424 |

Standard equipment (RLT36B33) Auto-feed spool, comfort strap

Also Available as

| ×1 | 36V Cordless Grass Trimmer, 33cm Cutting Width (1x 2,6Ah) | |
|----|--|--------------------------|
| XI | Name: RLT36C3325 | Product Code: 5133002107 |

RHT36B61R

36V Cordless Hedge Trimmer, 60cm Blade



- 36V motor powers through even the toughest hedges and branches
- 60cm precision laser cut, diamond ground blades provide clean cutting results
- Blade saw function and 26mm blade gap to cut large branches
- Five-position rotating rear handle with overmould for comfortable trimming at any angle
- HedgeSweep attachment offers easy removal of clippings



| Power | 36V |
|-------------------------------|--------------------------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Max. cutting capacity (mm) | 26 |
| Blade length (cm) | 60 |
| Blade speed (rpm) | 1600 |
| Blade type | Laser cut, dia- mond ground |
| Weight with battery pack (kg) | 3.7 |
| Article Number | 5133004318 |
| EAN Code | 4892210172808 |

Standard equipment (RHT36B61R)
HedgeSweep™ attachment, blade sheath

Also Available as

| x1 | | dge Trimmer, 60cm 1x1.5Ah) |
|-----------|-----------------------|-------------------------------|
| | Name: RHT36C61R15S | Product Code: 5133004319 |

RCS36X3550HI

36V Cordless Brushless Chainsaw, 35cm Bar (1x5.0Ah)

- Brushless motor provides premium torque and efficiency for effortless cutting
- 35cm Oregon® bar and chain to tackle large logs
- Powerful 21 m/s chain speed offers ultimate cutting experience
- Rapid mechanical chain brake and electric motor brake system
- Quick and reliable tool-less chain-tensioning system
- Automatic bar and chain lubrication for continuous cutting
- Soft grip anti-vibration handle for comfort during extended use
- Rugged construction and optimum weight distribution and balance for ease of handling



BRUSHLESS

| Power | 36 V |
|-------------------------------|---------------|
| No of batteries supplied | 1 |
| Battery pack capacity (Ah) | 5.0 |
| Charger included? | Yes |
| Charging time (min) | 180 |
| Chain bar length (cm) | 35 |
| Chain speed (m/s) | 21 |
| Tool-less chain tensioner | Yes |
| Weight with battery pack (kg) | 5.5 |
| Article Number | 5133002180 |
| EAN Code | 4892210821577 |

Standard equipment (RCS36X3550HI) Bar sheath, bar and chain oil



RST36B51

36V Cordless Brushless Snow Thrower

- Powerful 36V Brushless motor efficiently and quickly clears deep snow
- 51cm clearing width to quickly clean areas like driveways and paths
- 180 degree rotating chute and adjustable discharge angle to throw snow in the desired direction
- Twin LED lights for working in evenings
- Quick release, foldable handles for more compact storage



BRUSHLESS

| Power | 36V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Clearing Width (cm) | 51 |
| Weight with battery pack (kg) | 17.8 |
| Article Number | 5133002520 |
| EAN Code | 4892210138972 |
| | |

Standard equipment (RST36B51)

1

Also Available as

| AISO A | valiable as | | |
|--------|---------------------|----------------------------------|--|
| - Wall | | s Brushless Snow er (1x4 0Ah) | |
| x1 | Name: RST36X5140 | Product Code: 5133004331 | |



RBL36JB

36V Cordless Jet Blower

- High-performance blower powered by 36V battery to quickly complete tasks
- Jet-turbine style axial fan provides maximum efficiency to increase runtime
- Air volume of up to 7.8m³/min and air speed of up to 160km/hr allows for quick clearing of even heavy or wet debris
- Variable speed trigger for control during any job
- Well-balanced with overmould handle provides comfort even after long



| Power | 36 V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Airflow speed (km/h) | 160 |
| Air volume (m³/min) | 7.8 |
| Weight with battery pack (kg) | 3.4 |
| Article Number | 5133002342 |
| EAN Code | 4892210822697 |
| | |

Standard equipment (RBL36JB)

.

RBV36B

36V Cordless Brushless Blower Vac

- 36V Brushless motor works efficiently to quickly complete all blowing and vacuuming tasks
- 12.9m³/min air flow combined with 238 km/h airspeed effortlessly clears leaves
- 3-in-1 style can for use as blower only, vacuum only, or combination blower vac
- Variable speed for ultimate control during gardening tasks
- Overmould handle for comfort during extended use
- Curb wheels help to support the tool and reduce fatigue



BRUSHLESS*

| Power | 36 V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Air speed (km/h) | 238 |
| Air volume (m³/min) | 12.9 |
| Weight with battery pack (kg) | 5.3 |
| Article Number | 5133002524 |
| EAN Code | 4892210138538 |

Standard equipment (RBV36B)
45L leaf bag, shoulder strap, curb wheels

RPW36120HI

36V Cordless Brushless Pressure Washer

- 36V Brushless motor technology for maximum performance of 1500W delivers up to 120BAR of pressure and 320L/hr
- Extremely compact design with incorporated metal frame for durability
- 5-in-1 nozzle makes switching functions easy choose between long range detergent, short range detergent, 40° fan, 25° fan, and 0° settings
- Incorporated 1L detergent tank with on-demand detergent function easily accessible from the spray head
- Water-protected, dual-dock battery compartment to ensure battery longevity
- Very quiet operation of only 80 dB at maximum performance
- On-board storage for hose, trigger gun, and spray wand
- Aluminium telescoping handle and wheels for easy transport around the garden



BRUSHLESS

| Power | 36 V |
|-------------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | No |
| Lance nozzle connection | Quick connect |
| Max. pressure (bar) | 120 |
| Weight with battery pack (kg) | 13.4 |
| Article Number | 5133002832 |
| EAN Code | 4892210148148 |
| | |

Standard equipment (RPW36120HI)

5-in-1 nozzle (long range detergent, short range detergent, 40° fan. 25° fan, 0°), turbo nozzle, hose, trigger gun, spray wand

HIGH ENERGY

HIGH POWER BATTERY CELL

INTELLICELL TECHNOLOGY

IMPROVED ENERGY

FLOW



BPL3660D

36V (6.0Ah) Lithium-ion High Energy Battery

- Powerful 6.0Ah Lithium+ High Energy battery gives more power, longer runtimes and better durability than previous lithium technologies
- High performance energy cells for large continuous energy flows
- Intellicell technology monitors and balances individual cells to maximise run-times, storage life and safety
- Robust housing and internal shock absorption mat
- Integrated cell frame ensures cells are securely held in place and resistant to knocks and drops





Article Number 5132003272
EAN Code 4892210150387

36V Batteries & Chargers



BPL3650D2

36V MAX POWER™ 5.0Ah Lithium+ Battery

- Powerful MAX POWER" 5.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- Cordless convenience that provides a truly petrol-equivalent experience
- Intellicell "technology monitors and balances individual cells to maximise run-times, storage life and safety

| Article Number | 5133004387 |
|----------------|---------------|
| EAN Code | 4892210174451 |



BPL3640D

36V MAX POWER* 4.0Ah Lithium + Battery

- Powerful MAX POWER" 4.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- Cordless convenience that provides a truly petrol-equivalent
- Intellicell "technology monitors and balances individual cells to maximise run-times, storage life and safety

| Article Number | 5133002331 |
|----------------|---------------|
| EAN Code | 4892210118547 |



BPL3626D2

36V MAX POWER 2.6Ah Lithium + Battery

- Powerful MAX POWER" 2.6Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- Cordless Convenience that provides a truly petrol-equivalent
- Intellicell "technology monitors and balances individual cells to maximise run-times, storage life and safety

| Article Number | 5133004386 |
|----------------|---------------|
| EAN Code | 4892210174437 |



BCL3620S

36V Lithium + Charger

- 36V charger compatable with all Ryobi® 36V batteries
- Charges 2.6Ah battery from empty in as few as 100 minutes
- LED charge status indicator

| Article Number | 5133002165 |
|----------------|---------------|
| EAN Code | 4892210127433 |
| Weight (kg) | 1.2 |



BPL3650D

36V MAX POWER™ 5.0Ah Lithium+ Battery

- Powerful MAX POWER* 5.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- Cordless convenience that provides a truly petrol-equivalent experience
- Intellicelf technology monitors and balances individual cells to maximise run-times, storage life and safety

| rticle Number | 5133002166 |
|---------------|---------------|
| AN Code | 4892210127426 |

BPL3626D

36V MAX POWER" 2.6Ah Lithium+ Battery

- Powerful MAX POWER 2.6Ah Lithium + battery gives more power, longer runtimes and better durability than previous lithium technologies
- Cordless convenience that provides a truly petrol-equivalent
- Intellicell technology monitors and balances individual cells to maximise run-times, storage life and safety

| Article Number | 5133002772 |
|----------------|---------------|
| EAN Code | 4892210146953 |

BPL3615

36V 1.5Ah Lithium + Battery

- 1.5Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- Compact size for a lightweight yet still powerful experience
- Intellicell "technology monitors and balances individual cells to maximise run-times, storage life and safety

| Article Number | 5133001875 |
|----------------|---------------|
| FAN Code | 4892210819413 |



BCL3650F

36V Lithium+ Fast Charger

- 36V charger compatable with all Ryobi® 36V batteries
- Charges 5.0Ah battery from empty in as few as 65 minutes
- Charges 2.6Ah battery from empty in as few as 30 minutes

| Article Number | 5133002417 | |
|----------------|---------------|--|
| EAN Code | 4892210133458 | |
| Weight (kg) | 1.7 | |





Robotic mowers are revolutionising the way we use our gardens.

Robotic mowers work quickly, quietly and efficiently to deliver outstanding cut quality and a beautiful lawn. The autonomous free operation provides a hassle free solution to regular grass cutting. And most importantly, having a robotic mower will give you time back to enjoy your garden, rather than maintaining it.



SAVES TIME

Large cutting path of 26cm. Long runtime and short charging time gets the job done quicker.



EFFICIENT DIGITAL PERFORMANCE

Brushless motors provide performance efficiency, mowing accuracy and tool longevity.



QUIET OPERATION

With a noise level less than 58db, RoboYagi™ is quieter than a conversation.



CUTS STEEP INCLINES

Slopes and inclines are easily tackled by RoboYagi™, with a cut capacity of up to 24 degrees (45%).



ROBOYAGI™

Cordless Robotic Lawn Mower



- Autonomously mows your lawn, freeing up your time to do other, more interesting things!
- With a large cutting path and 36V battery, ROBOYAGI* cuts more and returns to charging station less, meaning you and your family can enjoy the garden when you want
- With a noise level of 58db, ROBOYAGI* is quieter than a conversation
- Climbs and cuts on slopes and inclines up to 24° / 45%
- Brushless motors provide performance efficiency, mowing accuracy and tool longevity
- Control ROBOYAGI* remotely with an app, to adjust settings and mowing schedules
- Precise and remotely controlled digital height adjust, with a range of 20mm to 60mm
- Protected and coated electronic means ROBOYAGI* cuts in rain or shine
- Requires RIK800, RIK1200 or RIK3000 to complete installation

| Power | 36V |
|---------------------------|---------------|
| No. of batteries supplied | 0 |
| Charger included? | Yes |
| Cutting capacity (mm) | 260 |
| Cutting height [mm] | 20-60 |
| Connectivity | Wi-Fi |
| Max. incline | 45% / 24° |
| Article Number | 5133004368 |
| EAN Code | 4892210173492 |
| | |

Standard equipment (ROBOYAGI**)
Charging dock, 3A transformer



Also Available as

| Cordless Robotic Lawn Mower with 800m² Installation Kit (1x I 5Ah) | |
|--|--------------------------|
| Name: RoboYagi™ 800 | Product Code: 5133003872 |

RIK800

800m² Installation Kit for ROBOYAGI™

NEW

- Installation kit for ROBOYAGI", for lawns up to 800m²
- Contains 1x 36V 1.5Ah battery, 150m wire, 200 pegs, 4x wire-to-wire connectors, 4x wire-to-dock couplers



| No. of batteries supplied | 1 |
|----------------------------|---------------|
| Battery pack capacity (Ah) | 1.5 |
| Article Number | 5133004369 |
| EAN Code | 4892210173508 |

RIK1200

1200m² Installation Kit for ROBOYAGI^{**}

NEW

- Installation kit for ROBOYAGI^{**}, for lawns up to 1200m²
- Contains 1x 36V 2.6Ah battery, 200m wire, 225 pegs, 4x wire-to-wire connectors, 4x wire-to-dock couplers



| No. of batteries supplied | 1 |
|----------------------------|---------------|
| Ballery pack capacity (Ah) | 2.6 |
| Article Number | 5133004420 |
| EAN Code | 4892210176097 |

RIK3000

3000m² Installation Kit for ROBOYAGI™

NEW

- Installation kit for ROBOYAGI*, for lawns up to 3000m²
- Contains 1x 36V 4.0Ah battery, 300m wire, 275 pegs, 4x wire-to-wire connectors, 4x wire-to-dock couplers



| No. of batteries supplied | 1 |
|----------------------------|---------------|
| Battery pack capacity (Ah) | 4.0 |
| Article Number | 5133004370 |
| EAN Code | 4892210173515 |

STAY CONNECTED

ROBOYAGI™ APP


The ROBOYAGI™ app gives you complete control from the comfort of your smartphone. Program and track activity remotely, for ultimate flexibility and control.

R□B□YAGI™

FEATURES

Always r with the

Always remain connected with the ROBOYAGI ** app. The app offers you bespoke control from anywhere.



CONFIGURE

Personalise how you mow your lawn, with bespoke cutting schedules, controlled via the app.



ALERTS &

Wherever you are you'll receive alerts and messages to update you on the status of your robotic mower.





ACCESSORIES



RAC433

Replacement Blades - Set of 9



RAC427

Docking Station Roof



RAC428

Perimeter Trimming Module



RAC415

100m Wire



RAC416

50 Pegs




RAC419

10 Connectors

ELECTRIC AND PETROL GARDEN TOOLS

| Lawnmowers | 55-57 |
|--------------------------------|-------|
| Grass Trimmers & Brush Cutters | 58-63 |
| Expand-it [™] | 64-65 |
| Hedge Trimmers | 66-68 |
| Pole Products | 69 |
| Chainsaws | 70-71 |
| Blowers | 71-73 |
| Generators | 73-75 |
| Shredders | 75 |





RLM13E33S

1300W Electric Lawnmower, 33cm Deck

Powerful 1300W motor with a 33cm cutting path

Multiple handle height positions to accommodate all users

Mow right to the perimeter with the EasyEdge feature

Single-point, 5-position height adjustment from 20mm-60mm
 Foldable and removable handles with a collapsible grass catcher for

easy and compact storage35L grass catcher capacity



| Power | 1300W |
|------------------|---------------|
| Decksize (cm) | 33 |
| Drive mechanism | Push |
| Mulching capable | Yes |
| Weight (kg) | 9 |
| Article Number | 5133002343 |
| EAN Code | 4892210822581 |


Standard equipment (RLM13E33S) Mulching plug

RLM15E36H

1500W Electric Lawnmower, 36cm Deck

- Powerful 1500W motor with a 36cm cutting path
- Mow right to the perimeter with EasyEdge feature
- Single-point, 5-position height adjustment from 20mm 70mm
- Multiple handle height positions to accommodate all users
- Verterbrae ergonomic handle design with both vertical and horizontal handle positions

 Foldable handle and collapsible grass catcher for easy and compact storage





| Power | 1500 W |
|------------------|---------------|
| Decksize (cm) | 36 |
| Drive mechanism | Push |
| Mulching capable | Yes |
| Weight (kg) | 11.5 |
| Article Number | 5133002345 |
| EAN Code | 4892210822567 |

Standard equipment (RLM15E36H)
Mulching plug

Lawnmowers

RLM18E40H

1800W Electric Lawnmower, 40cm Deck

- Powerful 1800W motor with a 40cm cutting path
- EasyEdge allows for mowing right to the edge of the lawn
- Single-point, 5-position height adjustment from 20mm 70mm
- Multiple handle height positions to accomodate all users

Verterbrae ergonomic handle design with both vertical and horizontal handle positions

Foldable handle and cotlapsible grass catcher for easy and compact storage

50L grass catcher capacity



| Power | 1800 W |
|------------------|---------------|
| Decksize (cm) | 40 |
| Drive mechanism | Push |
| Mulching capable | Yes |
| Weight (kg) | 13 |
| Article Number | 5133002347 |
| EAN Code | 4892210822604 |
| | |

Standard equipment (RLM18E40H) Mulching plug

RLM46175YL

175cc OHC Petrol Lawnmower, 46cm Deck

- Yamaha 175cc OHC chain-drive engine thats easy starting, cold or hot and extremley powerful in tatl or wet grass
- Robust 7 position, single point height adjustment, provides cutting range from 24mm-76mm
- Self-propelled transmission removes the need to push mower, saving time and energy



| 175cc |
|----------------|
| 46 |
| Self propelled |
| Yes |
| 36 |
| 5133003673 |
| 4892210158819 |
| |

Standard equipment (RLM46175YL)



RLM46175Y

175cc OHC Petrol Lawnmower, 46cm Deck

- Yamaha 175cc OHC chain-drive engine thats easy starting, cold or hot and extremley powerful in tall or wet grass
- Robust 7 position, single point height adjustment, provides cutting range from 25mm-75mm
- Self-propelled transmission removes the need to push mower, saving time and energy
- 4-in-1: Grass bagging, mulching, side eject, rear eject
- Mulching function finely chops and redistributes grass clippings into the ground as natural fertiliser
- Side eject feature allows mower to cut longer or higher volume of grass without the need to empty bag
- Large rear wheels for smooth and easy movement
- Quick release handles and hard top/ soft sides for compact storage
 Hose connection for quick and easy cleaning of the underside of the deck



| Power | 175cc |
|------------------|----------------|
| Decksize (cm) | 46 |
| Drive mechanism | Self propelled |
| Mulching capable | Yes |
| Weight (kg) | 31.1 |
| Article Number | 5133003671 |
| EAN Code | 4892210158796 |
| | |

Standard equipment (RLM46175Y) Mulching plug, side eject kit

RLM53190YV

190cc OHC Petrol Lawnmower, 53cm Deck

- Yamaha 190cc OHC chain-drive engine thats easy starting, cold or hot and extremley powerful in tall or wet grass
- Variable pace control + variable engine speed control
- Self-propel transmission removes the need to push mower, saving time and energy
- 4-in-1: Grass bagging, mulching, side eject, rear eject
- Large rear wheels for smooth and easy movement

Quick release handles and hard top/ soft sides for compact storage
Hose connection for quick and easy cleaning of the underside of the
deck



| Power | 190cc |
|------------------|----------------|
| Decksize (cm) | 53 |
| Drive mechanism | Self propelled |
| Mulching capable | Yes |
| Weight (kg) | 36 |
| Article Number | 5133003672 |
| EAN Code | 4892210158802 |

Standard equipment (RLM53190YV) Mulching plug, side eject kit

Grass Trimmers & Brush Cutters

RLT3525

350W Electric Grass Trimmer, 25cm Cutting Width

- Lightweight and powerful 350W high-performance motor
- 25cm cutting capacity for quick weed and grass clearing
- EasyEdge allows quick transition between edging and frimming modes
- Improved ergonomic handle design
- Metal shaft for longevity and durability



| Power | 350W |
|-------------------------|---------------|
| Cutting path width (cm) | 25 |
| Line feed system | Bump head |
| Weight (kg) | 1.9 |
| Article Number | 5133002789 |
| EAN Code | 4892210147042 |

Standard equipment (RLT3525) Bump head spool

RLT4125

400W Electric Grass Trimmer, 25cm Cutting Width

- Lightweight and powerful 400W high-performance motor
- 25cm cutting capacity for quick weed and grass clearing
- Easy-to-use telescoping shaft to accomodate users' heights
- EasyEdge allows quick transition between edging and trimming modes
- Improved ergonomic handle design with ajdustable front handle



| Power | 400W |
|-------------------------|---------------|
| Cutting path width (cm) | 25 |
| Line feed system | Auto-feed |
| Weight (kg) | 1.9 |
| Article Number | 5133002791 |
| EAN Code | 4892210147028 |
| | |

Standard equipment (RLT4125) Auto-feed spool

RLT5127

500W Electric Grass Trimmer, 27cm Cutting Width

- Lightweight and powerful 500W high performance motor
- Large 27cm cutting path to quickly complete any task
- EasyEdge^{*} allows for quick transition between edging and trimming modes
- Extendable boom and adjustable handle provides a comfortable trimming experience for users of all heights
- Intergrated wall mount hook and cable wrap for easy storage



| Power | 500W |
|-------------------------|---------------|
| Cutting path width (cm) | 27 |
| Line feed system | Auto-feed |
| Weight (kg) | 2.8 |
| Article Number | 5133003639 |
| EAN Code | 4892210157713 |

Standard equipment (RLT5127) Auto-feed spool



RLT6130

600W Electric Grass Trimmer, 30cm Cutting Width

- Powerful 600W high performance motor for efficient cutting
- Extendable boom and adjustible handle provides a comfortable trimming experience for users of all heights
- Large 30cm cutting path to quickly complete any task
- EasyEdge to easily switch between trimming and edging modes
- Integrated wall mount hook and cable wrap for easy storage



| Power | 600W |
|-------------------------|---------------|
| Cutting path width (cm) | 30 |
| Line feed system | Auto-feed |
| Weight (kg) | 2.9 |
| Article Number | 5133003641 |
| EAN Code | 4892210157737 |

Standard equipment (RLT6130) Auto-feed spool





RLT1238I

1200W Electric Grass Trimmer, 38cm Cutting Width

- Powerful 1200W motor delivers excellent trimming performance
- SmartTool" technology optimises speed on Expand-it attachaments
- Large 38cm cutting path to quickly complete any job
- Quick release mechanism easily changes between Expand-It^{**} SmartTool^{**} attachments, including an articulating hedge trimmer, pole pruner, brush cutter, and blower
- Ergonomic design offers a well-balanced and comfortable in-use experience



| Power | 1200W |
|-------------------------|---------------|
| Cutting path width (cm) | 38 |
| Line feed system | Bump head |
| Weight (kg) | 4.9 |
| Article Number | 5133002504 |
| EAN Code | 4892210137999 |
| | |

Standard equipment (RLT1238I) Bump head spool, shoulder strap

Grass Trimmers & Brush Cutters

RBC1226I

1200W Electric Brush Cutter, 26cm Cutting Width

- Powerful 1200W motor delivers excellent cutting performance
- SmartToot" technology optimises performance on Expand-it" attachments
- 2-in-1: 26cm Tri-Arc+ hardened steel cutting blade for clearing grass, small bushes, and undergrowth
- 2-in-1: 38cm trimming width for clearing tall, dense grass
- Quick release mechanism easily changes between Expand-It[~] SmartTool[~] attachments, including an articulating hedge trimmer, pole pruner, brush cutter, and blower
- Ergonomic design offers a well-balanced and comfortable in-use experience



| Power | 1200W |
|---|---------------|
| Cutting path with Brushcutter (cm) | 26 |
| Cutting path with Grass Trimmer (cm) | 38 |
| Line feed system | Bump head |
| Weight (kg) | 5.1 |
| Article Number | 5133002506 |
| EAN Code | 4892210138033 |

Standard equipment (RBC1226I) Bump head spool, shoulder strap

RLT254CDSO

25.4cc Petrol Grass Trimmer, 43cm Cutting Width

- POWR XT^{*}: Compact full crank engine delivers power, durability and reliability in a light weight package
- ONE+" EasyStart" ready for effortless starting. No need to ever pull the cord again
- Split Shaft: Compatible with all Expand-it attachments
- 43cm cutting path with dual 2.4mm HD line
- Reel-Easy grass trimming head features the innovative 'Thread and Load' system for rapid line refills
- Clean engine technology Beats CE CO emission limits by 73%, and CE HC+Nox emission limits by 28%



| Power | 25.4cc |
|-------------------------|---------------|
| Tank capacity (I) | 0.58 |
| Cutting path width (cm) | 43 |
| Line diameter (mm) | 2.4 |
| Weight (kg) | 4.9 |
| Article Number | 5133002535 |
| EAN Code | 4892210138309 |

Standard equipment (RLT254CDSO)
Reet-Easy™ cutting head, ergo handle

RLT26C

26cc Petrol Grass Trimmer, 43cm Cutting Width

- POWR LT2" series 26cc 2-stroke engine delivers excellent power to weight ratio
- Clean engine technology. Beats CE CO emissions limits by 57% and CE HC+ NOX emission limits by 24%
- Large 43cm cutting path to get your job done quickly
- Compatible with Reel-Easy string head for easy line changes
- Adjustable loop handle for comfort over extended use



| Power | 26cc |
|-------------------------|---------------|
| Tank capacity (I) | 0.25 |
| Cutting path width (cm) | 43 |
| Line diameter (mm) | 2.4 |
| Weight (kg) | 4.6 |
| Article Number | 5133002354 |
| EAN Code | 4892210131805 |

Standard equipment (RLT26C)
ProCut^{1st} cutting head, ergo handle



RBC254SESO

25.4cc Petrol Brush Cutter with Ergo Handle

- POWR XT*: Compact full crank engine delivers power, durability and reliability in a light weight package
- ONE+ EasyStart ready for effortless starting. No need to ever pull the cord again
- Split Shaft: Compatible with all Expand-it "Attachments
- 2-IN-1: Tri-Arc+ hardened metal brush cutting blade for powerful, precise cutting. Reel-Easy grass trimming head features the innovative 'Thread and Load' system for rapid line refills
- 26cm TriArc+ blade, dual 2.4mm HD line with 46cm cutting path
- Clean engine technology. Beats CE CO emission limits by 73%, and CE HC+Nox emission limits by 28%



| Power | 25.4cc |
|-------------------------|---------------|
| Tank capacity (I) | 0.58 |
| Cutting path width (cm) | 46 |
| Line diameter (mm) | 2.4 |
| Weight (kg) | 6.1 |
| Article Number | 5133002536 |
| EAN Code | 4892210138316 |

Standard equipment (RBC254SESO)
Tri-Arc+™ blade, Reel-Easy™ culting head, wrench, ergo handle, single shoulder harness





RBC430SBD

30cc Petrol Brush Cutter with Bike Handles

- POWR LT4" series 30cc 4-cycle engine delivers excellent power-toweight ratio with 30% increased torque
- Automatic Compression Relief (ACR) reduces required pull force for by 45% for easy starting
- Clean engine technology
- 4-stroke: No mixing of fuel and oil required
- Solid Shaft: Designed for ultimate power transfer from engine to cutting head
- 2-IN-1: Tri-Arc+" hardened metal brush cutting blade for powerful, precise cutting. Reel-Easy" grass trimming head features the innovative 'Thread and Load' system for rapid line refills
- 26cm TriArc+** blade, dual 2.4mm HD line with 46cm cutting path
- Pro-style Vertebrae+ "harness and bike handles provide balance, comfort and support



| Power | 30cc |
|-------------------------|---------------|
| Tank capacity (I) | 0.35 |
| Cutting path width (cm) | 46 |
| Line diameter (mm) | 2.4 |
| Weight (kg) | 6.4 |
| Article Number | 5133002923 |
| EAN Code | 4892210151506 |

Standard equipment (RBC430SBD)

Tri-Arc™ blade, Reel-Easy™ cutting head, wrench, bike handle, Vertebrae™ Harness

Grass Trimmers & Brush Cutters

RBC31SESO

31cc Petrol Brush Cutter with Ergo Handle

- POWR XT": Compact full crank engine delivers power, durability and reliability
- ONE+ EasyStart ready for effortless starting. No need to ever pull the cord again
- Split Shaft: Compatible with all Expand-it Attachments
- 2-IN-1: Tri-Arc+ hardened metal brush cutting blade for powerful, precise cutting. Reel-Easy grass trimming head features the innovative 'Thread and Load' system for rapid line refills
- 26cm TriArc+" blade, dual 2.4mm HD line with 46cm cutting path
- Clean engine technology. Beats CE CO emission limits by 82%, and CE HC+Nox emission limits by 35%



| Power | 31cc |
|-------------------------|---------------|
| Tank capacity (I) | 0.7 |
| Cutting path width (cm) | 46 |
| Line diameter (mm) | 2.4 |
| Weight (kg) | 7.1 |
| Article Number | 5133002540 |
| EAN Code | 4892210146724 |

Standard equipment (RBC31SESO)

2-stroke oil, Tri-Arc+™ blade, Reel-Easy™ cutting head, wrench, ergo handle, single shoulder harness

RBC31SBO

31cc Petrol Brush Cutter with Bike Handles

- POWR XT*: Compact full crank engine delivers power, durability and reliability
- ONE+" EasyStart" ready for effortless starting. No need to ever pull the cord again
- 2-IN-1: Tri-Arc+" brush cutting blade provides maximum cutting performance. Reel-Easy" grass trimming head allows for rapid line refills
- 26cm TriArc+" blade, dual 2.4mm HD line with 46cm cutting path
- Pro-style Vertebrae+ harness and bike handles provide balance, comfort and support
- Solid Shaft: Designed for ultimate power transfer from engine to cutting head
- Clean engine technology. Beats CE CO emission limits by 82%, and CE HC+Nox emission limits by 35%



| Power | 31cc |
|---------------------------------------|---------------|
| Tank capacity (I) | 0.7 |
| Cutting path with Brushcutter (cm) | 26 |
| Line diameter (mm) | 2.4 |
| Weight (kg) | 7.1 |
| Article Number | 5133002541 |
| EAN Code | 4892210146731 |
| | |

Standard equipment (RBC31SBO)

2-stroke oil, Tri-Arc+™ blade, Real-Easy™ cutting head, wrench, bike handle, Vertebrae™ harness

RBC42FSBO

42cc Petrol Brush Cutter with Folding Bike Handles

- POWR XT" series 42cc Full Crank 2-stroke engine delivers ultimate power-to-weight ratio with high torque
- ONE+" EasyStart" ready for effortless starting. No need to ever pull the cord again
- Clean engine technology
- Large cutting path (43cm line and 26cm blade) to get your job done quickly
- 2-IN-1: Tri-Arc+ hardened metal brush cutting blade for powerful, precise cutting. Reel-Easy grass trimming head features the innovative 'Thread and Load' system for rapid line refills
- Solid Shaft: Designed for ultimate power transfer from engine to cutting head
- Pro-style Vertebrae+ "harness provides balance, comfort and support
- Folding bike handles allow for compact storage and easy transportation.



| Power | 42cc |
|-------------------------|---------------|
| Tank capacity (I) | 1.1 |
| Cutting path width (cm) | 43 |
| Line diameter (mm) | 2.4 |
| Weight (kg) | 9.2 |
| Article Number | 5133002543 |
| EAN Code | 4892210138101 |

Standard equipment (RBC42FSBO)

2-stroke oil, Tri-Arc+™ blade, Reel-Easy™ cutting head, wrench, folding bike handles, Vertebrae+™ harness



RBC52FSBO

52cc Petrol Brush Cutter with Folding Bike Handles

- POWR XT^{*} series 52cc Full Crank 2 stroke engine delivers ultimate power-to-weight ratio with high torque
- ONE+* EasyStart* ready for effortless starting. No need to ever pull the cord again
- Clean engine technology
- Large cutting path (43cm line and 26cm blade) to get your job done quickly
- 2-IN-1: Tri-Arc+ hardened metal brush cutting blade for powerful, precise cutting. Reel-Easy grass trimming head features the innovative 'Thread and Load' system for rapid line refills
- Solid Shaft: Designed for ultimate power transfer from engine to cutting head
- Pro-style Vertebrae + "harness provides balance, comfort and support
- Folding bike handles allow for compact storage and easy transportation



| Power | 52cc |
|----------------------------|---------------|
| Tank capacity (I) | 1.1 |
| Cutting path width (cm) | 43 |
| Cutting line diameter (mm) | 2.4 |
| Weight (kg) | 9.2 |
| Article Number | 5133002544 |
| EAN Code | 4892210138118 |

Standard equipment (RBC52FSBO)

2-stroke oil, Tri-Arc+[™] blade, Reel-Easy[™] cutting head, wrench, folding bike handle, Vertebrae+[™] hamess

RBC52FSBOS

52cc Petrol Brush Cutter with Folding Bike Handles and Saw Blade

- POWR XT" series 52cc Full Crank 2 stroke engine delivers ultimate power-to-weight ratio with high torque
- ONE+ "EasyStart" ready for effortless starting. No need to ever pull the cord again
- Clean engine technology
- Large cutting path (43cm line and 26cm blade) to get your job done quickly
- 3-IN-1: Heavy duty cutting performance and flexibility with Tri-Arc+
 blade, Saw blade and Reel-Easy cutting line
- Solid Shaft: Designed for ultimate power transfer from engine to cutting head
- Pro-style Vertebrae+ "harness provides balance, comfort and support
- Heavy duty 26 tooth saw blade for cutting thick brush and small trees



| Power | 52cc |
|----------------------------|---------------|
| Tank capacity (I) | 1.1 |
| Cutting path width (cm) | 43 |
| Cutting line diameter (mm) | 2.4 |
| Weight (kg) | 9.2 |
| Article Number | 5133002545 |
| EAN Code | 4892210138125 |

Standard equipment (RBC52FSBOS)

2-stroke oil, Tri-Arc+ " blade, Reel-Easy™ cutting head, wrench, 26 tooth saw blade, folding bike handle, Vertebrae+ " harness



Expand-it[™]Attachments

Turn one tool into five

Step 1 Choose your power

Step 2 Choose your attachments

Save time, space and money.

With Expand-it[™] you can cut, trim, sculpt, tidy and prune your garden, by simply adding a new attachment.









LET YOUR TOOL DO THE THINKING.



Optimised performance no matter what attachment you're using. No compromise on power, no compromise on performance.





RXAHT01

Expand-It" SmartTool Articulating Hedge Trimmer

- SmartTool technology optimises blade speed for hedge cutting
- Ultimate performance of 4,670 cuts/minute when powered by petrol engine
- Maximum performance of 3,916 cuts/minute when powered by 1200W motor
- 90° articulating blade for comfortable cutting at any angle
- 44cm dual reciprocating diamond ground blades for clean and precise cuts
- Capable of cutting large branches with 28mm blade gap
- 2.4 kg



| Article Number | 5132002796 |
|----------------|---------------|
| EAN Code | 4892210140265 |

RXPR01

Expand-It SmartTool Pole Pruner

- SmartTool technology optimises chain speed for cutting
- Petrol and electric motors provide premium 15m/s cutting performance
- 15° angled 25.4cm blade for comfortable and safe cutting
- Automatic chain oiler and clear oil tank
- 2.1kg



| Article Number | 5132002797 |
|----------------|---------------|
| EAN Code | 4892210140142 |

RXEX01

Expand-It Extension Shaft

- Ideal for extending pole pruner or hedge trimmer attachments
- Length: 62cm
- 0.6kg



| Article Number | 5132002793 |
|----------------|---------------|
| EAN Code | 4892210140272 |

RXB01

Expand-It SmartTool Blower

- SmartTool technology optimises blower performance
- Ultimate performance of 241km/h airflow and 8m³/min air volume when powered by petrol engine or 1200W motor
- Leaf Guard technology for higher efficiency
- 1.4kg



| Article Number | 5132002794 |
|----------------|---------------|
| EAN Code | 4892210140159 |

RXBC01

Expand-It "SmartTool Brushcutter

- SmartTool technology optimises blade speed for clearing tall grass, small bushes, and undergrowth
- Ultimate performance of 8,100rpm when powered by petrol engine
- Maximum performance of 7,080rpm when powered by 1200W motor
- 20cm cutting path to even the toughest jobs done quickly
- Tri-Arc" hardened metal blade
- 1.4kg



| 5132002795 |
|---------------|
| 4892210140258 |
| |

Hedge Trimmers

RHT4550

450W Electric Hedge Trimmer, 50cm Blade, 20mm Cut

- Powerful yet lightweight 450W motor
- Dual-action, diamond-ground blades for clean and precise cuts
- 50cm blade cuts branches up to 20mm in diameter
- Wrap-around front handle and overmould for increased user comfort

Compatible with HedgeSweep for a hassle-free way to clean clippings



| Power | 450W |
|---------------------------|----------------|
| Blade length (cm) | 50 |
| Max. cutting capacity (mm |) 20 |
| Blade type | Diamond ground |
| Weight (kg) | 2.9 |
| Article Number | 5133002793 |
| EAN Code | 4892210147004 |

Standard equipment (RHT4550) Blade sheath

RHT5150

500W Electric Hedge Trimmer, 50cm Blade, 22mm Cut

- Powerful and lightweight 500W motor provides excellent cutting performance
- Dual-action, diamond-ground blades for clean and precise cuts
- 50cm blade cuts branches up to 22mm in diameter
- Wrap-around front handle and overmould for increased user comfort

Compatible with HedgeSweep for a hassle-free way to clean clippings



| Power | 500W |
|---------------------------|----------------|
| Blade length (cm) | 50 |
| Max. cutting capacity (mm |) 22 |
| Blade type | Diamond ground |
| Weight (kg) | 2.9 |
| Article Number | 5133002795 |
| EAN Code | 4892210146984 |

Standard equipment (RHT5150) Blade sheath

RHT5655RS

550W Electric Hedge Trimmer, 55cm Blade, 26mm Cut

- Powerful and high-torque 550W motor offers excellent performance
- 55cm precision diamond-ground blades for a smooth cutting experience
- Capable of cutting large branches with 26mm blade gap and sawing function
- Rotating 5-position rear handle with extended trigger and overmould for comfortable cutting at any angle
- Well-balanced and lightweight, ergonomic design for comfort over extended use
- Compatible with HedgeSweep* for a hassle-free solution for clearing cut debris



| Power | 550W |
|---------------------------|----------------|
| Blade length (cm) | 55 |
| Max. cutting capacity (mm |) 26 |
| Blade type | Diamond ground |
| Weight (kg) | 3.6 |
| Article Number | 5133003643 |
| EAN Code | 4892210157829 |

Standard equipment (RHT5655RS) Blade sheath



RHT6160RS

600W Hedge Trimmer, 60cm Blade, 28mm Cut

- 600W of power for cutting through hedges with ease
- 60cm diamond ground blades ensure precise cuts
- Capable of cutting large branches with 28mm blade gap and sawing function
- Rotating 5-position rear handle with extended trigger and overmould for comfortable cutting at any angle
- Well-balanced and lightweight, ergonomic design for comfort over extended use
- HedgeSweep attachment offers easy removal of clippings



| Power | 600W |
|---------------------------|----------------|
| Blade length (cm) | 60 |
| Max. cutling capacity (mm | 28 |
| Blade type | Diamond ground |
| Weight (kg) | 3.7 |
| Article Number | 5133003645 |
| EAN Code | 4892210157805 |

Standard equipment (RHT6160RS) HedgeSweep™, blade sheath

RHT6760RL

650W Electric Hedge Trimmer, 60cm Blade, 30mm Cut

- Powerful and high-torque 650W motor offers excellent cutting performance
- 60cm precision laser-cut, diamond-ground blades provide ultra-sharp and clean cutting results
- Capable of cutting large branches with 30mm blade gap and sawing function
- New electronic anti-jam system prevents accidental blocking for a smooth cutting experience
- Rotating 5-position rear handle with extended trigger and overmould for comfortable cutting at any angle
- Well-balanced and lightweight, ergonomic design for comfort over extended use
- HedgeSweep attachment for a hassle-free solution for clearing cut debris



| Power | 650W |
|----------------------------|----------------|
| Blade length (cm) | 60 |
| Max. cutting capacity (mm) | 30 |
| Blade type | Diamond ground |
| Weight (kg) | 4.0 |
| Article Number | 5133003647 |
| EAN Code | 4892210157782 |

Standard equipment (RHT6760RL)
HedgeSweep™, blade sheath

RHT8165RL

800W Electric Hedge Trimmer, 65cm Blade, 34mm Cut

- Powerful, high-torque 800W motor offers excellent cutting performance
- 65cm precision laser-cut, diamond-ground blades provide ultra-sharp and clean cutting results
- Capable of cutting large branches with 34mm blade gap and sawing function
- New electronic anti-jam system prevents accidental blocking for a smooth cutting experience
- Rotating 5-position rear handle with extended trigger and overmould for comfortable cutting at any angle
- Well-balanced and lightweight, ergonomic design for comfort over extended use
- HedgeSweep attachment provides a hassle-free solution to cleaning up clippings



| Power | 800W |
|---------------------------|----------------|
| Blade length (cm) | 65 |
| Max. cutting capacity (mm |) 34 |
| Blade type | Diamond ground |
| Weight (kg) | 4.0 |
| Article Number | 5133003649 |
| EAN Code | 4892210157768 |


Standard equipment (RHT8165RL) HedgeSweep **, blade sheath

Hedge Trimmers/Pole Products

RHT25X60RO

25.4cc Petrol Hedge Trimmer, 60cm Blade, 32mm Cut

- POWR XT": Compact full crank engine delivers power, durability and reliability in a lightweight package
- Clean engine technology
- ONE+" EasyStart" ready for effortless starting: no need to ever pull the cord again
- 60cm dual-reciprocating laser-cut diamond-ground blades deliver more precise cutting results
- 32mm cut capacity lo tackle the toughest of hedges
- HedgeSweep™ attachment for easy removal of clippings during cutting
- 5 position rotating rear handle for optimum user comfort



Standard equipment (RHT25X60RO) 2-stroke oil, wrench, HedgeSweep^{**}

RHT25X55R

25.4cc Petrol Hedge Trimmer, 55cm Blade, 32mm Cut

- POWR XT*: Compact full crank engine delivers power, durability and reliability in a lightweight package
- Rotating rear handle for comfortable cutting in all positions
- 55cm diamond ground blades for precise cutting
- 32mm cut capacity for quick and efficient cutting of larger hedges
- Compact, integrated design for balance and manoeuvrability



| 25.4cc |
|----------------|
| 55 |
|) 32 |
| Diamond ground |
| 5.1 |
| 5133003670 |
| 4892210157942 |
| |

Standard equipment (RHT25X55R) 2 stroke oil

RPT4545E

450W Electric Pole Hedge Trimmer, 45cm Blade, 20mm Cut

- Powerful 450W motor
- 45cm laser-cut precision blades for cleanest cut
- Capable of cutting large branches with 20mm blade gap
- 135° articulating, 4-position cutting head for versatile trimming
- Removable shaft provides both long reach and convenient storage
- Length extends to 2.6m with centre shaft, providing a reach up to 4m



| Power | 450W |
|----------------------------|----------------|
| Blade length (mm) | 45 |
| Max. cutting capacity (mm) | 20 |
| Bladetype | Diamond ground |
| Weight (kg) | 4.1 |
| Article Number | 5133002226 |
| EAN Code | 4892210821393 |

Standard equipment (RPT4545E) Blade sheath, Vertebrae^{r*} harness



RPP755E

750W Electric Pole Saw, 25cm Bar

- Powerful 750W slim-profile inline motor
- 25cm bar and chain with automatic oiling system and side-tensioning chain
- Three modular pole sections can extend to 2.7m, allowing a reach of up to 4m
- Cutting head angled at 15° for convenient cutting even in hard-to-reach spaces
- High torque performance with 10m/s chain speed
- Soft grip handles for user comfort
- New ergonomic harness included to reduce fatigue during extended use



| Power | 750 W |
|-----------------------|---------------|
| Chain bar length (cm) | 25 |
| Chain speed (m/s) | 10 |
| Weight (kg) | 3.9 |
| Article Number | 5133002321 |
| EAN Code | 4892210117243 |

Standard equipment (RPP755E) Bar & chain oil, wrench, ergo hamess

RP750450

Pole Hedge & Pole Saw Combo Kit

- Pole Saw: Powerful 750W motor
- Pole Saw: 20cm Oregon® bar and chain
- Pole Saw: High-torque performance with 10m/s chain speed
- Pole Saw: Length extends to 2.7m with centre shaft and provides reach up to 4m
- Pole Saw: Cutting head angled at 15° for easy pruning and better control
- Pole Hedge Trimmer: 450W motor
- Pole Hedge Trimmer: 45cm laser-cut precision blades for a clean cut
- Pole Hedge Trimmer: Capable of cutting large brances with 20mm blade gap
- Pole Hedge Trimmer: 135° articulating, 4-position cutting head for versatile trimming
- Pole Hedge Trimmer: Removable shaft provides both long reach and convenient storage



| Power | 750 W |
|-----------------------|---------------|
| Blade length (cm) | 20 / 45 |
| Chain bar length (cm) | 20 |
| Chain speed (m/s) | 10 |
| Weight (kg) | 3.8 / 4.1 |
| Article Number | 5133002315 |
| EAN Code | 4892210822765 |

Standard equipment (RP750450)

Bar & chain oil, wrench, ergo harness, blade sheath

RCS1935B

1900W Electric Chainsaw, 35cm Bar



- Powerful 1900W motor
- 35cm Oregon® bar and chain
- 15m/s chain speed offers excellent cutting performance
- Rapid mechanical chain brake system
- Quick and reliable tool-less chain tensioning system
- Anti-vibration system reduces fatigue during operation
- Automatic chain and bar lubrication for continuous cutting
- Innovative debris deflector routes wood chips away from the user
- Well-balanced and lightweight design for easy handling



| Power | 1900W |
|---------------------------|---------------|
| Chain bar length (cm) | 35 |
| Chain speed (m/s) | 15 |
| Tool-less chain tensioner | Yes |
| Oil tank capacity (I) | 0.15 |
| Weight (kg) | 4.7 |
| Article Number | 5133004337 |
| EAN Code | 4892210170552 |

Standard equipment (RCS1935B) Blade sheath, bar & chain oil

Chainsaws

RCS2340B

2300W Electric Chainsaw, 40cm Bar



- Powerful 2300W performance
- 40cm Oregon® bar and chain
- 16m/s chain speed offers excellent cutting performance
- Rapid mechanical chain brake system
- Quick and reliable tool-less chain tensioning system
- Anti-vibration system reduces fatigue during operation
- Automatic chain and bar lubrication for continuous cutting
- Innovative debris deflector routes wood chips away from the user
- Well-balanced and lightweight design for easy handling



| Power | 2300W |
|---------------------------|---------------|
| Chain bar length (cm) | 40 |
| Chain speed (m/s) | 16 |
| Tool-less chain tensioner | Yes |
| Oil tank capacity (I) | 0.15 |
| Weight (kg) | 4.8 |
| Article Number | 5133004339 |
| EAN Code | 4892210170576 |

Standard equipment (RCS2340B) Blade sheath, bar & chain oil

RCS3835T

37.2cc POWR XT" Chainsaw, 35cm Bar

- POWR XT^{*} series. High performance petrol saw with 37.2cc engine (1.3 kW / 1.8 Hp)
- 35 cm guide bar
- 3 Point anti-vibration isolation
- 2-position carburettor for simple start-up
- High chain speed 23.8 m/s
- Automatic chain lubrication
- Tool-less top cover for quick access to filter and spark plug
- Dual chain safety brake
- Quick and easy tool-less chain tensioning
- On board tool storage never misplace your tool again
- Clean engine technology. Beats CE CO emission limits by 87%, and CE HC+Nox emission limits by 38%



| Power | 37.2cc |
|------------------------|---------------|
| Chain bar length (cm) | 35 |
| Chain speed (m/s) | 23.8 |
| Fuel tank capacity (I) | 0.3 |
| Weight (kg) | 4.6 |
| Article Number | 5133002386 |
| EAN Code | 4892210132710 |

Standard equipment (RCS3835T) Bar & chain oil, 2 stroke oil, wrench

RCS3840T

37.2cc POWR XT" Chainsaw, 40cm Bar

- POWR XT^{*} series. High performance Petrol Saw with 37.2cc engine (1.3 kW / 1.8 Hp)
- 40 cm guide bar
- 3 Point Anti-vibration isolation
- 2-position carburettor for simple start-up
- High chain speed 23.8 m/s
- Automatic chain lubrication
- Tool-less top cover for quick access to filter and spark plug
- Dual chain safety brake
- Quick and Easy tool-less chain tensioning
- On board tool storage never misplace your tool again
- Clean engine technology, Beats CE CO emission limits by 87%, and CE HC+Nox emission limits by 38%



| Power | 37.2 cc |
|------------------------|---------------|
| Chain bar length (cm) | 40 |
| Chain speed (m/s) | 23.8 |
| Fuel tank capacity (I) | 0.3 |
| Weight (kg) | 4.6 |
| Article Number | 5133002387 |
| EAN Code | 4892210132727 |

Standard equipment (RCS3840T) Bar & chain oil, 2 stroke oil, wrench



RCS5145B

51cc POWR XT" Chainsaw, 45cm Bar

- POWR XT^{*} series 51cc Full Crank 2-cycte engine delivers ultimate power-to-weight ratio with high torque
- Clean engine technology. Beats CE CO emission limits by 43%, and CE HC+Nox emission limits by 36%
- 45cm Oregon[®] Bar & Chain
- Fast 22m/s chain speed for quick and powerful cutting
- Fast acting mechanical and inertia activated chain brakes for increased safety
- Convenient and robust side access chain tensioner
- 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- Convenient tool-less air filter access



| Power | 51cc |
|------------------------|---------------|
| Chain bar length (cm) | 45 |
| Chain speed (m/s) | 22.2 |
| Fuel tank capacity (I) | 0.575 |
| Weight (kg) | 5.3 |
| Article Number | 5133001858 |
| EAN Code | 4892210819215 |

Standard equipment (RCS5145B) Bar & chain oil, 2 stroke oil, wrench

RBV3000CSV

3000W Electric Blower Vac, Conversion Style

- Powerful 3000W motor
- Conversion blower and vacuum with easy-to-remove tubes to convert quickly from blower mode to vacuum mode
- Two-speed dial provides maximum airflow speed of 375km/h with quiet mode
- Ultimate blower performance with 14 m³/min air volume
- PowerMulching heavy duty metal blade offers 16:1 mulching ratio for better composting
- Vertebrae shoulder strap provides maximum comfort to the user and balances the tool



| Power | 3000 W |
|-----------------------------|---------------|
| Airflow speed (km/h) | 375 |
| Air volume (m³/min) | 14 |
| Mulching ratio | 16:1 |
| Collection bag capacity (I) | 45 |
| Variable speed | No |
| Weight (kg) | 4.2 |
| Article Number | 5133002188 |
| EAN Code | 4892210821423 |

Standard equipment (RBV3000CSV)

High-speed sweeper nozzle tip, 45l leaf bag, Verlebrae'' comfort strap

RBV3000CESV

3000W Electric Blower Vac, Over/Under Style

- Powerful 3000W motor
- 3-in-1 blower and vacuum can be used as blower only, vacuum only, or with both tubes on the the tool
- Multi-speed dial provides maximum airflow speed of 375km/h with quiet mode
- Ultimate blower performance with 16 m³/min air volume
- PowerMulching heavy duty metal blade offers 16:1 mulching ratio for better composting
- Quick-change lever to switch between blow and vacuum mode
- Vertebrae shoulder strap provides maximum comfort to the user and balances the tool



| Power | 3000W |
|-----------------------------|---------------|
| Airflow speed (km/h) | 375 |
| Air volume (m³/min) | 16 |
| Mulching ratio | 16:1 |
| Collection bag capacity (I) | 45 |
| Variable speed | Yes |
| Weight (kg) | 5.1 |
| Article Number | 5133002190 |
| EAN Code | 4892210821447 |

Standard equipment (RBV3000CESV)

High-speed sweeper nozzle tip, 45l leaf bag, Vertebrae ** comfort strap

RBV26B

26cc POWR LT2" Blower Vac

- POWR LT2" series 26cc 2-cycte engine detivers excellent power to weight ratio
- Clean engine technology. Beats CE CO emmission limits by 62% and CE HC+ Nox emission limits by 31%
- High air speed of up to 325km/h with cruise control throttle
- Large air volume of up to 12.8m³/min
- Cruise controt throttle allows user to set and maintain desired speed during prolonged use to reduce fatigue
- 16:1 mulching ratio reduces size of leaves for efficient bagging
- Intergrated wrench storage
- Metal mulch blade



| Power | 26cc |
|------------------------------|---------------|
| Airflow speed (km/h) | 325 |
| Air volume (Vmin) | 12.8 |
| Mulching ratio | 16:1 |
| Collecti on bag capacity (I) | 40 |
| Weight (kg) | 4.3 |
| Article Number | 5133002353 |
| EAN Code | 4892210117335 |
| | |

Standard equipment (RBV26B)

2 stroke oil, collection bag, on-board wrench, vacuum tubes, blower tubes

RBL26BP

26cc POWR LT2™ Backpack Blower

- POWR LT2" series 26cc 2-stroke engine delivers excellent power-toweight ratio
- Clean engine technology Beats CE CO emission limits by 65%, and CE HC+Nox emission limits by 34%
- High air speed of up to 290 km/h with cruise control throttle
- Large air volume of up to 11m³/min
- Backpack with breathable mesh for optimal user comfort



| Power | 26cc |
|----------------------|---------------|
| Airflow speed (km/h) | 290 |
| Air volume (Vmin) | 11 |
| Weight (kg) | 5.5 |
| Article Number | 5133001815 |
| EAN Code | 4892210818096 |

Standard equipment (RBL26BP) 2 stroke oil

RBL42BP

42cc POWR XT" Backpack Blower

- PoWR XT^{*} series 42cc Fult Crank 2-stroke engine delivers ultimate power-to-weight ratio with high torque
- Clean engine technology. Beats CE CO emission limits by 71%, and CE HC+Nox emission limits by 29%
- High air speed of up to 298 km/h with cruise control throttle
- Best-in-class air flow of up to 14.4cm3/min
- Cruise control throttle allows to set and maintain desired speed during prolonged use to reduce user fatigue
- Ergonomic Vertebrae backpack frame with breathable back padding for ultimate user comfort



| Power | 42cc |
|----------------------|---------------|
| Airflow speed (km/h) | 298 |
| Air volume (m³/min) | 14.4 |
| Weight (kg) | 8.2 |
| Article Number | 5133001879 |
| EAN Code | 4892210818874 |

Standard equipment (RBL42BP) 2 stroke oil



RCP1225

1150W Electric Cultivator, 25cm Working Width

- Powerful 1150W motor ensures constant tilling of soil
- Four robust metal tines efficiently turn and break down soil
- 20cm tine diameter
- 25cm working width
- Adjustable drag stake for better control during use
- Folding handle allows for compact storage



| Power | 1150 W |
|-------------------------|---------------|
| Cutting width (mm) | 25 |
| Max. cutting depth (cm) | 20 |
| Tine diameter (cm) | 20 |
| Weight (kg) | 13.6 |
| Article Number | 5133002388 |
| EAN Code | 4892210132796 |

Standard equipment (RCP1225) Wheel and drag stake assembly

RSH2545B

2500W Impact Shredder/Mulcher, 45mm Cut Capacity

- Powerful 2500W impact shredder
- Two reversible, hardened steel blades shred branches, brambles, and shrubs to a fine mulch
- Safety plunger pushes green material into the shredder and keeps fingers away from the cutting blades
- Integrated handle and large wheels for easy movement around the garden
- Large container holds up to 40L of shredded material



| Power | 2500W |
|--------------------------------------|---------------|
| Cutting system | Blades |
| Max. cutting diameter (mm) | 45 |
| Collection Container Capacity (L) | 40 |
| Weight (kg) | 13.4 |
| Article Number | 5133002512 |
| EAN Code | 4892210137951 |

Standard equipment (RSH2545B) Plunger, 40L debris container

RSH3045U

2800W Silent Shredder, 45mm Cut Capacity

- 3000W silent shredder cuts branches up to 45mm
 Designed with a gear-drum mechanism for quiet and precise shredding
- Automatic self-feeding operation
- Robust metal frame and large wheels for easy handling
- Hassle-free auto-reverse unblocking system
- Debris container hotds up to 55L of shredded material




NEW



| Power | 3000W |
|--------------------------------------|---------------|
| Cutting system | Gear drum |
| Max. cutting diameter (mm) | 45 |
| Collection Container Capacity (L) | 55 |
| Weight (kg) | 21 |
| Article Number | 5133004335 |
| EAN Code | 4892210170859 |

Standard equipment (RSH3045U) Collection bin, material plunger

Replacement accessories for your tools



Mower Blades
RAC408

Trimmer Lines

RAC103



Trimmer Spools

RAC150



Brush Cutter Blades

RAC117



Chainsaw Bars

RAC239



Chainsaw Chains

RAC242



See our full range of replacement tools at ryobitools.eu/accessories



Outdoor Accessories

For more information on all our accessories, go to:

ryobitools.eu/accessories





High Capacity Leaf Collection System



Vertebrae+™ Harness



Vertebrae+™ Pole **Products Harness**

RAC805



ONE+™ Easy-Start Module



TIMBERWOLF Premium Leather Gardening Gloves

RAC810



Power Gardening Gloves Sizes: S, M, L, XL



Lubricating Hedge Trimmer Brush



Universal Leaf Bag 45L

RAC364



Universal HEDGESWEEP™

RAC305



| ¶ | Notes |
|---------------|-------|
| | |
| | |
| | |
| | |
|) | |
| | |
| | |
| | |
| £ | |
| - | |
| 7 | |
| <u> </u> | |
| | |
| | |
| | |
| | |
| - | |
| - | |
| | |
| | |
| 5 | |
| | |
| = | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| 1 | |
| 1 | |
| | |



Too Charles - Tryang Malay in the survey of the following of the second of the second

Debt Luter York old Steep Addition of the Application of the Applicati





email:cmc@cmc.pt

web:www.cmc.pt



Content of the catalogue is correct at time of going to print. Ryobi* reserve the right to change images and prices without prior notice. RYOBI* is a registered trademark of Ryobi Limited used under licence.