


03

**SCREWDRIVERS,
BITS AND PLIERS**



Screwdriver for slotted head screws - DIN ISO 2380




CODE	AxB mm	D1 x L1 mm	D2 x L2 mm	L/mm	Minimum	
FG 22/2.5x60	2.5x0.4	2.5X60	28.9X100.9	161	5pz	
FG 22/2.5x75	2.5x0.4	2.5X75	28.9X100.9	176	5pz	
FG 22/3x75	3.0x0.5	3.0X75	28.9X100.9	176	5pz	
FG 22/3x100	3.0x0.5	3.0X100	28.9X100.9	201	5pz	
FG 22/3.5x100	3.5x0.6	3.5X100	28.9X100.9	201	5pz	
FG 22/3.5x125	3.5x0.6	3.5X125	28.9X100.9	226	5pz	
FG 22/4x100	4.0x0.8	4.0X100	28.9X100.9	201	5pz	
FG 22/4x125	4.0x0.8	4.0X125	28.9X100.9	226	5pz	
FG 22/4x150	4.0x0.8	4.0X150	28.9X100.9	251	5pz	
FG 22/5.5x100	5.5x1.0	5.0X100	32.7X114.0	214	5pz	
FG 22/5.5x150	5.5x1.0	5.5X150	32.7X114.0	264	5pz	
FG 22/5.5x200	5.5x1.0	5.5X200	32.7X114.0	314	5pz	
FG 22/6.5x100	6.5x1.2	6.5X100	36.0X125.0	225	5pz	
FG 22/6.5x150	6.5x1.2	6.5X150	36.0X125.0	275	5pz	
FG 22/8x150	8.0x1.2	8.0X150	39.4X136.6	287	3pz	
FG 22/8x200	8.0x1.2	8.0X200	39.4X136.6	337	3pz	
FG 22/10x200	10.0x1.6	10.0X200	39.4X136.6	337	3pz	
FG 22/12x250	12.0x1.7	12.0X250	39.4X136.6	387	3pz	

CODE	AxB mm	D1 x L1 mm	D2 x L2 mm	L/mm	Minimum	
FG 22/4x30	4.0x0.8	4X30	35.4X63.5	93.5	5pz	
FG 22/6.5x30	6.5x1.2	6.5x30	35.4x63.5	93.5	5pz	

Set of screwdrivers for slotted head screws

CODE	CONTENT	
FG 22SL/S5	2.5x75, 3x75, 4x125, 5.5x150, 6.5x150	
FG 22SL/S9	2.5x60, 3x100, 4x30, 4x125, 5.5x150, 6.5x30, 6.5x150, 8x200, 10x200	
FG 22SL/S12	2.5x60, 3x100, 3.5x125, 4x30, 4x125, 5.5x100, 5.5x150, 6.5x30, 6.5x150, 8x200, 10x200, 12x250	

Screwdriver for PH cross head screws - DIN ISO 8764



CODE	PH	D1 x L1 mm	D2 x L2 mm	L/mm	Minimum	
FG 22/PH0x60	0	3x60	28.9x101	160	5pz	
FG 22/PH1x80	1	5x80	32.7x114	194	5pz	
FG 22/PH1x150	1	5x150	32.7x114	264	5pz	
FG 22/PH1x200	1	5x200	32.7x114	314	5pz	
FG 22/PH2x100	2	6x100	36.0x125	225	5pz	
FG 22/PH2x150	2	6x150	36.0x125	275	5pz	
FG 22/PH2x200	2	6x200	36.0x129	325	5pz	
FG 22/PH3x150	3	8x150	39.4x137	287	3pz	
FG 22/PH4x200	4	9.5x200	39.4x137	337	3pz	

Screwdriver for PH cross head screws stubby series - DIN ISO 8764


CODE	PH	D1xL1mm	D2xL2mm	L/mm	Min. q.ty	
FG 22/PH1x30	1	5x30	35.4x63x5	93.5	5pz	
FG 22/PH2x30	2	6x30	35.4x63.5	93.5	5pz	

Set of screwdrivers for cross head PH screws


CODE	CONTENT	
FG 22PH/S4	PH0x60, PH1x80, PH2x100, PH3x150	
FG 22PH/S6	PH0x60, PH1x80, PH1x150, PH2x100, PH3x150, PH4x200	
FG 22PH/S8	PH0x60, PH1x30, PH1x80, PH1x150, PH2x30, PH2x100, PH3x150, PH4x200	



Screwdriver for PZ cross head screws - DIN ISO 8764



CODE	PH	D1 x L1 mm	D2 x L2 mm	L/mm	Minimum	
FG 22/PZ0x60	0	3x60	29.9x101	161	5pz	
FG 22/PZ1x80	1	5x80	32.7x114	194	5pz	
FG 22/PZ2x100	2	6x100	36.0x125	225	5pz	
FG 22/PZ3x150	3	8x150	39.4x135	286	3pz	
FG 22/PZ4x200	4	9.5x200	39.4x137	337	3pz	



Screwdriver for PZ cross head screws stubby series - DIN ISO 8764

CODE	PZ	D1xL1mm	D2xL2mm	L/mm	Min. q.ty	
FG 22/PZ1x30	1	5x30	35.4x63.5	93.5	5pz	
FG 22/PZ2x30	2	6x30	35.4x63.5	93.5	5pz	

Set of screwdrivers for cross head Pozidriv screws

CODE	CONTENT	
FG 22PZ/S4	PZ0x60, PZ1x80, PZ2x100, PZ3x150	
FG 22PZ/S5	PZ0x60, PZ1x80, PZ2x100, PZ3x150, PZ4x200	
FG 22PZ/S7	PZ0x60, PZ1x30, PZ1x80, PZ2x30, PZ2x100, PZ3x150, PZ4x200	

Set of screwdrivers for slotted and PH cross head screws

CODE	CONTENT	
FG 22/S6	3x75, 4x100, 5.5x100 PH0x60, PH1x80, PH2x100	
FG 22/S8	3x75, 4x100, 5.5x100, 6.5x30 PH0x60, PH1x80, PH2x100, PH2x30	
FG 22/S8B	2.5x75, 3.5x100, 4x100, 6.5x150, 8x150 PH0x60, PH1x80, PH2x150	

Set of screwdrivers for slotted and Pozidriv cross head screws

CODE	CONTENT	
FG 22/S10	2.5x60, 3x75, 4x100, 5.5x150, 6.5x150, 4x30 PH0x60, PH1x80, PH2x100, PH1x30	
FG 22/S12	2.5x60, 3x75, 4x100, 5.5x150, 6.5x150, 8x150, 4x30 PH0x60, PH1x80, PH2x100, PH3x150, PH1x30	

Set of screwdrivers for slotted and Phillips cross head screws

CODE	CONTENT	
FG 22/S7	3x75, 4x100, 5.5x150, 6.5x150 PZ0x60, PZ1x80, PZ2x100	



Screwdrivers with hexagon bolster - DIN ISO 2380


CODE	AxB mm	D1xL1mm	D2xL2mm	L/mm	Min. q.ty	
FG 22/5.5x125H	5.5x1.0	5.5x125	36.0x125	250	3pz	
FG 22/6.5x150H	6.5x1.2	6.5x150	39.4x137	287	3pz	
FG 22/8x175H	8.0x1.2	8x175	39.4x137	312	3pz	
FG 22/10x200H	10x1.6	9.5x200	39.4x137	337	2pz	
FG 22/12x200H	12x1.8	12x200	39.4x137	337	2pz	

CODE	PH	D1xL1mm	D2xL2mm	L/mm	Min. q.ty	
FG 22/PH2x100H	2	8x100	39.4x137	237	3pz	
FG 22/PH3x150H	3	8x150	39.4x137	287	3pz	
FG 22/PH4x200H	4	9.5x200	39.4x137	337	2pz	



Set of screwdrivers with hexagon bolster - slotted and Phillips

CODE	CONTENT	
FG 22/S8H	5.5x125, 6.5x150, 8x175, 10x200, 12x200 PH2x100, PH3x150, PH4x200	



Extra-long screwdrivers


CODE	AxB mm	D1xL1mm	D2xL2mm	L/mm	Min. q.ty	
FG 22/2.5x200	2.5x0.4	2.5x200	28.9x114	300	3pz	
FG 22/2.5x300	2.5x0.4	3x300	28.9x100.9	400	3pz	
FG 22/4x400	4.0x0.8	4x400	28.9x100.9	500	3pz	
FG 22/5x400	7.5x1.0	5x400	28.9x100.9	514	3pz	
FG 22/6.5x400	8.8x1.2	6.5x400	28.9x100.9	525	3pz	

CODE	PH	D1xL1mm	D2xL2mm	L/mm	Min. q.ty	
FG 22/PH0x300	0	3x300	28.9x100	400	3pz	
FG 22/PH1x400	1	5x400	32.7x114	514	3pz	
FG 22/PH2x400	2	6x400	36.0x125	525	3pz	



Set of extra-long screwdrivers for slotted and Phillips screws

CODE	CONTENT	
FG 22XL/S6	2.5x200, 4x400, 5x400, 6.5x400, PH0x300, PH1x400	
FG 22XL/S8	2.5x200, 2.5x300, 4x400, 5x400, 6.5x400, PH0x300, PH1x400, PH2x400	



Angle screwdrivers

CODE	mm	L/mm	Min. q.ty	
FG 22/OF4	4.0x4.0	100	03pz	
FG 22/OF5	5.5x5.5	125	03pz	
FG 22/OF8	8.0x8.0	150	03pz	

CODE	PH	L/mm	Min. q.ty	
FG 22/PH12	PH1 - PH2	125	03pz	
FG 22/PH34	PH3 - PH4	200	03pz	



Ball head hexagon drive with handle

CODE	mm	D1xL1mm	D2xL2mm	L/mm	Min. q.ty	
FG 22/H2	2	2.0x75	28.9x101	176	3pz	
FG 22/H2.5	2.5	2.5x75	28.9x101	176	3pz	
FG 22/H3	3	3x100	28.9x101	201	3pz	
FG 22/H4	4	4x100	28.9x101	201	3pz	
FG 22/H5	5	5.0x100	32.7x114	214	3pz	
FG 22/H6	6	6.0x125	36.0x125	250	2pz	
FG 22/H8	8	8.0x150	39.4x136.6	287	2pz	



Set of 7 ball head hexagon drives

CODE	
FG 22H/S7	

- 2, 2.5, 3, 4, 5, 6, 8mm



Screwdrivers for Torx head screws



CODE	TX	D1 x L1 mm	D2 x L2 mm	L/mm	Q.tà min.	
FG 22/TX6	6	4.0x75	28.9x101	176	5pz	
FG 22/TX7	7	4.0x75	28.9x101	176	5pz	
FG 22/TX8	8	4.0x75	28.9x101	176	5pz	
FG 22/TX9	9	4.0x75	28.9x101	176	5pz	
FG 22/TX10	10	5.0x100	32.7x114	214	5pz	
FG 22/TX15	15	5.0x100	32.7x114	214	5pz	
FG 22/TX20	20	5.0x100	32.7x114	214	5pz	
FG 22/TX25	25	6.0x100	36.0x125	225	5pz	
FG 22/TX27	27	6.0x100	36.0x125	225	5pz	
FG 22/TX30	30	6.0x100	36.0x125	225	5pz	
FG 22/TX40	40	7.0x100	36.0x125	225	3pz	
FG 22/TX45	45	8.0x100	39.4x136.6	237	3pz	

Set of screwdrivers for Torx head screws

CODE	CONTENT	
FG 22TX/S6	TX10, TX15, TX20, TX25, TX27, TX30	

Set of screwdrivers for Torx head screws

CODE	CONTENT	
FG 22TX/S8	TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45	
FG 22TX/S12	TX6, TX7, TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45	



Screwdrivers for Tamper Resistant Torx head screws



CODE	TX	D1 x L1 mm	D2 x L2 mm	L/mm	Q.tà min.	
FG 22/RTX6	6	4.0x75	28.9x101	176	3pz	
FG 22/RTX7	7	4.0x75	28.9x101	176	3pz	
FG 22/RTX8	8	4.0x75	28.9x101	176	3pz	
FG 22/RTX9	9	4.0x75	28.9x101	176	3pz	
FG 22/RTX10	10	5.0x100	32.7x114	214	3pz	
FG 22/RTX15	15	5.0x100	32.7x114	214	3pz	
FG 22/RTX20	20	5.0x100	32.7x114	214	3pz	
FG 22/RTX25	25	6.0x100	36.0x125	225	3pz	
FG 22/RTX27	27	6.0x100	36.0x125	225	3pz	
FG 22/RTX30	30	6.0x100	36.0x125	225	3pz	
FG 22/RTX40	40	7.0x100	36.0x125	225	2pz	
FG 22/RTX45	45	8.0x100	39.4x136.6	237	2pz	

Set of screwdrivers for Tamper Resistant Torx head screws

CODE	CONTENT	
FG 22RTX/S6	RTX10, RTX15, RTX20, RTX25, RTX27, RTX30	

Set of screwdrivers for Tamper Resistant Torx head screws


CODE	CONTENT	
FG 22RTX/S8	RTX10, RTX15, RTX20, RTX25, RTX27, RTX30, RTX40, RTX45	
FG 22RTX/S12	RTX6, TX7, RTX8, RTX9, RTX10, RTX15, RTX20, RTX25, RTX27, RTX30, RTX40, RTX45	



Screwdrivers for Torx head screws - extra long series




CODE	TX	D1xL1mm	D2xL2mm	L/mm	Min. q.ty	
FG 22XL/TX6	6	4.0x400	28.9x101	501	3pz	
FG 22XL/TX7	7	4.0x400	28.9x101	501	3pz	
FG 22XL/TX8	8	4.0x400	28.9x101	501	3pz	
FG 22XL/TX9	9	4.0x400	28.9x101	501	3pz	
FG 22XL/TX10	10	5.0x400	32.7x114	514	3pz	
FG 22XL/TX15	15	5.0x400	32.7x114	514	3pz	
FG 22XL/TX20	20	5.0x400	32.7x114	514	3pz	
FG 22XL/TX25	25	6.0x400	36.0x125	525	3pz	
FG 22XL/TX27	27	6.0x400	36.0x125	525	3pz	
FG 22XL/TX30	30	6.0x400	36.0x125	525	3pz	
FG 22XL/TX40	40	7.0x400	36.0x125	525	3pz	



Set of screwdrivers for Torx head screws - extra long series

CODE	CONTENT	
FG 22TX/LS8	TX8, 10, 15, 20, 25, 27, 30, 40	
FG 22TX/LS11	TX6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40	




Flexible hexagon nut spinners with handle - DIN 3125

CODE	mm	D1xL1mm	D2xL2mm	L/mm	Min. q.ty	
FG 22/FL5	5	6.0x150	36.0x125	275	5pz	
FG 22/FL5.5	5.5	6.0x150	36.0x125	275	5pz	
FG 22/FL6	6	6.0x150	36.0x125	275	5pz	
FG 22/FL7	7	6.0x150	36.0x125	275	5pz	
FG 22/FL8	8	6.0x150	36.0x125	275	3pz	
FG 22/FL10	10	6.0x150	36.0x125	275	3pz	



Set of flexible hexagon nut spinners with handle

CODE	CONTENT	
FG 22FL/S6	5, 5.5, 6, 7, 8, 10 mm	



Hexagon nut spinner with handle - DIN 3125

CODE	mm	D1xL1mm	D2xL2mm	L/mm	Min. q.ty	
FG 22/FX5	5	6.0x125	36.0x125	250	5pz	
FG 22/FX5.5	5.5	6.0x125	36.0x125	250	5pz	
FG 22/FX6	6	6.0x125	36.0x125	250	5pz	
FG 22/FX7	7	6.0x125	36.0x125	250	5pz	
FG 22/FX8	8	6.0x125	36.0x125	250	5pz	
FG 22/FX9	9	6.0x125	36.0x125	250	5pz	
FG 22/FX10	10	6.0x125	36.0x125	250	5pz	
FG 22/FX11	11	6.0x125	36.0x125	250	3pz	
FG 22/FX12	12	6.0x125	36.0x125	250	3pz	
FG 22/FX13	13	6.0x125	36.0x125	250	3pz	

Set of hexagon nut spinners with handle


CODE	CONTENT	
FG 22FX/S6	6, 7, 8, 9, 10, 12 mm	
FG 22FX/S9B	5, 5.5, 7, 8, 9, 10, 12, 13 mm	
FG 22FX/S10	5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm	



Offset hexagon key wrenches - short series

CODE	mm	L1/mm	L2/mm	Min. q.ty	
FG 139/B1.5	1.5	46.5	15.5	5pz	
FG 139/B2	2.0	52.0	18.0	5pz	
FG 139/B2.5	2.5	58.5	20.5	5pz	
FG 139/B3	3.0	66.0	23.0	5pz	
FG 139/B4	4.0	74.0	29.0	5pz	
FG 139/B4.5	4.5	80.0	30.5	5pz	
FG 139/B5	5.0	85.0	33.0	5pz	
FG 139/B5.5	5.5	90.5	35.5	5pz	
FG 139/B6	6.0	96.0	38.0	5pz	
FG 139/B7	7.0	102.0	41.0	5pz	
FG 139/B8	8.0	108.0	44.0	5pz	
FG 139/B9	9.0	111.0	46.0	5pz	
FG 139/B10	10.0	122.0	50.0	5pz	

CODE	mm	L1/mm	L2/mm	Min. q.ty	
FG 139/B11	11.0	126.0	52.0	5pz	
FG 139/B12	12.0	137.0	57.0	2pz	
FG 139/B13	13.0	142.0	62.0	2pz	
FG 139/B14	14.0	154.0	70.0	2pz	
FG 139/B16	16.0	165.0	75.0	2pz	
FG 139/B17	17.0	177.0	80.0	2pz	
FG 139/B19	19.0	199.0	89.0	2pz	
FG 139/B22	22.0	216.0	100.0	2pz	
FG 139/B24	24.0	242.0	112.0	1pz	
FG 139/B27	27.0	271.0	125.0	1pz	
FG 139/B30	30.0	309.0	140.0	1pz	
FG 139/B32	30.0	341.0	155	1pz	
FG 139/B36	36.0	385.0	174.0	1pz	



Offset hexagon key wrenches - long series

CODE	mm	L1/mm	L2/mm	Min. q.ty	
FG 139/C1.5	1.5	63.5	15.5	5pz	
FG 139/C2	2.0	77.0	18.0	5pz	
FG 139/C2.5	2.5	87.5	20.5	5pz	
FG 139/C3	3.0	93.0	23.0	5pz	
FG 139/C4	4.0	104.0	29.0	5pz	
FG 139/C4.5	4.5	114.5	30.5	5pz	
FG 139/C5	5.0	120.0	33.0	5pz	
FG 139/C5.5	5.5	134.0	35.5	5pz	
FG 139/C6	6.0	141.0	38.0	5pz	
FG 139/C7	7.0	147.0	41.0	5pz	
FG 139/C8	8.0	158.0	44.0	5pz	
FG 139/C10	10.0	180.0	50.0	5pz	
FG 139/C12	12.0	202.0	57.00	2pz	
FG 139/C14	14.0	229.0	70.0	2pz	
FG 139/C17	17.0	262.0	80.0	2pz	
FG 139/C19	19.0	289.0	89.0	2pz	



**Set of 10 offset
hex key wrenches**

CODE	
FG 139/C	

1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm



**Set of 6 offset
hex key wrenches**

CODE	
FG 139B/S6	

2.5, 3, 4, 5, 6, 8mm



**Set of 10 offset
hex key wrenches**

CODE	
FG 139/B	

1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm



**Set of 10 offset
hex key wrenches**

CODE	
FG 139/LM	

1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10mm

Magnetic tips



Offset hexagon key wrenches with ball heads - short series

CODE	mm	L1/mm	L2/mm	Min. q.ty	
FG 139/1.5	1.5	77.0	14.0	5pz	
FG 139/2	2.0	83.0	16.0	5pz	
FG 139/2.5	2.5	90.0	18.0	5pz	
FG 139/3	3.0	98.0	20.0	5pz	
FG 139/4	4.0	106.0	24.0	5pz	
FG 139/4.5	4.5	112.0	26.0	5pz	
FG 139/5	5.0	118.0	28.0	5pz	
FG 139/5.5	5.5	128.0	30.0	5pz	
FG 139/6	6.0	137.0	32.0	5pz	
FG 139/7	7.0	147.0	34.0	5pz	
FG 139/8	8.0	156.0	36.0	5pz	
FG 139/10	10.0	170.0	40.0	5pz	

L1

L2

Set of 12 offset hex key wrenches

CODE	
FG 139	

1.5 - 10.0mm



Set of 9 offset hex key wrenches

CODE	
FG 139C/FS	

1.5, 2, 2.5, 3, 4, 5, 6, 8mm



Offset hexagon key wrenches with ball heads - long series

CODE	mm	L1/mm	L2/mm	Min. q.ty	
FG 139/L1.5	1.5	90.0	14.0	5pz	
FG 139/L2	2.0	100.0	16.0	5pz	
FG 139/L2.5	2.5	112.0	18.0	5pz	
FG 139/L3	3.0	125.0	20.0	5pz	
FG 139/L4	4.0	140.0	24.0	5pz	
FG 139/L4.5	4.5	112.0	26.0	5pz	
FG 139/L5	5.0	158.0	28.0	5pz	
FG 139/L5.5	5.5	168.0	30.0	5pz	
FG 139/L6	6.0	178.0	32.0	5pz	
FG 139/L7	7.0	188.0	34.0	5pz	
FG 139/L8	8.0	200.0	36.0	5pz	
FG 139/L10	10.0	224.0	40.0	5pz	
FG 139/L12	12.0	224.0	40.0	5pz	
FG 139/L14	14.0	240.0	50.0	5pz	
FG 139/L17	17.0	260.0	55.0	5pz	
FG 139/L19	19.0	285.0	75.0	5pz	

L1

L2

Set of 12 offset hex key wrenches - long series

CODE	
FG 139/L	

1.5 - 10.0mm



Offset hexagon key wrenches with ball heads - inch series

CODE	mm	L1/mm	L2/mm	Min. q.ty	
FG 139IN/0.05	0.05	72.0	12.0	5	
FG 139IN5/64	5/64"	77.0	14.0	5	
FG 139IN3/32	3/32"	82.0	15.0	5	
FG 139IN7/64	7/64"	88.0	17.0	5	
FG 139IN1/8	1/8"	92.0	18.0	5	
FG 139IN9/64	9/64"	96.0	19.0	5	
FG 139IN5/32	5/32"	101.0	20.0	5	
FG 139IN1/6	1/6"	105.0	21.0	5	
FG 139IN3/16	3/16"	114.0	24.0	5	
FG 139IN7/32	7/32"	124.0	26.0	5	
FG 139IN1/4	1/4"	135.0	28.0	5	
FG 139IN5/16	5/16"	151.0	32.0	5	
FG 139IN3/8	3/8"	170.0	35.0	5	

L1

L2

Set of 13 offset hex key wrenches

CODE	
FG 139/IN	

0.05 - 3/8"



Set of 9 offset hex key wrenches

CODE	
FG 139FS/IN	

5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



Offset Torx key wrenches - short series

CODE	mm	L1/mm	L2/mm	Min. q.ty	
FG 138/TX7	7	80.0	16.0	5pz	
FG 138/TX8	8	80.0	16.0	5pz	
FG 138/TX9	9	80.0	16.0	5pz	
FG 138/TX10	10	86.0	17.0	5pz	
FG 138/TX15	15	90.0	18.0	5pz	
FG 138/TX20	20	95.0	19.0	5pz	
FG 138/TX25	25	100.0	20.0	5pz	
FG 138/TX27	27	105.0	22.0	5pz	
FG 138/TX30	30	114.0	24.0	5pz	
FG 138/TX40	40	124.0	26.0	5pz	
FG 138/TX45	45.0	133.0	29.0	5pz	
FG 138/TX50	50	152.0	32.0	5pz	

L1

Set of 12 offset Torx key wrenches

CODE	
FG 138	

TX7,8,10,15,20,25,27,30,40,45,50



Set of 8 offset Torx key wrenches

CODE	
FG 138C/FS	

TX9 - TX40



Set of 6 offset Torx key wrenches

TX8 - TX40

CODE	
FG 138/S9	



Set of 10 offset Torx key wrenches

CODE	
FG 138/M	

TX10 - TX50



Magnetic tips



Set of 10 offset Torx key wrenches

CODE	CONTENT	
FG 138/B	TX9 - TX50 - SHORT SERIES	
FG 138/C	TX9 - TX50 - LONG SERIES	



Offset Torx key wrenches - ball point series

CODE	mm	L1/mm	L2/mm	Min. q.ty	
FG 138BP/TX8	8	80.0	16.0	5pz	
FG 138BP/TX9	9	80.0	16.0	5pz	
FG 138BP/TX10	10	86.0	17.0	5pz	
FG 138BP/TX15	15	90.0	18.0	5pz	
FG 138BP/TX20	20	95.0	19.0	5pz	
FG 138BP/TX25	25	100.0	20.0	5pz	
FG 138BP/TX27	27	105.0	22.0	5pz	
FG 138BP/TX30	30	114.0	24.0	5pz	
FG 138BP/TX40	40	124.0	26.0	5pz	
FG 138BP/TX45	45.0	133.0	29.0	5pz	
FG 138BP/TX50	50	152.0	32.0	5pz	

L1

L2

Set of 9 offset Torx key wrenches

CODE	
FG 138/BP	

TX8,10,15,20,25,27,30,40,50

Ball head




NEW

NEW



Offset Tamper Resistant Torx key wrenches

CODE	TRX	L1/mm	L2/mm	Min. q.ty	
FG 137/TRX7	7	80.0	16.0	5pz	
FG 137/TRX8	8	80.0	16.0	5pz	
FG 137/TRX9	9	80.0	16.0	5pz	
FG 137/TRX10	10	86.0	17.0	5pz	
FG 137/TRX15	15	90.0	18.0	5pz	
FG 137/TRX20	20	95.0	19.0	5pz	
FG 137/TRX25	25	100.0	20.0	5pz	
FG 137/TRX27	27	105.0	22.0	5pz	
FG 137/TRX30	30	114.0	24.0	5pz	
FG 137/TRX40	40	124.0	26.0	5pz	
FG 137/TRX45	45	133.0	29.0	5pz	
FG 137/TRX50	50	152.0	32.0	5pz	



Set 12 offset TRX key wrenches

CODE	
FG 137	

TRX7 - TRX50



Set 09 offset hex key wrenches - 110° series with extra short arm

CODE	
FG 139/S9	


1.5 - 10.0mm



Offset hexagon key wrenches - short series, zinc chrome plated

CODE	mm	L1/mm	L2/mm	Min. q.ty	
FG 139/D1.5	1.5	46.5	15.5	5pz	
FG 139/D2	2.0	52.0	18.0	5pz	
FG 139/D2.5	2.5	58.5	20.5	5pz	
FG 139/D3	3.0	66.0	23.0	5pz	
FG 139/D4	4.0	74.0	29.0	5pz	
FG 139/D4.5	4.5	80.0	30.5	5pz	
FG 139/D5	5.0	85.0	33.0	5pz	
FG 139/D5.5	5.5	90.5	35.5	5pz	
FG 139/D6	6.0	96.0	38.0	5pz	
FG 139/D7	7.0	102.0	41.0	5pz	
FG 139/D8	8.0	108.0	44.0	5pz	
FG 139/D9	9.0	111.0	46.0	5pz	
FG 139/D10	10.0	122.0	50.0	5pz	


CODE	mm	L1/mm	L2/mm	Min. q.ty	
FG 139/D11	11.0	126.0	52.0	5pz	
FG 139/D12	12.0	137.0	57.0	2pz	
FG 139/D13	13.0	142.0	62.0	2pz	
FG 139/D14	14.0	154.0	70.0	2pz	
FG 139/D16	16.0	165.0	75.0	2pz	
FG 139/D17	17.0	177.0	80.0	2pz	
FG 139/D19	19.0	199.0	89.0	2pz	
FG 139/D22	22.0	216.0	100.0	2pz	
FG 139/D24	24.0	242.0	112.0	1pz	
FG 139/D27	27.0	271.0	125.0	1pz	
FG 139/D30	30.0	309.0	140.0	1pz	
FG 139/D32	30.0	341.0	155	1pz	
FG 139/D36	36.0	385.0	174.0	1pz	



NEW

Offset hexagon key wrenches - long series, zinc chrome plated

CODE	mm	L1/mm	L2/mm	Min. q.ty	
FG 139/E1.5	1.5	63.5	15.5	5pz	
FG 139/E2	2.0	77.0	18.0	5pz	
FG 139/E2.5	2.5	87.5	20.5	5pz	
FG 139/E3	3.0	93.0	23.0	5pz	
FG 139/E4	4.0	104.0	29.0	5pz	
FG 139/E5	5.0	120.0	33.0	5pz	
FG 139/E5.5	5.5	134.0	35.5	5pz	
FG 139/E6	6.0	141.0	38.0	5pz	
FG 139/E7	7.0	147.0	41.0	5pz	
FG 139/E8	8.0	158.0	44.0	5pz	
FG 139/E10	10.0	180.0	50.0	5pz	
FG 139/E12	12.0	202.0	57.00	2pz	
FG 139/E14	14.0	229.0	70.0	2pz	
FG 139/E17	17.0	262.0	80.0	2pz	
FG 139/E19	19.0	289.0	89.0	2pz	



Set of 10 offset short hex key wrenches

CODE	
FG 139/D	

1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10



NEW


Set of 10 offset long hex key wrenches

CODE	
FG 139/E	

1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10




1/4"dr. drill bits for slotted head screws - DIN 3126 - C6.3



CODE	mm	Min. q.ty	
FG 85/25F1	0.5x3	03pz	
FG 85/25F2	0.6x4.5	03pz	
FG 85/25F3	0.8x5.5	03pz	
FG 85/25F4	1x5.5	03pz	
FG 85/25F5	1.2x6.5	03pz	
FG 85/25F6	1.2x8	03pz	
FG 85/25F7	1.6x8	03pz	

CODE	mm	Min. q.ty	
FG 85/50F1	0.5x3	03pz	
FG 85/50F2	0.6x4.5	03pz	
FG 85/50F3	0.8x5.5	03pz	
FG 85/50F4	1x5.5	03pz	
FG 85/50F5	1.2x6.5	03pz	
FG 85/50F6	1.2x8	03pz	
FG 85/50F7	1.6x8	03pz	


1/4"dr. drill bits for Phillips head screws DIN 3126 - C6.3



CODE	PH	Min. q.ty	
FG 85/25PH0	0	03pz	
FG 85/25PH1	1	03pz	
FG 85/25PH2	2	03pz	
FG 85/25PH3	3	03pz	

CODE	PH	Min. q.ty	
FG 85/50PH1	1	03pz	
FG 85/70PH1	1	03pz	
FG 85/50PH2	2	03pz	
FG 85/70PH2	2	03pz	
FG 85/50PH3	3	03pz	
FG 85/70PH3	3	03pz	


1/4"dr. drill bits for Pozidriv head screws DIN 3126 - C6.3



CODE	PZ	Min. q.ty	
FG 85/25Z1	1	03pz	
FG 85/25Z2	2	03pz	
FG 85/25Z3	3	03pz	
FG 85/25Z4	4	03pz	


CODE	PZ	Min. q.ty	
FG 85/50Z1	1	03pz	
FG 85/50Z2	2	03pz	
FG 85/50Z3	3	03pz	

1/4"dr. drill bits for Tamper Resistant Torx head screw




CODE	PZ	Min. q.ty	
FG 85/25T10	10	03pz	
FG 85/25T15	15	03pz	
FG 85/25T20	20	03pz	
FG 85/25T25	25	03pz	
FG 85/25T27	27	03pz	
FG 85/25T30	30	03pz	
FG 85/25T40	40	03pz	

1/4"dr. drill bits for XZN head screws DIN 3126 - C6.3



CODE	PZ	Min. q.ty	
FG 85/25M4	4	03pz	
FG 85/25M5	5	03pz	
FG 85/25M6	6	03pz	
FG 85/25M10	10	03pz	


1/4"dr. drill bits for hex head screws DIN 3126 - C6.3



CODE	mm	Min. q.ty	
FG 85/25H1.5	3	03pz	
FG 85/25H2	4	03pz	
FG 85/25H2.5	5	03pz	
FG 85/25H3	6	03pz	
FG 85/25H4	7	03pz	
FG 85/25H5	8	03pz	
FG 85/25H6	10	03pz	
FG 85/25H7	6	03pz	
FG 85/25H8	8	03pz	
FG 85/25H10	10	03pz	

CODE	mm	Min. q.ty	
FG 85/50H1.5	3	03pz	
FG 85/50H2	4	03pz	
FG 85/50H2.5	5	03pz	
FG 85/50H3	6	03pz	
FG 85/50H4	7	03pz	
FG 85/50H5	8	03pz	
FG 85/50H6	10	03pz	
FG 85/50H7	6	03pz	
FG 85/50H8	8	03pz	
FG 85/50H10	10	03pz	


1/4"dr. drill bits for Torx head screws DIN 3126 - C6.3



CODE	PZ	Min. q.ty	
FG 85/25T9	9	03pz	
FG 85/25T10	10	03pz	
FG 85/25T15	15	03pz	
FG 85/25T20	20	03pz	
FG 85/25T25	25	03pz	
FG 85/25T27	27	03pz	
FG 85/25T30	30	03pz	
FG 85/25T40	40	03pz	
FG 85/25T45	45	03pz	
FG 85/25T50	50	03pz	

CODE	PZ	Min. q.ty	
FG 85/50T9	9	03pz	
FG 85/50T10	10	03pz	
FG 85/50T15	15	03pz	
FG 85/50T20	20	03pz	
FG 85/50T25	25	03pz	
FG 85/50T27	27	03pz	
FG 85/50T30	30	03pz	
FG 85/50T40	40	03pz	
FG 85/50T45	45	03pz	
FG 85/50T50	50	03pz	





Set 31 1/4\"/>

CODE	CONTENT	
FG 85/S31	FG 88/PI14	
	FG 85/25PH1, PH2, PH3	+
	FG 85/25SL3, SL4, SL4.5, SL5, SL5.5, SL6, SL6.5	-
	FG 85/25PZ1, PZ2, PZ3	*
	FG 85/H1.5, H2, 2.5, H3, H4, H5, H6	○
	FG 85/25T9, T10, T15, T20, T25, T27, T30, T40	✱



**Set of Torx bits
+ bit holder**

CODE	
FG 85TX/S11	

FG 85/25T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 + biholder



**Set of bits
+ bit holder**

CODE	
FG 85/S11	

FG 85/25PH1, PH2, PH3,
FG 85/25PZ1, PZ2, PZ3
FG 85/SL4, 5, 6, 7
FG 88/60PI2



**Hexagon key wrenches
with Bi-material handle**

CODE	mm	
FG 142/2	2	
FG 142/2.5	2.5	
FG 142/3	3	
FG 142/4	4	
FG 142/5	5	
FG 142/6	6	
FG 142/7	7	
FG 142/8	8	
FG 142/10	10	



**Set of 8 hexagon
Handle key wrenches**

CODE	
FG 142/S8	

2, 2.5, 3, 4, 5, 6, 8, 10 mm



**Set of 9 hexagon
Handle key wrenches**

CODE	
FG 142/S9	

2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm



**Torx key wrenches with
Bi-material handle**

CODE	mm	
FG 143/TX7	7	
FG 143/TX8	8	
FG 143/TX9	9	
FG 143/TX10	10	
FG 143/TX15	15	
FG 143/TX20	20	
FG 143/TX25	25	
FG 143/TX27	27	
FG 143/TX30	30	
FG 143/TX40	40	
FG 143/TX45	45	
FG 143/TX50	50	



**Set of 8 Torx Handle
key wrenches**

CODE	
FG 143TX/S8	

TX8, TX10, TX15, TX20,
TX27, TX25, TX30, TX40



**Set of Torx Handle
key wrenches**

CODE	CONTENT	
FG 143TX/S6	TX10, TX15, TX20, TX25, TX30, TX40	
FG 143TX/S12	TX7-TX50	



1/4"dr. drill bits for slotted head screws DIN 3126 - C6.3



CODE	mm	Min. q.ty	
FG 85/100F3	0.6x3	03pz	
FG 85/100F4	0.8x4	03pz	
FG 85/100F5.5	1.0x5.5	03pz	

1/4"dr. drill bits for Phillips screws DIN 3126 - C6.3



CODE	PH	Min. q.ty	
FG 85/100PH1	1	03pz	
FG 85/100PH2	2	03pz	
FG 85/100PH3	3	03pz	



Set of extra long 1/4"dr. bits - 100mm

CODE	CONTENT	
FG 85/S15L	FG 85/100F3, F4, F5.5	
	FG 85/100PH0, PH1, PH2, PH3	
	FG 85/100PZ1, Pz2, PZ3	
	FG 85/100H4, H5, H6	
	FG 85/100T15, T20, T25	


Bit holder

CODE	Hex x Hex	
FG 88/60PI1	1/4" x 1/4"	
FG 88/60PI2	1/4" x 1/4"	

FG 88/60PI1 - without retainer
FG 88/60PI2 - with retainer

Bit holder

CODE	Hex x Hex	
FG 88/60PI3	1/4" x 1/4"	



Bit holder with female drive

CODE	Hex x Hex	L/mm	
FG 89/38PI1	1/4" x 1/4"	32	
FG 89/50PI2	3/8" x 1/4"	50	
FG 89/50PI3	3/8" x 5/16"	50	
FG 89/55PI4	1/2" x 1/4"	55	
FG 89/55PI5	1/2" x 5/16"	55	




1/4"dr. drill bits for Pozidriv screws DIN 3126 - C6.3



CODE	PH	Min. q.ty	
FG 85/100PZ1	1	03pz	
FG 85/100PZ2	2	03pz	
FG 85/100PZ3	3	03pz	

1/4"dr. drill bits for hex head screws DIN 3126 - C6.3



CODE	PH	Min. q.ty	
FG 85/100H4	4	03pz	
FG 85/100H5	5	03pz	
FG 85/100H6	6	03pz	

1/4"dr. drill bits for Torx head screws DIN 3126 - C6.3



CODE	PH	Min. q.ty	
FG 85/100T15	15	03pz	
FG 85/100T20	20	03pz	
FG 85/100T25	25	03pz	

Bit holder with handle

CODE	
FG 88/P14	



Bit holder with SDS drive

CODE	
FG 88/100SDS	



Socket holder for drill


CODE	Hex x Hex	L/mm	
FG 88/75PB1	1/4" x 1/4"	75	
FG 88/75PB2	1/4" x 3/8"	75	
FG 88/75PB3	1/4" x 1/2"	75	



10mm drill bits for hex head screws DIN 3126 - C6.3



10mm




CODE	mm	Min. q.ty	
FG 86/30H4	4	03pz	
FG 86/30H5	5	03pz	
FG 86/30H6	6	03pz	
FG 86/30H7	7	03pz	
FG 86/30H8	8	03pz	
FG 86/30H10	10	03pz	
FG 86/30H12	12	03pz	
FG 86/30H14	14	03pz	

CODE	mm	Min. q.ty	
FG 86/75H4	4	03pz	
FG 86/75H5	5	03pz	
FG 86/75H6	6	03pz	
FG 86/75H7	7	03pz	
FG 86/75H8	8	03pz	
FG 86/75H10	10	03pz	
FG 86/75H12	12	03pz	
FG 86/75H14	14	03pz	

10mm drill bits for Torx head screws DIN 3126 - C6.3



10mm




CODE	TX	Min. q.ty	
FG 86/30T20	20	03pz	
FG 86/30T25	25	03pz	
FG 86/30T27	27	03pz	
FG 86/30T30	30	03pz	
FG 86/30T40	40	03pz	
FG 86/30T45	45	03pz	
FG 86/30T50	50	03pz	
FG 86/30T55	55	03pz	

CODE	TX	Min. q.ty	
FG 86/75T20	20	03pz	
FG 86/75T25	25	03pz	
FG 86/75T27	27	03pz	
FG 86/75T30	30	03pz	
FG 86/75T40	40	03pz	
FG 86/75T45	45	03pz	
FG 86/75T50	50	03pz	
FG 86/75T55	55	03pz	

10mm drill bits for Tamper Torx Resistant head screws



10mm




CODE	RTX	Min. q.ty	
FG 86/30TT20	20	03pz	
FG 86/30TT25	25	03pz	
FG 86/30TT27	27	03pz	
FG 86/30TT30	30	03pz	
FG 86/30TT40	40	03pz	
FG 86/30TT45	45	03pz	
FG 86/30TT50	50	03pz	
FG 86/30TT55	55	03pz	

CODE	RTX	Min. q.ty	
FG 86/75TT20	20	03pz	
FG 86/75TT25	25	03pz	
FG 86/75TT27	27	03pz	
FG 86/75TT30	30	03pz	
FG 86/75TT40	40	03pz	
FG 86/75TT45	45	03pz	
FG 86/75TT50	50	03pz	
FG 86/75TT55	55	03pz	

10mm drill bits for XZN head screws DIN 3126 - C6.3



10mm



CODE	TX	Min. q.ty	
FG 86/30M5	5	03pz	
FG 86/30M6	6	03pz	
FG 86/30M8	8	03pz	
FG 86/30M10	10	03pz	
FG 86/30M12	12	03pz	
FG 86/30M14	14	03pz	

CODE	TX	Min. q.ty	
FG 86/75M5	5	03pz	
FG 86/75M6	6	03pz	
FG 86/75M8	8	03pz	
FG 86/75M10	10	03pz	
FG 86/75M12	12	03pz	
FG 86/75M14	14	03pz	



Set 56 bits and sockets

CODE	
FG 86/S56	



FG 624/TX4 - TX8
FG 624B/TX10 - TX17
FG 625/TX16 - TX20



FG 86/30TT10 - TT60
FG 86/30M5 - M12
FG 86/30H4 - H14



FG 86/75TX20 - TX60
FG 86/75M6 - M12
FG 86/75H5 - H10



3/8" x 10mm
1/2" x 10mm






Set of 28 bits with
10mm drive + bit
holder

CODE	CONTENT	
FG 86/S30B	FG 86/30TT10- T40, FG 86/75T10 - T40	⚙
	FG 86/30TT10- TT40, FG 86/75TT4 - TT40	⚙
	ADATTATORE PORTA INSERTI 1/2" x 10mm	

CODE	CONTENT	
FG 86/S30	FG 86/30TT10- T40, FG 86/75T10 - T40	⚙
	FG 86/30H4,5,6 - FG 86/75H4,5,6	⚙
	FG 86/30M4-M10 - FG 86/75M4-M10	⚙
	2 ADATTATORI PORTA INSERTI 1/2" x 10mm	

5/16"

Drill bits for slotted
head screws



CODE	mm	Min. q.ty	
FG 87/25F1	1.2x6.0	03pz	
FG 87/25F2	1.6x8.0	03pz	
FG 87/25F3	1.6x10	03pz	
FG 87/25F4	2.0x12	03pz	

5/16"


Drill bits for Phillips
head screws



CODE	PH	Min. q.ty	
FG 87/PH1	1	03pz	
FG 87/PH2	2	03pz	
FG 87/PH3	3	03pz	
FG 87/PH4	4	03pz	

5/16"


Drill bits for Pozidriv
head screws



CODE	PZ	Min. q.ty	
FG 87/PZ0	0	03pz	
FG 87/PZ1	1	03pz	
FG 87/PZ2	2	03pz	
FG 87/PZ3	3	03pz	

5/16"


Drill bits for hex
head screws



CODE	mm	Min. q.ty	
FG 87/H4	4	03pz	
FG 87/H5	5	03pz	
FG 87/H6	6	03pz	
FG 87/H8	8	03pz	
FG 87/H10	10	03pz	

5/16"


Drill bits for Torx
head screws



CODE	TX	Min. q.ty	
FG 87/TX20	20	03pz	
FG 87/TX25	25	03pz	
FG 87/TX27	27	03pz	
FG 87/TX30	30	03pz	
FG 87/TX40	40	03pz	
FG 87/TX45	45	03pz	
FG 87/TX50	50	03pz	
FG 87/TX55	55	03pz	

Adaptor
- 1/2" x 5/16"

CODE	
FG 87/AD	



Impact
screwdriver

CODE		
FG 23/I	1/2"	



Set of 28pcs
impact tools

CODE	
FG 23/S28	



Combination pliers - DIN ISO 5745

CODE	mm/inch	
FG 59SR/160	160 - 6"	
FG 59SR/180	180 - 7"	
FG 59SR/200	200 - 8"	



Bent nose pliers - DIN ISO 5745

CODE	mm/inch	
FG 60SR/160	160 - 6"	
FG 60SR/200	200 - 8"	



Long nose pliers - DIN ISO 5745

CODE	mm/inch	
FG 61SR/160	160 - 6"	
FG 61SR/200	200 - 8"	



Flat nose pliers - DIN ISO 5745

CODE	mm/inch	
FG 62SR/160	160 - 6"	



Diagonal cutting pliers - DIN ISO 5745

CODE	mm/inch	
FG 63SR/160	160 - 6"	



Diagonal cutting pliers, Heavy-Duty model - DIN ISO 5745

CODE	mm/inch	
FG 63SR/H180	180 - 7"	
FG 63SR/H200	200 - 8"	



Wire stripping pliers - DIN ISO 5745

CODE	mm/inch	
FG 68SR/160	160 - 6"	



End cutting pliers - DIN ISO 5745

CODE	mm/inch	
FG 64SR/220	220 - 9"	
FG 64SR/280	280 - 11"	



Set of 3pcs pliers

CODE	CONTENT	
FG 59SR/S3	FG 59SR/160, FG 61SR/160, FG 63SR/160	
FG 59SR/S3B	FG 59SR/180, FG 61SR/200, FG 63SR/H180	

Combination pliers - DIN ISO 5745

CODE	mm/inch	
FG 59PV/160	160 - 6"	
FG 59PV/180	180 - 7"	
FG 59PV/200	200 - 8"	



Bent nose pliers - DIN ISO 5745

CODE	mm/inch	
FG 60PV/160	160 - 6"	
FG 60PV/200	200 - 8"	



Long nose pliers - DIN ISO 5745

CODE	mm/inch	
FG 61PV/160	160 - 6"	
FG 61PV/200	200 - 8"	



Flat nose pliers - DIN ISO 5745

CODE	mm/inch	
FG 62PV/160	160 - 6"	



Diagonal cutting pliers - DIN ISO 5745

CODE	mm/inch	
FG 63PV/140	140 - 5"	
FG 63PV/160	160 - 6"	



End cutting pliers, PVC handles - DIN ISO 5745

CODE	mm/inch	
FG 63PV/H180	180 - 7"	
FG 63PV/H200	200 - 8"	



Frontal cutting pliers - DIN ISO 5745

CODE	mm/inch	
FG 64PV/160	160 - 6"	
FG 64PV/200	200 - 8"	



End cutting pliers, PVC handles - DIN ISO 5745

CODE	mm/inch	
FG 65PV/220	220 - 9"	
FG 65PV/250	250 - 10"	
FG 65PV/280	280 - 11"	




Set of 3pcs pliers

CODE	CONTENT	
FG 59PV/S3	FG 59PV/160, FG 61PV/160, FG 63PV/160	
FG 59PV/S3B	FG 59PV/180, FG 61PV/200, FG 63PV/H180	



External butt-ended circlip pliers

CODE	CAPACITY	
FG 55/SP	30 - 100	



**Slip joint pliers boxed joints
with push button alignment
and slip-proof PVC handles**

CODE	mm - Inch	Posizioni	
FG 58/A240	240 - 9.5"	5	



**Slip joint pliers boxed joints
with slip-proof PVC handles
- DIN ISO 8976**

CODE	mm-Inch	Posizioni	
FG 58/B180	180 - 7"	6	
FG 58/B240	240 - 10"	7	
FG 58/B300	300 - 12"	7	
FG 58/400	400 - 16"	7	



Flat long nose pliers

CODE	mm	
FG 56/0	275	
FG 57/0	400	




45° Long nose pliers

CODE	mm	
FG 56/45	275	
FG 57/45	400	



90° Long nose pliers

CODE	mm	
FG 56/90	275	
FG 57/90	400	




Set of 3pcs long nose pliers

CODE	CONTENT	
FG 56/S3	FG 56/0, FG 56/45, FG 56/90	
FG 57/S3	FG 57/0, FG 57/45, FG 57/90	


Circlip pliers for outside circlips

CODE	L/mm	Ø/mm	
FG 51/140	140	10-25	
FG 51/180	180	19-60	
FG 51/230	230	40-100	
FG 51/310	310	85-140	




Circlip pliers for 90° outside circlips

CODE	L/mm	Ø/mm	
FG 52/140	140	10-25	
FG 52/180	180	19-60	
FG 52/230	230	40-100	
FG 52/310	310	85-140	




Circlip pliers for inside circlips

CODE	L/mm	Ø/mm	
FG 53/140	140	12-25	
FG 53/180	180	19-60	
FG 53/230	230	40-100	
FG 53/310	310	85-140	



Circlip pliers for 90° inside circlips

CODE	L/mm	Ø/mm	
FG 54/140	140	12-25	
FG 54/180	180	19-60	
FG 54/230	230	40-100	
FG 54/310	310	85-140	




Circlip pliers for outside circlips, with inserted reinforced tips

CODE	L/mm	Ø/mm	
FG 55/140	140	10-25	
FG 55/180	180	19-60	




90° Circlip pliers for outside circlips, with inserted reinforced tips

CODE	L/mm	Ø/mm	
FG 56/140	140	10-25	
FG 56/180	180	19-60	



Circlip pliers for inside circlips, with inserted reinforced tips

CODE	L/mm	Ø/mm	
FG 57/140	140	10-25	
FG 57/180	180	19-60	




90° Circlip pliers for inside circlips, with inserted reinforced tips

CODE	L/mm	Ø/mm	
FG 58/140	140	10-25	
FG 58/180	180	19-60	



Set of 4pcs circlip pliers

CODE	CONTENT	
FG 51/S4	FG 51/140, FG 52/140, FG 53/140, FG 54/140	
FG 51/S4B	FG 51/180, FG 52/180, FG 53/180, FG 54/180	



Set of 4pcs circlip pliers, with inserted reinforced tips

CODE	CONTENT	
FG 55/S4	FG 55/140, FG 56/140, FG 57/140, FG 58/140	
FG 55/S4B	FG 55/180, FG 56/180, FG 57/180, FG 58/180	



NEW



Adjustable self-locking pliers, curve jaws

CODE	L/mm	Overfour max	
FG 69/CJ180	180	31mm	
FG 69/CJ250	250	37mm	

L/mm



Adjustable self-locking pliers, curve jaws

CODE	L/mm	Max opening	
FG 70/CJ140	140	30mm	
FG 70/CJ180	180	35mm	
FG 70/CJ250	250	50mm	
FG 70/CJ300	300	65mm	

L/mm



Superior line

Adjustable self-locking pliers, straight jaws

CODE	L/mm	Max opening	
FG 69/LN170	170	38mm	
FG 69/LN230	230	65mm	

L/mm



Adjustable self-locking pliers, straight jaws

CODE	L/mm	Max opening	
FG 70/LN165	165	40mm	
FG 70/LN240	240	55mm	

L/mm



Superior line

Adjustable self-locking pliers, C-shaped jaws

CODE	L/mm	Max opening	
FG 69/CC170	170	43mm	
FG 69/CC280	280	64mm	
FG 69/CC460	460	255mm	

NEW

L/mm



Adjustable self-locking pliers, C-shaped jaws

CODE	L/mm	Max opening	
FG 70/CC175	175	50mm	
FG 70/CC280	280	90mm	
FG 70/CC460	460	235mm	

NEW


L/mm



Superior line


Adjustable self-locking pliers, C-shaped floating jaws

CODE	L/mm	Max opening	
FG 69/CP170	170	45mm	
FG 69/CP280	280	73mm	



Adjustable self-locking pliers, C-shaped floating jaws


CODE	L/mm	Max opening	
FG 70/CP175	175	40mm	
FG 70/CP280	280	90mm	



Superior line


Adjustable self-locking pliers, flat jaws

CODE	L/mm	Max opening	
FG 69/CS200	200	25mm	




Adjustable self-locking pliers, fork type jaws

CODE	L/mm	Max opening	
FG 69/CW225	225	25mm	



Adjustable self-locking pliers, PARROT model

CODE	L/mm	Max opening	
FG 69/PP215	215	38mm	



Adjustable self-locking pliers with chain

CODE	L/mm	ø/mm	
FG 69/CH130	250	75mm	

