

A close-up photograph of a green-handled pipe wrench with a rusty metal head, positioned diagonally across the frame. In the background, a red-handled tool and a grey pipe are visible. The right side of the image is overlaid with a white vertical panel containing text and a large number.


13

PLUMBING TOOLS




Heavy-duty pipe wrenches

CODE	Ø GAS max	Ø mm max	L/mm	
FG 30/GA1	1"	34	200	
FG 30/GA1.5	1 1/2"	49	250	
FG 30/GA2	2"	60	300	
FG 30/GA2B	2"	60	350	
FG 30/GA2.5	2 1/2"	76	450	
FG 30/GA3	3"	90	600	




Heavy-duty pipe wrenches with alloy body

CODE	Ø GAS max	Ø mm max	L/mm	
FG 33/GA2	2"	60	350	
FG 33/GA2.5	2 1/2"	76	450	
FG 33/GA3	3"	90	600	
FG 33/GA5	5"	140	900	




Pipe wrenches, swedish pattern with 90° flat jaws

CODE	Ø GAS max	Ø mm max	L/mm	
FG 31/GP1	1"	34	320	
FG 31/GP1.5	1 1/2"	49	410	
FG 31/GP2	2"	60	550	
FG 31/GP3	3"	90	650	



Pipe wrenches, swedish pattern with 45° flat jaws

CODE	Ø GAS max	Ø mm max	L/mm	
FG 32/GP1	1"	34	320	
FG 32/GP1.5	1 1/2"	49	410	
FG 32/GP2	2"	60	550	



Pipe wrenches, swedish pattern with 90° slim jaws

CODE	Ø GAS max	Ø mm max	L/mm	
FG 32/GS1	1"	34	320	
FG 32/GS1.5	1 1/2"	49	410	
FG 32/GS2	2"	60	550	



Adjustable wrenches

CODE	Ø GAS	Ø	L/mm	
FG 34/GL1	1"	34	175	
FG 34/GL1.5	1 1/2"	49	225	



Tube flaring tool for copper and light alloy pipes

Ø/mm: 4-16, 5/16"-5/8"

CODE	
FG 20/A1	



Tube flaring tool for copper and light alloy pipes

Ø/mm: 4, 4.75, 6, 8, 10, 12, 14

CODE	
FG 20/A2	


Borchie per borda tubi

CODE	mm	
FG 20/AD4	4	
FG 20/AD4.75	4.75	
FG 20/AD6	6	
FG 20/AD8	8	
FG 20/AD10	10	
FG 20/AD12	12	
FG 20/AD14	14	



Set utensili per idraulica

CODE	CONTENT	
FG 21/S10	FG 20/A2	
	FG 20/AD4 - FG 20/AD14	
	FG 76/R2	



Pipe bending pliers

CODE	CAPACITY	
FG 24/CU1	6, 8, 10 mm	
FG 24/CU2	1/4", 5/16", 3/8"	

Hinged water tap wrench

Ø: 10-32mm, 8"-1.1/4"


CODE	
FG 21/CD	

Sanitary wrench

CODE	
FG 21/CS	

Combination spud wrench with 5 steps

CODE	
FG 21/CR	



Adjustable wrench

CODE	Lenght	Ø/max	
FG 35/B1	100 mm / 4"	15 mm	
FG 35/B2	150 mm / 6"	24 mm	
FG 35/B3	200 mm / 8"	28mm	
FG 35/B4	250 mm / 10"	34 mm	
FG 35/B5	300 mm / 12"	35 mm	



Adjustable wrench

CODE	Lenght	Ø/max	
FG 35/1	150 mm / 6"	24 mm	
FG 35/2	200 mm / 8"	24 mm	
FG 35/4	300mm / 12"	34mm	

Deburrer with revolving replacement blade

CODE	
FG 79/SR	

Curve blade:

CODE	
FG 79/SR1R	



Outside and inside metallic reamer

CODE	CAPACITY	
FG 79/SB	8 - 38 mm 1/8" - 1.5/8"	

