

Electric pipe freezer  
up to 2"

REMS Frigo 2



up to  
**2"**

**REMS**

for Professionals



Electric freezing up to 2" – no laborious draining down, refilling and venting of the heating system.

For repair and extension of piping systems.

Patent EP 1 108 944

Patent US 6,434,952


German Quality Product



# REMS Frigo 2 – electrically freezing instead of draining. Super fast up to 2".

Fast, simple freezing of filled steel, copper and plastic pipes as well as composite tubes,  $\varnothing \frac{1}{8}$ –2",  $\varnothing$  10–60 mm. Closed refrigerant circuit. Environmentally friendly. For repair and extension of pipe systems. High cooling performance, e.g.  $\frac{3}{4}$ " steel pipe in just 9 min\*. Very narrow, patented freezer heads, very quick fitting. Temperature display with LCD digital thermometer. Universally usable, also in enclosed spaces.

- 1 One-size freezer heads for the core working range  $\varnothing \frac{1}{4}$ –1" /  $\varnothing$  15–35 mm, no reducing inserts required.
- 2 Aid the cooling process simply by spraying with water. Always clean freezer heads, no pastes/greases required.
- 3 Closed refrigerant circuit.
- 4 Refrigerant R-404A. High cooling capacity. Ideal also for longer repairs.
- 5 Robust, compact. Very small deep-freezer heads fitted parallel to the pipe leaving refrigerant hoses for working in confined areas and niches also. Single or double freezing possible.
- 6 Cooling aggregate, 430 W. Very quiet.
- 7 in sturdy sheet metal housing with ventilating side openings for optimum air circulation.
- 8 Large top compartment, easily accessible, for refrigerant hoses and accessories.
- 9 Weighs only 23 kg. Easy to carry.
- 10 **Patent EP 1 108 944, Patent US 6,434,952**  
Very compact deep-freezer heads with special geometrically shaped cavities for seating different pipe diameters Very small, only 50 mm wide.
- 11 All pipe sizes from  $\varnothing \frac{1}{4}$ –1" resp.  $\varnothing$  15–35 mm can be frozen with only one deep-freezer head. Deep-freezer inserts for the rest of the capacity up to 2", 60 mm.
- 12 Tightening straps for simple and quick assembly of deep-freezer heads onto the pipe, without tools.
- 13 Flexible, extra-long refrigerant hoses in wear resistant, synthetic rubber for large work radius.
- 14 LCD digital thermometer with clip, for exact temperature display directly at the freezing points.





## REMS Frigo 2

**REMS Frigo 2 Set.** Electric pipe freezing unit with closed refrigerant circuit. For steel, copper, plastic, composite pipes,  $\varnothing$   $\frac{1}{8}$ –2",  $\varnothing$  10–60 mm. Cooling aggregate 230 V or 110 V, 50 Hz, 430 W, 2 refrigerant hoses, 2 LCD digital thermometers, 2 tightening straps, squirt bottle. Equipped for  $\varnothing$   $\frac{1}{4}$ –1 $\frac{1}{4}$ ", 15–42 mm. In sturdy sheet metal housing. In a carton.

Art.-No. 131011 R220

## Accessories



**Extension kit up to 2", 60 mm,**  
consisting of 2 each of the 1 $\frac{1}{2}$ " freezing inserts,  
54 mm freezing inserts and 2" / 60 mm freezing inserts

Art.-No. 131160 R



**Deep-freeze inserts  $\frac{1}{8}$ ", 10 mm, 12 mm (pack of 2)**

Art.-No. 131110 R



**Deep-freeze inserts 1 $\frac{1}{2}$ " (pack of 2)**

Art.-No. 131156 R



**Deep-freeze inserts 54 mm (pack of 2)**

Art.-No. 131157 R

**Deep-freeze inserts 2", 60 mm (pack of 2)**

Art.-No. 131158 R



**Clamping band**

Art.-No. 131104 R



**LCD digital thermometer**

Art.-No. 131116 R

cunha  mendes cunha, lda  
Equipamentos Industriais

email:cmc@cmc.pt web:www.cmc.pt



[www.youtube.com/c/CUNHAMENDESCUNHALDA](http://www.youtube.com/c/CUNHAMENDESCUNHALDA)



[www.facebook.com/CunhaMendesCunhaLda](http://www.facebook.com/CunhaMendesCunhaLda)

