

12

GENERAL MAINTENANCE

Grease gun

- Usable with cartridge or bulk grease
- Endowed with rigid and flexible hoses

CODE	CAPACITY	L hose	
FG 490/C500	500CC	320mm	
FG 490/C750	750CC	450mm	
FG 490/C800	800CC	500mm	
FG 490/C1000	1.000CC	500mm	

Coupler with 4 jaws

CODE	
FG 490/TE	

Grease gun

- Usable with cartridge or bulk grease
- Endowed with rigid and flexible hoses
- Capacity: 130CC

CODE	
FG 490/MP	

Grease gun - push type

- Usable with cartridge or bulk grease
- Supplied with 4 jaws nozzle and pointed nozzle

CODE	
FG 490/PT	

Oil can with rigid spot

CODE	CAPACITY	
FG 496/FP1	200CC	
FG 496/FP2	350CC	
FG 496/FP3	500CC	

Oil can with flexible spot

CODE	CAPACITY	L hose	
FG 495/FA1	200CC	14.5	
FG 495/FA2	350CC	14.5	
FG 495/FA3	500CC	14.5	

Oil can with retractable rigid spot

CODE	CAPACITY	SPOT	
FG 497/OP1	30CC	10-165mm	
FG 497/OP2	80CC	110-175mm	
FG 497/OP3	150CC	150-240mm	

Oiler pen

CODE	CAPACITY	
FG 497	5CC	

Oil gun

- Capacity: 500CC
- L/mm hose: 260

CODE	
FG 491	

Oil can with rigid spot and metal body

CODE	CAPACITÀ	L hose	
FG 495/1	200CC	14.5	
FG 495/3	500CC	14.5	

Oil can with polyethylene retractable spot

CODE	CAPACITY	SPOT	
FG 497/SP1	125CC	150mm	
FG 497/SP2	250CC	180mm	

-Equipped with
DRIP-LESS function



Bonding gun with metal body

CODE	CAPACITY	
FG 493/N	300CC	



Bonding gun with aluminum body

CODE	CAPACITY	L/mm	L/mm tubo	
FG 493/AL	300CC	440	240	
FG 493/AL2	400CC	480	280	
FG 493/AL3	600CC	580	380	



Set of 4pcs putties with stainless steel blades

CODE	
FG 47/S4	



Set of 3pcs putty knife scrapers

CODE	
FG 47/S3	



Straight putty knife scraper

CODE	
FG 47/P1	



Bent putty knife scraper

CODE	
FG 47/P2	



Straight putty knife scraper

CODE	
FG 47/P3	



Glue gun kit

- Supplier with 12
glue sticks

CODE	
FG 494/S12	



- Rated heating power: 80W
- Working temperature: 193°C (383°F)
- Working temperature: 3/5 min
- Length of glue stick: 200mm
- Diameter of glue stick: 11.5mm

Professional glue gun

CODE	
FG 494/A180	




- Rated heating power: 80W
- Working temperature: 193°C (383°F)
- Working temperature: 3/5 min
- Length of glue stick: 100,250,350mm
- Diameter of glue stick: 11/11.5mm




Professional vice - forged steel

CODE	L/mm	A/mm	
FG 121/B100	100	125	
FG 121/B125	125	150	
FG 121/B150	150	200	
FG 121/B175	175	220	




Wire brush with brass wires

CODE	
FG 79/SP	



Wire brush with brass wires

CODE	
FG 79/SP1	



Wire brush with brass wires

CODE	
FG 79/SP2	



Riveting pliers with 4 interchangeable heads

CODE	
FG 260	



Ø/mm	2.4 (3/32")	3.0/3.2 (1/8")	4.0 (5/32")	4.8/5.0 (3/16")	5.0
Aluminum	X	X	X	X	X
Steel	X	X	X	X	X
INOX	X	X	X	X	X

Pry bar with flat curved ends

CODE	L/mm	
FG 125/A1	300	
FG 125/A2	450	
FG 125/A3	600	



Set 3pcs pry bars

CODE	
FG 125/S3	




Carpenter's wrenching bar

CODE	L/mm	
FG 125/L500	500	
FG 125/L700	700	



Wire brush with steel wires

CODE	
FG 79/SP3	



Riveting pliers with 5 interchangeable heads

CODE	
FG 260/GP	



Ø/mm	2.4 (3/32")	3.0/3.2 (1/8")	4.0 (5/32")	4.8/5.0 (3/16")	6.4
Aluminum	X	X	X	X	X
Steel	X	X	X	X	X
INOX	X	X	X	X	



**Riveting pliers
for plastic rivets**

CODE	
FG 260/RP	




Set of 10pcs plastic rivets

CODE	CAPACITÀ	
FG 260PR/S1	5x15.8mm	
FG 260PR/S2	5x17.2mm	
FG 260PR/S3	6.3x17.2mm	
FG 260PR/S4	6.3x25.2mm	


**Inspection mirror
with plastic body**

CODE	
FG 93/P	




**Telescope
inspection mirror**

CODE	
FG 93/M24	



**Magnetic pick-up tool
- capacity: 1Kg**

CODE	
FG 92/P	



**Magnetic pick-up tool
Length: 380mm
Ø: 3.9mm**

CODE	
FG 92/PM	



**Riveting pliers for threaded
rivets with 4 heads**


CODE	
FG 261	



Ø/mm	M3x0.5	M4x0.7	M5x0.8	M6x1.0
Aluminum	X	X	X	X
Steel	X	X	X	X
INOX	X	X	X	


**Telescope
inspection mirror**

CODE	
FG 93/M55	




**Telescope
inspection mirror**

CODE	
FG 93/M65	



**Magnetic pick-up tool
- capacity 1Kg / - Length: 700mm**

CODE	
FG 92/GR	



Soldering gun 100W

- MAX TEMPERATURE: 570°C
- VOLT: 230
- SUPPLIED WITH 1 TIP AND WIRE POOL
- CLASS OF PROTECTION: II

CODE	
FG 95/SP100	



- TIP (FG 95/TIP1): 6,00 Euro

Soldering iron - dual power

CODE	Watt	Volt	Ø/mm	
FG 96/SS36	30/60	230V	5.8	

- CLASS OF PROTECTION: I

CE



- TIPS (FG 96/TIP2): 6,00 Euro

Wire pool

- Set of 3pcs

CODE	Ø mm	
FG 98/STA	1.0	

**Desoldering pump with anti-static nozzle**

CODE	
FG 98/SS	

Anti-static nozzle


CODE	
FG 98/AS	

Soldering iron

CODE	Watt	Volt	Ø/mm	°C	
FG 96/SS30	30	230V	4	430	
FG 96/SS60	60	230V	6	500	

-- CLASS OF PROTECTION: I

CE

**TIPS:**

CODE	FOR:	
FG 96/TIP1	FG 96/SS30	
FG 96/TIP2	FG 96/SS30	

Portable gas soldering iron

CODE	Watt	°C	
FG 98/GAS	25-80	210 - 400	

- Autonomy: 120minutes
- Supplied with 4 tips: soldering, hot knife, blow torch, heat blower
- Capacity: 21 ml

**TIPS:**

CODE	FUNCTIONS	
FG 98/TIP1	SOLDERING	
FG 98/TIP2	HOT KNIFE	
FG 98/TIP3	BLOW TORCH	
FG 98/TIP4	HEAT BLOWER	

**Mini USB soldering iron**

CODE	Watt	Volt	
FG 98/ST8	8	5	

- Max temperature: 480 °C

CE



NEW

Mini USB plastic cutter

CODICE	Watt	Volt	
FG 98/PC8	8	5	

- Max temperature: 400 °C

CE



Portable Li-Ion battery soldering iron

- MAX TEMPERATURE: 600°C
- CAPACITY: 40MIN CONTINUOUSLY
- RECHARGE TIME: 3.5H
- SUPPLIER 2 3 TIPS FOR SOLDERING CUTTING AND BLOWING

CODE	
FG 98/LT	





CE

NEW


Rechargeable cob led lamp

CODE	
FG 211	



Rechargeable cob led lamp

CODE	
FG 212	



Mini rechargeable cob led lamp

CODE	
FG 210/A	



NEW

