



LIBERTY STEP IT UP

cunha  mendes cunha, lda
Equipamentos Industriais

email:cmc@cmc.pt

web:www.cmc.pt





ENJOYING LIFE

There is certainly a Norisk professional footwear model for you, regardless of your profession. Enjoy life! Minimizes risks in the workplace with professional, comfortable, relaxed and always with unique design shoes. Norisk has everything to do with life!



A black and orange Norisk sneaker is shown in a workshop setting. The shoe is positioned on a metal workbench, with various tools and parts scattered around it. The background features a wooden pillar and a metal wall, creating a rugged, industrial atmosphere. The lighting is dramatic, highlighting the shoe's design and the textures of the workshop environment.

Functionality on top!

If you prefer the functionality and you don't doubt its advantages, you don't want to miss the Norisk professional footwear.

Here, you will find the most dynamic solution for your profession!

Norisk distinguishes itself by its versatility.



Collection

Liberty



SOOTH

REF: 1298.07
EN ISO 20345:2011 CE S3 SRC HRO

Sizes:
39-48 / 6-13
Sole:
DIRECT INJECTED PU/RUBBER
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
BREATHABLE AND WATERPROOF TEXTILE
Lining Materials:
DRI-LEX

HIGHLIGHTS:
ESD,
FLEXIBILITY,
LIGHTWEIGHT,
100% METAL FREE,
CLIMA CORK SYSTEM



TRUST

REF: 1298.04
EN ISO 20345:2011 CE S3 SRC HRO

Sizes:
39-48 / 6-13
Sole:
DIRECT INJECTED PU/RUBBER
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
BREATHABLE AND WATERPROOF TEXTILE
Lining Materials:
DRI-LEX

HIGHLIGHTS:
ESD,
FLEXIBILITY,
LIGHTWEIGHT,
100% METAL FREE,
CLIMA CORK SYSTEM



SENSE

REF: 1292.10
EN ISO 20345:2011 CE S3 SRC HRO

Sizes:
39-48 / 6-13
Sole:
DIRECT INJECTED PU/RUBBER
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
BREATHABLE AND WATERPROOF TEXTILE
Lining Materials:
DRI-LEX

HIGHLIGHTS:
ESD,
FLEXIBILITY,
LIGHTWEIGHT,
100% METAL FREE,
CLIMA CORK SYSTEM



FAITH

REF: 1096.10
EN ISO 20345:2011 CE S3 SRC HRO

Sizes:
39-48 / 6-13
Sole:
DIRECT INJECTED PU/RUBBER
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
BREATHABLE AND WATERPROOF TEXTILE
Lining Materials:
VADICONFORT

HIGHLIGHTS:
ESD,
FLEXIBILITY,
LIGHTWEIGHT,
100% METAL FREE,
CLIMA CORK SYSTEM



SPIRIT

REF: 1296.10
EN ISO 20345:2011 CE S3 SRC HRO

Sizes:
39-48 / 6-13
Sole:
DIRECT INJECTED PU/RUBBER
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
BREATHABLE AND WATERPROOF TEXTILE
Lining Materials:
VADICONFORT

HIGHLIGHTS:
ESD,
FLEXIBILITY,
LIGHTWEIGHT,
100% METAL FREE,
CLIMA CORK SYSTEM



CREED

REF: 1296.07
EN ISO 20345:2011 CE S3 SRC HRO

Sizes:
39-48 / 6-13
Sole:
DIRECT INJECTED PU/RUBBER
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
BREATHABLE AND WATERPROOF TEXTILE
Lining Materials:
VADICONFORT

HIGHLIGHTS:
ESD,
FLEXIBILITY,
LIGHTWEIGHT,
100% METAL FREE,
CLIMA CORK SYSTEM



SOUL

REF: 1295.04
EN ISO 20345:2011 CE S1 P SRC HRO

Sizes:
39-48 / 6-13
Sole:
DIRECT INJECTED PU/RUBBER
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
BREATHABLE AND WATERPROOF TEXTILE
Lining Materials:
DRI-LEX

HIGHLIGHTS:
ESD,
FLEXIBILITY,
LIGHTWEIGHT,
100% METAL FREE,
CLIMA CORK SYSTEM



CONFIDENCE

REF: 1085.00
EN ISO 20345:2011 CE S3 SRC HRO

Sizes:
39-48 / 6-13
Sole:
DIRECT INJECTED PU/RUBBER
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
FULL GRAIN LEATHER
Lining Materials:
TEXTILE

HIGHLIGHTS:
ESD,
FLEXIBILITY,
LIGHTWEIGHT,
100% METAL FREE,
CLIMA CORK SYSTEM



COOL

REF: 1285.00
EN ISO 20345:2011 CE S3 SRC HRO

Sizes:
39-48 / 6-13
Sole:
DIRECT INJECTED PU/RUBBER
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
FULL GRAIN LEATHER
Lining Materials:
TEXTILE

HIGHLIGHTS:
ESD,
FLEXIBILITY,
LIGHTWEIGHT,
100% METAL FREE,
CLIMA CORK SYSTEM





Collection

Discovery



VEGA

REF: 1230.08
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
DOUBLE DENSITY PU/TPU
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
REFLECTOR TEXTILE
Lining Materials:
GREEN COOLMAX

HIGHLIGHTS:
ESD,
REFLECTOR TEXTILE,
CLIMA CORK SYSTEM



POLARIS

REF: 1230.11
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
DOUBLE DENSITY PU/TPU
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
REFLECTOR TEXTILE
Lining Materials:
BLUE COOLMAX

HIGHLIGHTS:
ESD,
REFLECTOR TEXTILE,
CLIMA CORK SYSTEM



ORION

REF: 1030.11
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
DOUBLE DENSITY PU/TPU
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
REFLECTOR TEXTILE
Lining Materials:
BLUE COOLMAX

HIGHLIGHTS:
ESD,
REFLECTOR TEXTILE,
CLIMA CORK SYSTEM



ARIANE

REF: 1429.00
EN ISO 20345:2011 CE S1 P SRC

Sizes:
39-48 / 6-13
Sole:
DOUBLE DENSITY PU/TPU
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
BLACK NUBUCK LEATHER
Lining Materials:
BALTIC TEXTILE

HIGHLIGHTS:
FLEXIBILITY,
LIGHTWEIGHT
CLIMA CORK SYSTEM



DISCOVERY

REF: 1029.00
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
DOUBLE DENSITY PU/TPU
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
NUBUCK
Lining Materials:
ORANGE TEXTILE

HIGHLIGHTS:
FLEXIBILITY,
LIGHTWEIGHT,
CLIMA CORK SYSTEM



ATLANTIS

REF: 1229.00
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
DOUBLE DENSITY PU/TPU
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
NUBUCK
Lining Materials:
ORANGE TEXTILE

HIGHLIGHTS:
FLEXIBILITY,
LIGHTWEIGHT,
CLIMA CORK SYSTEM



SATURNE

REF: 1029.02
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
DOUBLE DENSITY PU/TPU
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
NUBUCK
Lining Materials:
ORANGE TEXTILE

HIGHLIGHTS:
FLEXIBILITY,
LIGHTWEIGHT,
CLIMA CORK SYSTEM



VOYAGER

REF: 1029.22
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
DOUBLE DENSITY PU/TPU
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
BROWN NUBUCK LEATHER
Lining Materials:
SYMPATEX AND ORANGE TEXTILE

HIGHLIGHTS:
SYMPATEX,
FLEXIBILITY,
LIGHTWEIGHT,
CLIMA CORK SYSTEM



NASA

REF: 1017.02
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
DOUBLE DENSITY PU/TPU
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
NUBUCK
Lining Materials:
ORANGE TEXTILE

HIGHLIGHTS:
FLEXIBILITY,
LIGHTWEIGHT,
CLIMA CORK SYSTEM





Comfort of and for geniuses

Do not let discomfort affect your work. Discover such comfortable professional footwear that makes all the others seem inconvenient.

Norisk models are resistant to all your challenges, but you can not resist to wear them.

Norisk plays with comfort.



Collection

Winner



JUMPER

REF: 6606.00
EN ISO 20345:2011 CE S3 SRC

Sizes:
35-48 / 2 1/2-13
Sole:
3D - DOUBLE DENSITY PU/RUBBER
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
FULL GRAIN LEATHER
Lining Materials:
BLACK TEXTILE

HIGHLIGHTS:
ESD,
DGUV 112-191,
CLIMA CORK SYSTEM



RIDER

REF: 1206.00
EN ISO 20345:2011 CE S3 SRC

Sizes:
35-48 / 2 1/2-13
Sole:
3D - DOUBLE DENSITY PU/RUBBER
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
FULL GRAIN LEATHER
Lining Materials:
BLACK TEXTILE

HIGHLIGHTS:
ESD,
DGUV 112-191,
CLIMA CORK SYSTEM



SPRINTER

REF: 1208.10
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
3D - DOUBLE DENSITY PU/RUBBER
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
FULL GRAIN LEATHER
Lining Materials:
BLACK TEXTILE

HIGHLIGHTS:
ATOP SYSTEM
ESD,
DGUV 112-191,
CLIMA CORK SYSTEM



BIKER

REF: 1206.02
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
3D - DOUBLE DENSITY PU/RUBBER
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
FULL GRAIN LEATHER
Lining Materials:
BLACK TEXTILE

HIGHLIGHTS:
ESD,
DGUV 112-191,
CLIMA CORK SYSTEM





CROSSER

REF: 6045.10
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
3D - DOUBLE DENSITY PU/RUBBER
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
FULL GRAIN LEATHER
Lining Materials:
BLACK TEXTILE

HIGHLIGHTS:
ESD,
DGUV 112-191,
CLIMA CORK SYSTEM



GAMER

REF: 6209.01
EN ISO 20345:2011 S1 P SRC

Sizes:
36-48 / 3-13
Sole:
3D - DOUBLE DENSITY PU/RUBBER
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
TEXTILE
Lining Materials:
TEXTILE

HIGHLIGHTS:
ESD,
CLIMA CORK SYSTEM

RUNNER

REF: 1207.06
EN ISO 20345:2011E S1P SRC

Sizes:
35-48 / 2 1/2-13
Sole:
3D - DOUBLE DENSITY PU/RUBBER
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
SPLIT LEATHER
Lining Materials:
BLACK TEXTILE

HIGHLIGHTS:
ESD,
DGUV 112-191,
CLIMA CORK SYSTEM



SURFER

REF: 1206.11
EN ISO 20345:2011E S1P SRC

Sizes:
39-48 / 6-13
Sole:
3D - DOUBLE DENSITY PU/RUBBER
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
TEXTILE
Lining Materials:
BLACK TEXTILE

HIGHLIGHTS:
ESD,
DGUV 112-191,
CLIMA CORK SYSTEM






CLIMA CORK SYSTEM (CCS)

Is an exclusive system of No Risk, which allows to create a natural environment for the feet, both in the field of temperature and their accommodation in shoes. Through the inclusion of an insulating layer of cork between the sole and the insole.

CLIMA CORK SYSTEM regulates the heat and cold inside the footwear and gives extra comfort. The cork allows the creation of a kind of “footprint”, favors its adaptation to the shoe and contributes to the reduction of fatigue, by benefiting the uniform distribution of the weight.







Relax don't do it

Passion is essential to make professional footwear of excellence, so relax. From the drawing of the first sketches to the presentation of our models, all over the world, we use our super vision to the details. The goal is to combine functionality with the style of urban, stylish and casual sneakers.

Norisk adapts like a glove, to your desire to make the most of life!



Collection

Wide Last

GREYSTONE

REF: 1268.10
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
DOUBLE DENSITY PU
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
NUBUCK LEATHER
Lining Materials:
VADICONFORT

HIGHLIGHTS:
PU EXTRA TOE PROTECTION,
100% METAL FREE,
CLIMA CORK SYSTEM



BLACKROCK

REF: 6068.00
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
DOUBLE DENSITY PU
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
NUBUCK LEATHER
Lining Materials:
VADICONFORT

HIGHLIGHTS:
PU EXTRA TOE PROTECTION,
100% METAL FREE,
CLIMA CORK SYSTEM





ALBERTA WD

REF: 1073.45
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-47 / 6-12
Sole:
DOUBLE DENSITY PU
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
NUBUCK LEATHER
Lining Materials:
LAMB SKIN

HIGHLIGHTS:
PU EXTRA TOE PROTECTION,
100% METAL FREE,
CLIMA CORK SYSTEM



BLACKBURN WD

REF: 1681.00
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-47 / 6-12
Sole:
DOUBLE DENSITY PU
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
NUBUCK LEATHER
Lining Materials:
WARM LINING

HIGHLIGHTS:
PU EXTRA TOE PROTECTION,
100% METAL FREE,
CLIMA CORK SYSTEM



HAWICK

REF: 6674.02
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
DOUBLE DENSITY PU
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
FULL GRAIN LEATHER
Lining Materials:
VADICONFORT

HIGHLIGHTS:
PU EXTRA TOE PROTECTION,
100% METAL FREE,
CLIMA CORK SYSTEM



CROWHEART

REF: 6674.10
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
DOUBLE DENSITY PU
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
FULL GRAIN LEATHER
Lining Materials:
WARM LINING

HIGHLIGHTS:
AQUATEX
PU EXTRA TOE PROTECTION,
100% METAL FREE,
CLIMA CORK SYSTEM



Collection

Underground



METRO

REF: 1266.00
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-47 / 6-12
Sole:
DOUBLE DENSITY PU
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
NUBUCK
Lining Materials:
BALTIC TEXTILE

HIGHLIGHTS:
ANKLE BALANCE SYSTEM (ABS),
CLIMA CORK SYSTEM



SUBWAY

REF: 1666.00
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-47 / 6-12
Sole:
DOUBLE DENSITY PU
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
NUBUCK
Lining Materials:
BALTIC TEXTILE

HIGHLIGHTS:
ANKLE BALANCE SYSTEM (ABS),
CLIMA CORK SYSTEM



LINE

REF: 1027.11
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-47 / 6-12
Sole:
DOUBLE DENSITY PU
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
FULL GRAIN LEATHER
Lining Materials:
BLUE COOLMAX

HIGHLIGHTS:
ANKLE BALANCE SYSTEM (ABS),
CLIMA CORK SYSTEM

100% Confidence

We have won many awards over the years, but the most important recognition for us is yours. Your comments, your suggestions, your sharing, your willingness to relate to us is a precious asset to us.

Since 1996, we have cultivated the best strong relationships with our customers and suppliers, and still, those with all who are involved with our brand.

Norisk takes care of your confidence.

Collection

Aventura In



SPIDER

REF: 1286.30
EN ISO 20345:2011 CE S3 SRC

Sizes:
36-47 / 3-12
Sole:
PU/TPU
Protective Toe Cap:
ALUMINIUM
Protective Midsole:
KEVLAR
Upper Raw Materials:
SUEDE LEATHER
Lining Materials:
BREATHABLE TEXTILE

HIGHLIGHTS:
CLIMA CORK SYSTEM



CORVETTE SHOE

REF: 1290.30
EN ISO 20345:2011 CE S3 SRC

Sizes:
36-47 / 3-12
Sole:
PU/TPU
Protective Toe Cap:
ALUMINIUM
Protective Midsole:
KEVLAR
Upper Raw Materials:
NUBUCK LEATHER
Lining Materials:
BREATHABLE TEXTILE

HIGHLIGHTS:
CLIMA CORK SYSTEM



CORVETTE BOOT

REF: 1690.30
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-47 / 6-12
Sole:
PU/TPU
Protective Toe Cap:
ALUMINIUM
Protective Midsole:
KEVLAR
Upper Raw Materials:
NUBUCK LEATHER
Lining Materials:
BREATHABLE TEXTILE

HIGHLIGHTS:
CLIMA CORK SYSTEM



CORVETTE WHITE

REF: 6290.13
EN ISO 20345:2011 CE S3 SRC

Sizes:
36-47 / 3-12
Sole:
PU/TPU
Protective Toe Cap:
ALUMINIUM
Protective Midsole:
KEVLAR
Upper Raw Materials:
NUBUCK LEATHER
Lining Materials:
BREATHABLE TEXTILE

HIGHLIGHTS:
CLIMA CORK SYSTEM




COBRA

REF: 1490.30
EN ISO 20345:2011 CE S3 SRC

Sizes:
36-47 / 3-12
Sole:
PU/TPU
Protective Toe Cap:
ALUMINIUM
Protective Midsole:
KEVLAR
Upper Raw Materials:
NUBUCK LEATHER
Lining Materials:
BREATHABLE TEXTILE

HIGHLIGHTS:
CLIMA CORK SYSTEM



Collection

Aventura Out



LEWIS

REF: 1254.10
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-47 / 6-12
Sole:
PU/TPU
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
NUBUCK
Lining Materials:
BALTIC TEXTILE

HIGHLIGHTS:
PU EXTRA TOE PROTECTION,
TOE BOX,
100% METAL FREE,
CLIMA CORK SYSTEM



MACKENZIE

REF: 1054.10
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-47 / 6-12
Sole:
PU/TPU
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
NUBUCK
Lining Materials:
BALTIC TEXTILE

HIGHLIGHTS:
PU EXTRA TOE PROTECTION,
TOE BOX,
100% METAL FREE,
CLIMA CORK SYSTEM




DARWIN

REF: 1254.02
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-47 / 6-12
Sole:
PU/TPU
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
NUBUCK
Lining Materials:
BALTIC TEXTILE

HIGHLIGHTS:
PU EXTRA TOE PROTECTION,
TOE BOX,
100% METAL FREE,
CLIMA CORK SYSTEM



Collection

Next Step



COLE

REF: 1220.35
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
DOUBLE DENSITY PU
Protective Toe Cap:
STEEL
Protective Midsole:
STEEL
Upper Raw Materials:
NUBUCK
Lining Materials:
DRI-LEX

HIGHLIGHTS:
PU EXTRA TOE PROTECTION,
CLIMA CORK SYSTEM



COLTRANE

REF: 1020.35
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
DOUBLE DENSITY PU
Protective Toe Cap:
STEEL
Protective Midsole:
STEEL
Upper Raw Materials:
FULL GRAIN LEATHER
Lining Materials:
DRI-LEX

HIGHLIGHTS:
PU EXTRA TOE PROTECTION,
CLIMA CORK SYSTEM



KING

REF: 1265.00
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
DOUBLE DENSITY PU
Protective Toe Cap:
STEEL
Protective Midsole:
STEEL
Upper Raw Materials:
NUBUCK
Lining Materials:
DRI-LEX

HIGHLIGHTS:
PU EXTRA TOE PROTECTION,
CLIMA CORK SYSTEM



ARMSTRONG

REF: 1065.00
EN ISO 20345:2011 CE S3 SRC

Sizes:
36-48 / 3-13
Sole:
DOUBLE DENSITY PU
Protective Toe Cap:
STEEL
Protective Midsole:
STEEL
Upper Raw Materials:
NUBUCK
Lining Materials:
DRI-LEX

HIGHLIGHTS:
PU EXTRA TOE PROTECTION,
CLIMA CORK SYSTEM



FRANKLIN

REF: 1065.40
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-48 / 6-13
Sole:
DOUBLE DENSITY PU
Protective Toe Cap:
STEEL
Protective Midsole:
STEEL
Upper Raw Materials:
FULL GRAIN LEATHER
Lining Materials:
SYMPATEX

HIGHLIGHTS:
SYMPATEX,
CLIMA CORK SYSTEM



NEW DENVER

REF: 6025.32
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-47 / 6-12
Sole:
DOUBLE DENSITY PU
Protective Toe Cap:
STEEL
Protective Midsole:
STEEL
Upper Raw Materials:
FULL GRAIN LEATHER
Lining Materials:
DRI-LEX

HIGHLIGHTS:
TOE PROTECTION,
CLIMA CORK SYSTEM



NEW BOSTON

REF: 6025.30
EN ISO 20345:2011 CE S3 SRC

Sizes:
39-47 / 6-12
Sole:
DOUBLE DENSITY PU
Protective Toe Cap:
STEEL
Protective Midsole:
STEEL
Upper Raw Materials:
FULL GRAIN LEATHER
Lining Materials:
DRI-LEX

HIGHLIGHTS:
TOE PROTECTION,
CLIMA CORK SYSTEM



Collection

SPECIALS



SINTRA

REF: 1035.36

Sizes:
39-47 / 6-12
Sole:
PU / RUBBER
Protective Toe Cap:

Protective Midsole:

Upper Raw Materials:
NUBUCK
Lining Materials:
AQUATEX

HIGHLIGHTS:
VIBRAM MULTITRACTION OUTSOLE,
CLIMA CORK SYSTEM



MINNESOTA

REF: 1067.95
EN ISO 20345:2011 CE S3 HRO SRC

Sizes:
39-47 / 6-12
Sole:
PU / RUBBER
Protective Toe Cap:
COMPOSITE
Protective Midsole:
KEVLAR
Upper Raw Materials:
FULL GRAIN LEATHER
Lining Materials:
DRI-LEX

HIGHLIGHTS:
VIBRAM OUTSOLE,
PU EXTRA TOE PROTECTION,
TOE BOX,
100% METAL FREE,
CLIMA CORK SYSTEM



LOGGER

REF: 1041.00
EN ISO 17249:2013 - CLASS 1 (20M'S)

Sizes:
39-47 / 6-12
Sole:
DOUBLE DENSITY PU
Protective Toe Cap:
STEEL
Protective Midsole:
STEEL
Upper Raw Materials:
PRINTED LEATHER
Lining Materials:
DRI-LEX

HIGHLIGHTS:
CHAINSAW CERTIFICATION,
PU EXTRA TOE PROTECTION,
CLIMA CORK SYSTEM



Collection

woman



JUMPER

REF: 6606.00
EN ISO 20345:2011 CE S3 SRC

Sizes:
35-48 / 2 1/2-13
Sole:
3D - DOUBLE DENSITY PU/RUBBER
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
FULL GRAIN LEATHER
Lining Materials:
BLACK TEXTILE

HIGHLIGHTS:
ESD,
DGUV 112-191,
CLIMA CORK SYSTEM

RIDER

REF: 1206.00
EN ISO 20345:2011 CE S3 SRC

Sizes:
35-48 / 2 1/2-13
Sole:
3D - DOUBLE DENSITY PU/RUBBER
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
FULL GRAIN LEATHER
Lining Materials:
BLACK TEXTILE

HIGHLIGHTS:
ESD,
DGUV 112-191,
CLIMA CORK SYSTEM



RUNNER

REF: 1207.06
EN ISO 20345:2011E S1P SRC


Sizes:
35-48 / 2 1/2-13
Sole:
3D - DOUBLE DENSITY PU/RUBBER
Protective Toe Cap:
STEEL
Protective Midsole:
KEVLAR
Upper Raw Materials:
SPLIT LEATHER
Lining Materials:
BLACK TEXTILE

HIGHLIGHTS:
ESD,
DGUV 112-191,
CLIMA CORK SYSTEM





ENJOYING LIFE





cunha  mendes cunha, lda
Equipamentos Industriais

ICC - Ind. e Comercio de Calçado S.A.
NIF: 501642200
Capital Social € 1.416.495,00
Inscrita na C.R.C. Guimarães
sob o nº 2453



UNIÃO EUROPEIA
Fundo Europeu
de Desenvolvimento Regional