



SOLANO AT



We know how.

Light, quiet, durable - SOLANO AT

From our dialog with you, we know what you need. When we were developing the SOLANO AT, we focused on your requirements. This is why it is lighter, quieter and more durable than any other hot-air hand tool. Discover its unbeatable advantages – SOLANO AT.

SOLANO AT Practical dust filter: Customizable direct 1 Customizable temperature Robust, fine-mesh and easy to clean and air flow limit values start-up dust filter (exchangeable). Customizable cooling Customizable power function management Operating keys: 2 180° panorama soft-touch keypad for convenient operation. Burn protection -3 2 A.B.D (anti-burn design): For a safe handling of the hot-air blower. 3 Ergonomic: due to its convenient design



Heat gun



SOLANO AT - Difficult leather parts - safe and efficient processing

Heat gun

SOLANO AT



- Long-lasting: thanks to the brushless motor and sturdy LEISTER heating element
- Light and quiet: weighs 1.6 lbs and runs extremely smoothly at <65 dB for efficient and effortless operation
- Economical: saves up to 40% energy in Eco mode
- Safe: due to its multi-level system to protect against overheating
- Simple: due to its intuitive operation
- Controlled: consistent performance due to the intelligent temperature controller
- Versatile: suitable for numerous applications in various industries

Technical data		
Voltage	V~	100 120 230
Power	W	1500 1800 2300
Temperature	°F	120 – 1200
Air volume	cfm	5.7 - 10.6 [19.4 at max. temp.]
Emission	dB (A)	< 65
Dimensions $L \times W \times H$ (ø handle)	inch	$10.6 \times 3.0 \times 9.4 (1.8)$
Weight	lbs	1.6
Conformity mark		C€
Protection class II		

Article No.:

162.263 SOLANO AT 230 V / 2300 W with EU plug, box (162.264 casing) 162.265 SOLANO AT 230 V / 2300 W with CH plug, box (162.266 casing) 162.267 SOLANO AT 230 V / 2300 W with UK plug, box (162.268 casing) 162.269 SOLANO AT 230 V / 2300 W with AUS plug, box (162.270 casing) 162.277 SOLANO AT 230 V / 2300 W with CN plug, box (162.278 casing) 162.271 SOLANO AT 220 V / 2100 W with KR plug, box (162.272 casing) 162.273 SOLANO AT 120 V / 1800 W with US plug, box (162.274 casing) 162.275 SOLANO AT 100 V / 1500 W with JP plug, box (162.276 casing)

Scope of delivery: SOLANO AT, box / casing

Accessories SOLANO AT







www.cmc.pt



Our close worldwide network of more than 130 Sales and Service Centers in more than 100 countries.

Europe:	Sweden	Poland	Chile	Africa:	Asia Pacific:
Andorra	Switzerland	Romania	Colombia	Algeria	Bangladesh
Austria	Turkey	Russia	Ecuador	Botswana	China
Belgium	United Kingdom	Serbia	Peru	Egypt	Hong Kong
Cyprus	Vatican	Slovakia	Venezuela	Ivory Coast	India
Denmark	Albania	Slovenia		Kenya	Indonesia
Finland	Armenia	Ukraine	Central Asia:	Lesotho	Japan
France	Azerbaijan		Kazsachstan	Libya	Korea
Germany	Belarus	Americas:	Kyrgyzstan	Malawi	Macao
Greece	Bosnia-Herzegovina	Canada	Tajikistan	Morocco	Malaysia
Iceland	Bulgaria	Mexico	Turkmenistan	Mozambique	Mongolia
Ireland	Croatia	USA	Uzbekistan	Namibia	Philippines
Italy	Czech Republic	Belize		North Sudan	Singapore
Luxembourg	Estonia	Costa Rica	Middle East:	South Africa	Sri Lanka
Malta	Georgia	El Salvador	Bahrain	Swaziland	Taiwan
Monaco	Hungary	Guatemala	Iran	Tunisia	Thailand
Netherlands	Kosovo	Honduras	Iraq	Zambia	Vietnam
Norway	Latvia	Nicaragua	Israel	Zimbabwe	
Portugal	Lithuania	Panama	Jordan		Oceania:
Liechtenstein	Macedonia	Argentina	Qatar		Australia
San Marino	Moldova	Bolivia	Saudi Arabia		New Zealand
Spain	Montenegro	Brazil	U.A.E		

© Copyright by Leister, Switzerland



email:cmc@cmc.pt

web:www.cmc.pt