

Beta POWERTOOLS



**FOLLOW
US ON
INSTAGRAM!**



**LET US INTRODUCE OUR RANGE,
BETA POWER TOOLS, which comprises reliable,
durable work instruments designed
to satisfy every professional's requirements.**

Beta's family of power tools comprises:

- **BATTERY TOOLS**
- **CORDED TOOLS**



**WATCH THE VIDEOS
AND FIND OUT MORE!**

Index

20V BATTERY-POWERED TOOLS

- 4** Impact drill
- 6** Reversible impact wrench, 600 Nm
- 8** Reversible impact wrench, 1200 Nm
- 10** Angle grinder
- 11** Construction site radio and bag
- 13** Batteries, chargers and starter kits

12V BATTERY-POWERED TOOLS

- 14** Reversible impact wrench
- 15** Impact drill
- 16** Batteries and chargers

CORDED TOOLS

- 19** Angle grinders
- 20** Impact drill
- 20** Hammer drill
- 21** Heat gun and glue gun
- 22** Vacuum cleaners

ACCESSORIES

- 24** Set of drills and cutters
- 27** Set of hole saws and cutters
- 28** Set of impact sockets
- 30** Set of bits

THE RANGE OF BATTERY TOOLS includes 20V and 12V high-performance machines.

The 20V line comprises battery tools
synonymous with:

High performance

Construction quality

Reliability

Durability

We at Beta relied on these hallmarks
to develop a comprehensive line
of battery tools, ranging from the
high-torque impact drill to the
impact wrench with $\frac{1}{2}$ " square drive.
All of Beta's new power tools are equipped
with brushless motors and first-rate interior
mechanisms, for significantly improved
performance and durability of the tool.

**The impact wrench with a maximum unscrewing
torque of 1200 Nm** is no doubt the flagship power tool
of the new range, an ideal work partner for anybody
who needs unparalleled power and performance.

Our 20V lithium-ion batteries are available
with capacities up to 6Ah and can be used on
all the tools of the range.



Scan the QR code for further
information on **free 3-year
warranty extension!**



IMPACT DRILL, BRUSHLESS, 80 Nm



Gear case made entirely from metal

3 OPERATING MODES:
- Drilling - Screwing
- Impact drilling

13-mm auto-chuck

20-position torque adjustment

Selector switch, screwing/unscrewing locking modes (for transportation)

Built-in LED light

Ergonomic non-slip handle

Belt clip (right/left side)

Digital BRUSHLESS motor,
for significantly improved performance: increased power, reduced energy consumption, extended motor service life, improved power supply from button.

ADDITIONAL SIDE HANDLE,
for high-torque operation.

Motor technology	Brushless
Max. torque	80 Nm
Chuck diameter	13 mm
Max. drilling diameter in wood	55 mm
Max. drilling diameter in metal	13 mm
Max. drilling diameter in masonry	13 mm
Number of speeds	2
Free speed	0-450/1.650 rpm
Number of strokes	0-6.750/24.000
Weight (including battery)	2,1 kg



1972/K20-410/SEL19-BITS

019720015

20V kit of impact drill + 35 accessories

Composed of:

1972/K20V-13BMC

Impact drill, brushless, 20V, 80 Nm,
13-mm auto-chuck, dual speed.

Supplied in a hard case complete
with 2 4 Ah batteries and quick charger.

410/SEL19

Set of 19 HSS twist drills - Ø 1÷10 x 0.5 mm
in cylinder selector.

862XP/A16

Set of 16 impact bits in pocket-size case.

- ⊕ PH2(x2)-PH3
- ⊕ PZ2(x2)-PZ3
- ⊕ T20-T25(x2)-T30(x2)-T40(x2)
- ⊕ 4-5-6 mm



1972/K20V+BORSA

019720025

NEW

20V kit of impact drill + technical fabric bag

Composed of:

1972/K20V-13BMC

Impact drill, brushless, 20V, 80 Nm,
13-mm auto-chuck, dual speed.

Supplied in a hard case complete
with 2 4 Ah batteries and quick charger.



INCLUDED
Technical fabric bag C9PT



1972/20V-13BMC

019720019

Impact drill, 20V, BRUSHLESS - 80 Nm (machine body)

Composed of:

1972/20V-13BMC

Impact drill, brushless, 20V, 80 Nm,
13-mm auto-chuck, dual speed.

Supplied in a hard case, without batteries and charger.



REVERSIBLE IMPACT WRENCH, BRUSHLESS, 1/2" SQUARE DRIVE - 600 Nm



Gear case made entirely from metal

Tightening

3 torque settings and RPMs (low - medium - high):
1: 200 Nm; 1,000 RPMs
2: 350 Nm; 1,500 RPMs
3: 550 Nm; 1,800 RPMs

Untightening

1: 600 Nm: impact wrench applies maximum torque non-stop (free unscrewing)
2: 600 Nm - Autostop: impact wrench applies maximum torque until nut is fully unscrewed, and then stops automatically (single impact unscrewing)

Selector switch, screwing/unscrewing locking modes (for transportation)

Built-in LED light

Ergonomic non-slip handle

Belt clip (right/left side)

Digital BRUSHLESS motor,
for significantly improved performance: increased power, reduced energy consumption, extended motor service life, improved power supply from button.

Motor technology	Brushless	/
Max. tightening torque	550 Nm	/
Max. untightening torque	600 Nm	/
Torque adjustment range, min./max., level 1	0-200 Nm	/
Torque adjustment range, min./max., level 2	0-350 Nm	/
Torque adjustment range, min./max., level 3	0-550 Nm	/
Free speed	0-1.000/1.500/1.800 rpm	/
Number of strokes	0-2.300 strokes/min.	/
Weight (including battery)	2,9 kg	/

1984/K600+720/C6

019840036

NEW

20V kit of 600 Nm impact wrench + 6 impact sockets

Composed of:

1984/K600

Reversible impact wrench, brushless, 20V, 600Nm, 1/2" male square drive, 3 different torque settings in screwing mode, 2 in unscrewing mode.

Supplied in a hard case complete with 2 4 Ah batteries and quick charger.

720/C6

Set of 6 impact sockets sizes 13-14-17-19-22-24 mm.



1984/K600+BORSA

019840038

NEW

20V kit of 600 Nm impact wrench + technical fabric bag

Composed of:

1984/K600

Reversible impact wrench, brushless, 20V, 600Nm, 1/2" male square drive, 3 different torque settings in screwing mode, 2 in unscrewing mode.

Supplied in a hard case complete with 2 4 Ah batteries and quick charger.



INCLUDED
Technical fabric bag C9PT



1984 20V/600BMC

019840907

Reversible impact wrench, 20V, BRUSHLESS, with 1/2" drive - 600 Nm (machine body)

Composed of:

1984 20V/600BMC

Reversible impact wrench, brushless, 20V, 600 Nm, 1/2" male square drive, 3 different torque settings in screwing mode, 2 in unscrewing mode.

Supplied in a hard case, without batteries and charger.



REVERSIBLE IMPACT WRENCH, BRUSHLESS, 1/2" SQUARE DRIVE - 1200 Nm



Gear case made entirely from metal

Tightening

3 torque settings and RPMs (low - medium - high):
1: 350 Nm; 800 RPMs
2: 600 Nm; 1,400 RPMs
3: 900 Nm; 1,600 RPMs

Untightening

1: 1.200 Nm: impact wrench applies maximum torque non-stop (free unscrewing)
2: 1.200 Nm - Autostop: impact wrench applies maximum torque until nut is fully unscrewed, and then stops automatically (single impact unscrewing)

Selector switch, screwing/unscrewing locking modes (for transportation)

Built-in LED light

Ergonomic non-slip handle

Belt clip (right/left side)

Digital BRUSHLESS motor,
for significantly improved performance: increased power, reduced energy consumption, extended motor service life, improved power supply from button.

Motor technology	Brushless
Max. tightening torque	900 Nm
Max. untightening torque	1.200 Nm
Torque adjustment range, min./max., level 1	0-350 Nm
Torque adjustment range, min./max., level 2	0-600 Nm
Torque adjustment range, min./max., level 3	0-900 Nm
Free speed	0-800/1.400/1.600 rpm
Number of strokes	0-2.200 strokes/min.
Weight (including battery)	3,4 kg

Beta
3-YEAR
WARRANTY



1984/K1200-666/20-720LC

019840017

**20V kit of 1200 Nm impact wrench
+ Zero-Reset torque wrench
+ 3 impact sockets**

Composed of:

1984/K1200

Reversible impact wrench, brushless, 20V, 1,200 Nm, 1/2" male square drive, 3 different torque settings in screwing mode, 2 in unscrewing mode.

Supplied in a hard case complete with 2 6 Ah batteries and quick charger.

666/20

Click-type torque wrench for right-hand tightening; torque accuracy: $\pm 3\%$. Zero-Reset technology: wrench no longer requires releasing tension after use. Range of use: 40÷200 Nm, 1/2" square drive, 72-tooth push-through ratchet.

720LC/C3

3 impact sockets with coloured polymeric inserts, sizes 17 - 19 - 21 mm.



1984/K1200+BORSA

019840039

NEW

**20V kit of 1200 Nm impact wrench
+ technical fabric bag**

Composed of:

1984/K1200

Reversible impact wrench, brushless, 20V, 1,200 Nm, 1/2" male square drive, 3 different torque settings in screwing mode, 2 in unscrewing mode.

Supplied in a hard case complete with 2 6 Ah batteries and quick charger.



INCLUDED
Technical fabric bag C9PT



1984 20V/1200BMC

019840911

**Reversible impact wrench, 20V,
BRUSHLESS, with 1/2" drive - 1200 Nm
(machine body)**

Composed of:

1984 20V/1200BMC

Reversible impact wrench, brushless, 20V, 1200 Nm, 1/2" male square drive, 3 different torque settings in screwing mode, 2 in unscrewing mode.

Supplied in a hard case, without batteries and charger.



ANGLE GRINDER, BRUSHLESS, FOR DISCS Ø115/125 mm



Lock on/off slide switch

Air vents protected against dust infiltration and providing optimal cooling

Additional handle, can be placed on both sides

Spindle lock device for quick disc changes

**Diameter of disc (not included):
115/125 mm**

Tool-less disc cover (quick release)



Digital BRUSHLESS motor,
for significantly improved performance: increased power, reduced energy consumption, extended motor service life, improved power supply from button.

PROTECTION AGAINST ACCIDENTAL RESTART

Motor technology	Brushless
Disc diameter	125/115 mm
Velocità a vuoto	8.000 rpm
Switch	Sliding
Protection against accidental restart	YES
Weight (including battery)	2,2 kg



1986/K20V+BORSA

019860024

NEW

20V kit of angle grinder + technical fabric bag

Composed of:

1986/K20V-125

Angle grinder, brushless, 20V, with slide switch, disc diameter 115/125 mm, protection against accidental restart, tool-less disc cover, additional handle.

Supplied in a hard case complete with 2 4 Ah batteries and quick charger.

INCLUDED
Technical
fabric bag C9PT



1986/20V-125BMC

019860025

Angle grinder, 20V BRUSHLESS, (machine body)

Composed of:

1986/20V-125BMC

Angle grinder, brushless, 20V, with slide switch, disc diameter 115/125 mm, protection against accidental restart, tool-less disc cover, additional handle.

Supplied in a hard case, without batteries and charger.



1989RCB

019890020

Construction site radio, 20V

Multifunctional audio entertainment:
digital (DAB; BT) and conventional FM radio
Suitable for use at construction sites or for leisure



- Sturdy radio with compact, modern, design, degree of protection IP54
- Powerful stereo sound provided by two powerful 16W side loudspeakers
- Built-in alarm function
- Complete with carrying handle and shockproof corner protection
- With AUX connection and protected USB connector for phone connection and charge
- Can be used with Beta's 20V batteries (optional) or power supply cord (included).
- FM radio frequency range: 87.5 – 108 MHz
- DAB radio frequency range: 174 – 240 MHz
- Number of FM and DAB stored stations: 30
- Loudspeaker power: 16 W
- Rated voltage of battery (optional): 20 V
- Radio dimensions: 180 x 205 x 305 mm
- Radio weight (without battery): 3.2 kg



180x205x305 mm

C9PT

021090001

Technical fabric bag for battery tools

- Perfect for conveniently carrying Beta's power tools
- Made from super durable technical fabric
- Dual top handle for a safe, balanced hold



410x210x280 mm

SUBJECT TO AVAILABILITY

1972/K20V+SMER

019720024

NEW

**20V kit of impact drill
+ angle grinder, 20V BRUSHLESS,
(machine body)**

Composed of:

1972/K20V-13BMC

Impact drill, brushless, 20V, 80 Nm,
13-mm auto-chuck, dual speed.

Supplied in a hard case complete with 2 4 Ah
batteries and quick charger.

1986/20V-125BMC

Angle grinder, brushless, 20V, with slide switch,
disc diameter 115/125 mm, protection against accidental
restart, tool-less disc cover, additional handle.

Supplied in a hard case, without batteries
and charger, machine body only.



1984/K1200+1982/K12V

019840040

NEW

**20V kit of 1200 Nm impact wrench
+ 12V 1/4" reversible
impact wrench kit**

Composed of:

1984/K1200

Reversible impact wrench, 20V, 1200 Nm,
1/2" male square drive, 3 different torque settings
in screwing mode, 2 in unscrewing mode.

Supplied in a hard case complete with 2 6 Ah
batteries and quick charger.

1982/K12V

Reversible impact wrench 12V.

Supplied in a hard case with 2 Lithium-Ion
batteries 2 Ah and quick charger.



1972/K20V+1972/K12V-10

019720026

NEW

**20V kit of impact drill
+ ultracompact drill 12V kit**

Composed of:

1972/K20V-13BMC

Impact drill, brushless, 20V, 80 Nm,
13-mm auto-chuck, dual speed.

Supplied in a hard case complete with 2 4 Ah
batteries and quick charger.

1972/K12V-10

Ultracompact drill, 12V, 30 Nm,
10-mm auto-chuck, dual speed.

Supplied in a hard case with 2 Lithium-Ion
batteries 2 Ah and quick charger.



LITHIUM-ION BATTERY FOR TOOLS, 20V

Premium Lithium-Ion technology

With button and 3 coloured LED
charge level indicators



1994B 20V-2AH

019940022

- Battery voltage: 20V
- Battery capacity: 2 Ah
- Energy capacity: 40 Wh
- Battery type: Li-ion

2 Ah



1994B 20V-4AH

019940044

- Battery voltage: 20V
- Battery capacity: 4 Ah
- Energy capacity: 80 Wh
- Battery type: Li-ion

4 Ah



1994B 20V-6AH

019940066

- Battery voltage: 20V
- Battery capacity: 6 Ah
- Energy capacity: 120 Wh
- Battery type: Li-ion

6 Ah



1994C 20V

019940140

Quick battery charger, 20V, 110V-240V

Main features:

- LED charge level indicator
- Rated input voltage: 110V-240V ~ 50/60Hz
- Output voltage: 20V
- Charging current: 6A
- Rated input power: 145W



2 Ah: 45 min
4 Ah: 90 min
6 Ah: 120 min

1994BC-4AH/SK-BORSA

019940244

4 Ah starter kit

Composed of:

1994B 20V-4AH

2 4 Ah lithium ion batteries
for 20V tools. Complete with button
and 3 coloured LED charge level
indicators.

1994C 20V

Quick battery charger,
20V, 110V-240V,
with LED charge level indicator.



INCLUDED
Technical fabric bag C9PT

1994BC-6AH/SK-BORSA

019940246

6 Ah starter kit

Composed of:

1994B 20V-6AH

2 6 Ah lithium ion batteries
for 20V tools. Complete with button
and 3 coloured LED charge level
indicators.

1994C 20V

Quick battery charger,
20V, 110V-240V,
with LED charge level indicator.



INCLUDED
Technical fabric bag C9PT

BATTERY TOOLS 12V

The 12V line includes the impact drill and the impact wrench with bit chuck, must-have tools designed to make everyday work easier, based on performance, lightweightness and compactness.



REVERSIBLE IMPACT WRENCH, 12V

1/4" hexagon drive
with locknut

Gear case made entirely
from metal

Belt clip (right/left side)

Charge indicator
on impact wrench body

Selector switch, screwing/unscrewing
locking modes (for transportation)

Built-in LED light

Ergonomic non-slip handle

Max. torque	80 Nm
Free speed	0-2500 rpm
Number of strokes	0-3.500 strokes/min
Hexagon insert	1/4"
Weight (including battery)	1 kg

1982/K12V

019820112

Reversible impact wrench 12V kit

Composed of:

1982/K12V

Reversible impact wrench 12V.

Supplied in a hard case
with 2 Lithium-Ion batteries
2 Ah and quick charger.



1982/12V

019820113

Reversible impact wrench, 12V (machine body)

Composed of:

1982/12V

Reversible impact
wrench 12V.

Supplied in a hard case,
without batteries and charger.





ULTRACOMPACT DRILL, 12V



10-mm autochuck

Double mechanical speed
with steel gears

20-position clutch

Belt clip (right/left side)

Charge indicator
on impact wrench body

Selector switch, screwing/unscrewing
locking modes (for transportation)

Built-in LED light

Ergonomic non-slip handle

Max. torque	30 Nm
Chuck diameter	10 mm
Max. drilling diameter in wood	20 mm
Max. drilling diameter in steel	10 mm
Number of speeds	2
Free speed	0-400/1300 rpm
Weight (including battery)	1,1 kg

1972/K12V-10

019720112

Ultracompact drill 12V kit

Composed of: 1972/K12V-10

Ultracompact drill, 12V,
30 Nm, 10-mm auto-chuck,
dual speed.

Supplied in a hard case
complete with 2 2 Ah batteries
and quick charger.



1972/12V-10

019720113

Ultracompact drill, 12V (machine body)

Composed of: 1972/12V-10

Ultracompact drill, 12V,
30 Nm, 10-mm auto-chuck,
dual speed.

Supplied in a hard case,
without batteries and charger.



1972/K12V-COMBO

019720010

12V kit of ultracompact drill + 1/4" HEX reversible impact wrench

Composed of:

1972/K12V-10

Ultracompact drill, 12V,
30 Nm, 10-mm auto-chuck,
dual speed.

1982/K12V

Reversible impact wrench 12V.

Supplied in a hard case
with 2 Lithium-Ion batteries
2 Ah and quick charger.



1994BL 12V-2AH

019940015

2 Ah lithium ion battery for tools, 12V

Main features:

- Battery voltage: 12V
- Battery capacity: 2 Ah
- Energy capacity: 24 Wh
- Battery type: Li-ion



1994CB 12V

019940123

Quick battery charger, 12V, 110V-240V

Main features:

- LED charge level indicator
- Rated input voltage: 110V-240V ~ 50/60Hz
- Output voltage: 12.6V
- Charging current: 2A
- Rated input power: 35W
- 2 Ah battery charging time: 50 min





CORDED TOOLS

The range of corded tools comprises of angle grinders, (impact and hammer) drills, solid and fluid vacuum cleaners, heat and hot glue guns.

In particular, **Beta's angle grinders** (with powers of 750W to 2400W) are proving increasingly successful based on the following construction characteristics:

Outstanding performance

- Powerful, resin-bonded, wear-resistant, durable motor
- Air vents providing optimal cooling, protected against dust infiltration

Unparalleled safety for operators:

- Spindle lock device for quick disc changes
- Protection against accidental activation
- Smooth start, for limiting large initial inrush of current on start-up

Unique comfort and ease of handling:

- Non-slip ergonomic handle for improved grip
- Lowered head that allows working in confined spaces

Tangle-free cable no less than 4 metres in length for increased ease of movement.

Additional handle that can be mounted on both sides.



1956 115-750W

019560011



Angle grinder for discs Ø 115 mm

Ideal for cutting, grinding and roughing jobs

Powerful motor (750 W)

- Protection against accidental activation
- Additional handle that can be mounted on both sides
- Tool-less disc cover (quick release)
- Lock-on/off slide switch
- Service wrench included



4 m

SPECIAL PRICE

1956 125-1400W

019560125



Angle grinder for discs Ø 125/115 mm

Ideal for cutting, grinding and roughing jobs

Powerful motor (1400 W) - Variable speed

- Protection against accidental activation
- Additional anti-vibration handle that can be mounted on both sides
- Tool-less disc cover (quick release)
- Spindle lock device for quick disc changes
- Lock-on/off slide switch
- Service wrench included

VARIABLE
SPEED



4 m

SPECIAL PRICE

1956 230-2400W

019560230



Angle grinder for discs Ø 230 mm

Ideal for complex shearing, grinding and filing jobs

Powerful motor (2400 W)

- Protection against accidental activation
- **Soft-start function** for a smooth start and limiting large initial inrush of current on start-up
- Additional anti-vibration handle that can be mounted on both sides
- Screw disc cover
- Lock-on/off slide switch
- Service wrench included



4 m

SPECIAL PRICE

	1956 115-750W	1956 125-1400W	1956 230-2400W
Absorbed power	750 W	1400 W	2400 W
Voltage	220-240 V / 50 Hz	220-240 V / 50 Hz	220-240 V / 50 Hz
Disc diameter (disc not included)	115 mm	125/115 mm	230 mm
Free speed	11.000 rpm	3.000 - 10.000 rpm	6.500 rpm
Tool spindle thread	M14	M14	M14
Tangle-free cable length	4 m	4 m	4 m
Weight	1,8 kg	2,5 kg	5,8 kg

1966/910W

019660091



Impact drill, 910W

Ideal for drilling in different materials, including wood, metal, plastic, masonry and concrete

Powerful 910W motor

Linear, compact design with ergonomic, non-slip handle

- Metal auto-chuck, 13 mm
- Reversible variable speed
- Gear case made entirely from metal
- Switch lock for improved comfort of use

Supplied accessories:

- Metal auto-chuck, 13 mm
- Additional side handle that can be rotated 360°
- Depth rod

Max. drilling diameter in wood	32 mm
Max. drilling diameter in metal	13 mm
Max. drilling diameter in masonry	13 mm
No-load speed	0-2800 rpm
Tangle-free power supply cord length	4 m
Weight	4,3 kg



4 m

1967/800W

019670080



SDS-PLUS hammer drill, 800W

Professional, lightweight and powerful (800W); ideal for drilling, hammering and chiselling in masonry, concrete, tiles, wood and metal.

Ergonomic, compact design, for working in small/confined spaces.

Features:

- 3 operating modes + Vario-Lock function:
 - Drill function
 - Hammer function
 - Chisel function
- Vario-lock function can be locked in 36 chiselling positions, to obtain an optimal work angle
- Reversible
- Safety clutch


Supplied accessories:

- 13-mm chuck with SDS-PLUS adapter
- Additional side handle that can be rotated 360°
- Depth rod
- 3 masonry drill bits, Ø 8-10-12 mm, length 150 mm
- 1 flat chisel, 14x250 mm
- 1 point chisel, 14x250 mm

Max. drilling diameter in wood	30 mm
Max. drilling diameter in metal	13 mm
Max. drilling diameter in concrete	26 mm
Velocità a vuoto	0-1350 rpm
Number of strokes	0-5700 strokes/min
Stroke power	3,2J
Tangle-free power supply cord length	4 m
Weight	5,2 kg



4 m



1850D
 018500018


3-speed heat gun

Functions:

- Heat shrinking
- Stripping paint, softening PVC parts
- Soldering, welding
- Shrinking cables
- Thawing, drying, disinfecting
- Treating glued parts

Features::

- Pos. I 250 l/min 50 °C
- Pos. II 250 l/min 400 °C
- Pos. III 500 l/min 550 °C

1800W



220/240V

4 NOZZLES INCLUDED


1850E
 018500020


Adjustable electronic heat gun

Functions:

- Heat shrinking
- Stripping paint, softening PVC parts
- Soldering, welding
- Shrinking cables
- Thawing, drying, disinfecting
- Treating glued parts

Features:

- Digital display
- Temperature and flow rate adjustment buttons
- Pos. I 250-500 l/min 50 °C
- Pos. II 250-500 l/min 50-650 °C
- 4 preset programmes and other customizable programmes:
 - Prog 1 150 °C ca. 400 l/min
 - Prog 2 200 °C ca. 400 l/min
 - Prog 3 300 °C ca. 450 l/min
 - Prog 4 400 °C ca. 500 l/min

2000W



220/240V

4 NOZZLES INCLUDED


1851VK
 018510058


Hot glue gun with 12 thermofusible glue sticks in case

- Power: 80 W
- For stick glue, Ø 11 mm and 12 mm



	1870	1870I	1872L 35	1873 30	1874 50
BY-PASS MOTOR	single-stage	single-stage	two-stage	two-stage	two-stage
VOLTAGE	220/240 V	220/240 V	220/240 V	220/240 V	220/240 V
FREQUENCY	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz
MAX. POWER	1200 W	1200 W	1100 W	1100 W	1350 W
AIRFLOW RATE	58 l/sec.	58 l/sec.	55 l/sec.	55 l/sec.	55 l/sec.
MAX. SUCTION PRESSURE	190 mbar	190 mbar	220 mbar	220 mbar	240 mbar
MAX. DRUM CAPACITY	20 l made of antistatic PP	20 l made of stainless steel	35 l made of antistatic PE-HD	30 l made of stainless steel	50 l made of stainless steel
ACOUSTIC EMISSIONS	<70 dB(A)	<70 dB(A)	<70 dB(A)	<61 dB(A)	<63 dB(A)
CABLE LENGTH	5 m	5 m	6 m	6 m	6 m



1870

018700020

Solid and fluid vacuum cleaner, 20 l

- Trolley for accessories

STANDARD ACCESSORIES Ø 36 mm

- 1 corrugated hose with ergonomic handle
- 2 hard extension tubes
- 1 multiuse brush for floors and fluids
- 1 flat nozzle

FILTERING SYSTEMS

- 1 surface air filter cartridge 1900 cm² - 12 µm nom.
- 1 anti-foam filter PPI 45/PPI 30

1870I

018700220

Solid and fluid vacuum cleaner, 20 l, stainless steel drum

STANDARD ACCESSORIES Ø 36 mm

- 1 corrugated hose with ergonomic handle and vent
- 2 hard extension tubes
- 1 multiuse brush for floors and fluids
- 1 flat nozzle
- 1 paper bag

FILTERING SYSTEMS

- 1 surface air filter cartridge 1900 cm² - 12 µm nom.
- 1 anti-foam filter PPI 45/PPI 30

1872L 35

018720135

Solid and fluid vacuum cleaner, 35 l "L" class certified

STANDARD ACCESSORIES Ø 36 mm

- 1 corrugated hose with ergonomic handle
- 2 plastic extension tubes
- 1 combined brush frame
- 1 section with fluid collection hoses
- 1 flat nozzle

FILTERING SYSTEMS

- 1 disposable fabric bag; filtration class: "L"
- 1 filter cartridge; IFA class: "L"
- 1 anti-foam filter PPI 45/PPI 30
- 2 post-filters made of PP-laminated PET



1873 30 018730030

Solid and vacuum cleaner, 30 l, stainless steel drum

- Trolley for accessories

STANDARD ACCESSORIES Ø 45 mm

- 1 corrugated hose with ergonomic handle
- 2 stainless steel extension tubes
- 1 industrial brush frame
- 1 industrial section for carpets
- 1 industrial section with fluid collection hoses
- 1 flat nozzle

FILTERING SYSTEMS

- 1 filter paper bag
- 1 surface filter cartridge 1900 cm², 12 µm nom.
- 1 anti-foam filter PPI 45/PPI 30

1874 50 018740050

Solid and fluid vacuum cleaner, 50 l, stainless steel drum

- Trolley for accessories

STANDARD ACCESSORIES Ø 45 mm

- 1 corrugated hose with ergonomic handle
- 2 stainless steel extension tubes
- 1 industrial brush frame
- 1 industrial section for carpets
- 1 industrial section with fluid collection hoses
- 1 flat nozzle

FILTERING SYSTEMS

- 1 filter paper bag
- 1 surface filter cartridge 5200 cm², 12 µm nom.
- 1 anti-foam filter PPI 45/PPI 30

ACCESSORIES

Beta's power tools can be used with numerous accessories, which share the same functionality and quality standard as all the hand tools of our range.

These accessories satisfy every user's requirements:

- **drill bits** made from several different materials, specific for metal, masonry or wood;
- **holes saws and cutters** as well as bits varying in type, for use with impact drills;
- **impact sockets** for hexagon, bi-hex, XZN® and Torx® head screws, for use with impact wrenches.



410MIX/SEL19

004100417

Set of 13 twist drills, item 410, and 6 twist drills with hard metal insets



Ø 1-1,5-2-2,5-3-3,5-4-4,5-5-5,5-6-8-10 mm



Ø 4-5-6-8-9-10 mm



410/SEL19

004100418

Set of 19 twist drills with cylindrical shanks (item 410)

- HSS
- Short series
- $R \leq 650 \text{ N/mm}^2$
- $HV \sim 750 \div 820$
- DIN 338

Ø 1÷10 x 0,5 mm



410/SP25

004100425

Set of 25 twist drills with cylindrical shanks (item 410) in case

- HSS
- Short series
- $R \leq 650 \text{ N/mm}^2$
- $HV \sim 750 \div 820$
- DIN 338

Ø 1÷13 x 0,5 mm



412/SP25

004120425

Set of 25 twist drills with cylindrical shanks (item 412) in case

- HSS
- Short series
- Glossy finishing
- $R \leq 800 \text{ N/mm}^2$
- $HV \sim 750 \div 820$
- DIN 338

Ø 1÷13 x 0,5 mm



415CO/SP19

004150421

Set of 19 twist drills with cylindrical shanks, HSS-Co 5%, in case

- HSS-Co 5%
- Short series
- $R \leq 1200 \text{ N/mm}^2$
- HV $\sim 800 \div 860$
- For drilling into stainless steel, alloy steel, cast iron, mild steel, light alloys
- DIN 338

$\emptyset 1 \div 10 \times 0,5 \text{ mm}$



415/SP25

004150425

Set of 25 twist drills with cylindrical shanks (item 415) in case

- HSS-Co 8%
- Short series
- $R \leq 1400 \text{ N/mm}^2$
- HV $\sim 850 \div 920$
- DIN 338
- DIN 338

$\emptyset 1 \div 13 \times 0,5 \text{ mm}$



414/SP25

004140425

Set of 25 twist drills with cylindrical shanks (item 414) in case

- HSS-TiN
- Short series
- HSS-TiN entirely ground
- $R \leq 900 \text{ N/mm}^2$
- HV $0,05 \sim 2500$
- DIN 338

$\emptyset 1 \div 13 \times 0,5 \text{ mm}$



416G/SP25

004160525

NEW

Set of 25 hss drills with step tip geometry, in case

- Increased drilling speed
- $R \leq 900 \text{ N/mm}^2$
- HV $\sim 820 \div 850$

$\emptyset 1 \div 13 \times 0,5 \text{ mm}$



425/SP3

004250030

Set of 3 stepped drills (item 425) in case

- HSS

$\emptyset 4 \div 12 ; 4 \div 20 ; 4 \div 30 \text{ mm}$



425ES/SP3

004250800

NEW

Stepped drills, with cylindrical shanks, step geometry, in case

- $R \leq 900 \text{ N/mm}^2$
- HV 800

$\emptyset 4 \div 12 ; 4 \div 20 ; 4 \div 30 \text{ mm}$



426/SP6

004260030

Set of 6 countersinking cutters with three cutters (item 426) in case

- HSS
- For making cone-shaped screw seats
- CBN cutters
- DIN 335-C

GR 3-5-7-8-10-11
Ø 6,3÷20,5 mm



426MD/SP10

004260510

Set of 10 rotary files, for steel (including stainless steel) in case

426MD/CP-426MD/CT-426MD/F
426MD/T-426MD/S
Ø 8-12 mm




418/K3

004180103

Kit of 3 masonry chisels with SDS-plus connection

Kit contents:

- 1 pointed chisel
- 1 narrow flat chisel, 20 mm
- 1 wide flat chisel, 40 mm



417/SP8

004170100

Set of 8 helical cylindrical masonry drill bits (item 417) in case

- Made from milled steel
- Short series
- Hard metal plates

Ø 3-4-5-6-8-9-10-12 mm



419/SP7

004190507

Set of 7 hammer drill bits with milled shanks and hard metal plates SDS Plus tang

- HVA ~ 1650
- 2 cutters
- 4 spirals
- For drilling into walls, cement, concrete, stones

Ø 5-6-8 x 110 mm
Ø 6-8-10-12 x 160 mm



420D/SP8

004200200

Set of 8 twist drills with cylindrical shanks, for wood, short series, 2 cutters, centre guide drill bits

Ø 3-4-5-6-7-8-9-10 mm



450/C9

004500305

Assortment of holesaws and accessories for electricians in plastic case

Co8%



	450	Ø 22-29-35-44-51-64 mm
	450AL	/1 - /2
	450AD	

220x160x60 mm

450/C13

004500310

Assortment of 13 holesaws and accessories for installers, in metal case

Co8%



	450	Ø 19-22-29-35-38-44-51-57- 64 mm
	450AL	/1 - /2
	450PA/1	
	450AD	

420x185x60 mm

450/C15

004500313

Assortment of 15 holesaws and accessories for electricians, in metal case

Co8%



	450	Ø 16-20-25-32-40-51-60-65-70 mm
	450AL	/1 - /2
	450PA	/1 - /2
	450PR	
	450AD	

420x185x60 mm

450/C21

004500315

Assortment of 21 holesaws and accessories for industrial use, in metal case

Co8%



	450	Ø 19-22-29-35-38-44- 51-57-64-76-83-92-95-105-114 mm
	450AL	/1 - /2
	450PA	/1 - /2
	450PR	
	450AD	

420x280x60 mm

451/C8

004510308

Assortment of 8 hole cutters, HSS, entirely ground in case

- Spessore massimo 5 mm



Ø 16-18-20-22-25-30-32-35 mm

270x225x70 mm

720/C6

007200910

Set of 6 impact sockets, in metal case



12"

Ø 13-14-17-19-22-24 mm

195x80x55 mm



720/C12

007200912

Set of 12 impact sockets, in metal case



12"

Ø 10-11-12-13-14-17
19-22-24-27-30-32 mm

195x80x55 mm



720B/C12

007201912

Set of 12 bi-hex impact sockets, phosphated, in metal case



12"

Ø 10-11-12-13-14-17
19-22-24-27-30-32 mm

195x80x55 mm



720/C24

007200904

Set of 24 impact sockets, 1/2" female drive, phosphatized, in metal case



12"

	720	10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
	720L	13-17-19-21-22-24 mm
	720LC	17-19-21 mm

420x185x60 mm

720LC/C3

007200653

Set of 3 impact sockets for wheel nuts, with polymeric inserts, in plastic case



17-19-21 mm

148x132x44 mm



720LCL/C3

007200753

Set of 3 impact sockets for wheel nuts, long series, coloured, with polymeric inserts, in plastic case



17-19-21 mm

210x150x50 mm



720ME/C8

007200525

Set 8 impact socket drivers for hexagon screws



5-6-8-10-12-14-17-19 mm

270x120x45 mm



720XZN/C6

007201530

Set of 6 impact socket drivers for XZN® head screws, phosphated, in metal case



M8-M10-M12-M14-M16-M18

275x120x65 mm



720TX/C6

007200483

Set of 6 impact socket drivers for Torx® head screws, in metal case



T30-T40-T45-T50-T55-T60

275x120x65 mm

862XP/A16

008620960

Set of 16 impact bits
in pocket-size case



- PH2(x2)-PH3
- PZ2(x2)-PZ3
- T20-T25(x2)-T30(x2)-T40(x2)
- 4-5-6 mm



862F/A7

008620950

Set of 7 magnetic bits,
hexagon sockets,
in plastic case



5,5-6-7-8-10-12-13 mm



861MIX/A31

008610802

Set of 30 bits
with magnetic bit holder
in plastic case



	●	861LP	0,5x3 - 0,6x4,5 - 0,8x5,5 - 1,0x5,5 - 1,2x6,5 mm
	○	861PE	2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
	+	861PH	PH0 - PH1 - PH2 - PH3 - PH4
	+	860PZ	PZ1 - PZ2 - PZ3 - PZ4
	+	861RTX	T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40
	○	882MSR 50	○ 1/4 - ● 1/4

BW 860EA/31

008606992

Set of 30 bits
with magnetic bit holder,
in plastic case



	●	BW 861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
	+	BW 861PH	PH1-PH2-PH3
	+	BW 861PZ	PZ1-PZ2-PZ3
	○	BW 861PE	2-3-4-5-6-8 mm
	+	BW 861TX	T8-T9-T10-T15-T20-T25-T27-T30-T40
	○	BW 861PQ	1-2-3 mm
	○	BW 882M1	○ 1/4 - ● 1/4

BW 861/C61

008616961

Set of 60 bits
with magnetic bit holder,
in plastic case



	●	BW 861LP	0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm
	+	BW 861PH	PH0(2)-PH1(7)-PH2(7)-PH3(2)
	+	BW 861PZ	PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)
	○	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
	+	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
	○	BW 882M1	○ 1/4 - ● 1/4



LEADER IN ABRASIVES



The images are for reference only. Beta Utensili S.p.A. reserves the right to update and upgrade its product range without notice.

cunha  mendes cunha, lda
Equipamentos Industriais

SIGA-NOS EM:



www.facebook.com/CunhaMendesCunhaLda



www.youtube.com/c/CUNHAMENDESCUNHALDA



www.cmc.pt

Zona Industrial do Socorro, Lote 28A 4820-011
São Gens - Fafe - Portugal