

AEG



HD SYNC

POWERING
PROFESSIONALS
SINCE 1898

2022

WWW.CMC.PT

WHEN WE SAY THEY LAST, WE MEAN IT.

3 YEAR
TOOL
WARRANTY*

**BEST IN CLASS
DURABILITY.
UNMATCHED
POWER.
PROFESSIONAL
PERFORMANCE.**

We're prepared to put our money where our mouth is when it comes to our range of AEG power tools. That's why we've extended the warranties across our entire power tool range. With an incredible 6 year tool warranty and 3 year guarantee for batteries and chargers, trade professionals trust the legendary durability of AEG.



AEG

PRO 18v

Cordless Systems

PRO18V RANGE	3-43
PRO18V DRILLING AND FASTENING	10-24
Percussion Drills	10-14
Drill Drivers	14-17
Right Angle Drill	18
Impact Drivers	19-21
SDS-Plus Hammers	21-22
Impact Wrench	22-24

PRO18V METALWORKING	25-27
Cut Off Tool	25
Angle Grinders	26-27

PRO18V SAWING	27-33
Circular Saws	27-29
Reciprocating Saws	30-32
Mitre Saw	32
Jigsaw	33
Chainsaw	33

PRO18V SANDING & WOODWORKING	34-36
Planer	34
Sanders	34
Router	35
Multi-Tool	36

PRO18V SPECIALITY	37-43
Drywall Screwdriver	37
Nail Guns	32-33
Caulk Gun	38
Compressors and Inflators	39-40
Radio and Speakers	40-41
Vacuum	42
Blower	42
USB Charger	43

PRO18V LIGHTING	43-44
-----------------	-------

PRO18V BATTERIES	45-47
18V Batteries	45-47
18V Kits	48-49
18V Chargers	50-51

12V POWER	52-57
Other Voltages	58-60

OMNI PRO	61-64
----------	-------

TEST AND MEASURING	65-68
Self-levelling Lasers	65-68
Laser Distance Measurer	68

CORDED SYSTEMS

AC HAMMER AND DRILLING RANGE	69-78
SDS Plus	70-72
SDS Max	72-74
Percussion Drills	76-77
Diamond Drill	78
Wall Chaser	78
Screwdriver	78

AC METALWORKING RANGE	79-86
Small Angle Grinders	80-81
Large Angle Grinders	82-83
Die Grinders	85
Polisher	85
Right Angle Sander	86
Metal Chop saw	86

AC WOODWORKING RANGE	87-88
AC Multi Tool	88
Circular Saws	88-89
Jigsaws	89-91
Router	92
Planer	92
Reciprocating Saws	93
Sanders	93-95
Heat Guns	96
Mitre Saws	97-98
Mitre Saw Leg stand	98
Dust Extraction	98

ACCESSORIES RANGE	99-117
Accessories	99-116
Storage	117

Notes	118-119
-------	---------

PRO 18v

PRO TOOLS. ONE BATTERY.


ALL BATTERIES 100% BACKWARDS COMPATIBLE

6 YEAR
TOOL
WARRANTY*

3 YEAR
BATTERY
WARRANTY*

*Register within 30 days of purchase. See online for more details.
AEG is a registered trademark used under license from AB Electrolux (publ).

DRILLING & BREAKING




WOODWORKING



METALWORKING




FASTENING



SITE EQUIPMENT



SAWING & CUTTING



BATTERIES



PRO18V KITS



UNLEASH CORDLESS POWER.

UNLEASH TRUE CORDLESS POTENTIAL WITH HD-SYNC™

- HD-SYNC™ smart technology enables two-way communication between our next generation brushless motors and NEW High Demand batteries.
- Unleash the full potential of AEG brushless tools, delivering more power to tackle even the highest demanding applications without stalling.

HD SYNC



RELENTLESS
POWER



UNSTOPPABLE
RUNTIME



INSTINCTIVE
ELECTRONICS

PRO 18V BRUSHLESS

PRO HD
LITHIUM-ION

NEW



20%
MORE POWER

HD SYNC



HD-SYNC™ allows true-two way communication between our Proflux brushless motors and new PROHD18V batteries.

The new PRO18V brushless tools are our best tools to-date. Using HD-SYNC™ technology, these tools deliver unrelenting power and greater reliability for even the toughest applications.

NEW Pro Lithium-ion HD batteries supply our next-generation tools with up to 20% more power.



PRO 18v

PRO HD

LITHIUM-ION

NEW NEXT GENERATION BATTERIES

Redesigned from the ground up, our next generation PRO18V HD batteries with HD-SYNC™ technology unleash the true potential of our latest brushless tools. That means more power and greater reliability. Choose from 2.0Ah, 4.0Ah, or 5.0Ah batteries with 6.0Ah and 8.0Ah versions launching in 2022. This latest battery range truly redefines the limits of what AEG cordless tools are capable of.


FEATURING **HD SYNC**

100%
PRO18V COMPATIBLE.

INTELLIGENT ELECTRONICS
FOR OPTIMUM PERFORMANCE.

HIGH OUTPUT CELLS
ESPECIALLY DESIGNED FOR POWERFUL APPLICATIONS GIVES YOU ULTIMATE PERFORMANCE CAPABILITIES.

TRIPLE PROTECTION SYSTEM



CURRENT OVERLOAD PROTECTION

Protects both battery and machine from excessive current draw.



INDIVIDUAL CELL MONITORING

Individual cell monitoring protects the battery from over or under charging.



THERMAL OVERLOAD PROTECTION

Thermal shutdown protects battery if temperature gets too high.



* Vs previous aeg battery technology.
AEG L1840R 18v 4.0ah pro lithium battery.



18V BRUSHLESS PERCUSSION DRILL

BSB 18C3BL

- Compact and powerful brushless motor delivers up to 110Nm of torque
- 2 speed gear box, 0 - 500 rpm & 0 - 2100 rpm
- 13mm Metal chuck
- 31.500 bpm percussion mode for concrete and masonry drilling up to 13mm
- 24 stage clutch settings for ultimate control when in screw driving mode
- Designed to deliver ultimate user productivity backed up by perfect ergonomics
- PRO18V system compatibility

NEW



	BSB 18C3BL-X02C	BSB 18C3BL-402C	BSB 18C3BL-502C
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	2,0Ah & 4,0Ah	4,0	5,0
No. of batteries supplied	2	2	2
Charger supplied	70 min	70 min	70 min
Max. drilling wood/ steel/ masonry (mm)	65 / 13 / 13	65 / 13 / 13	65 / 13 / 13
Chuck capacity (mm)	13	13	13
Max. torque (Nm)	110	110	110
No load speed (rpm)	0 - 500 / 0 - 2100	0 - 500 / 0 - 2100	0 - 500 / 0 - 2100
Max. percussion rate (bpm)	31500	31500	31500
Weight with battery pack (EPTA) (kg)	1,8	2,4	2,4
Supplied in	Toolbox	Toolbox	Toolbox
Article Number	4935478937	4935478938	4935478939
EAN Code	4058546362195	4058546362201	4058546362218

BSB 18C3BL-X02C



BSB 18C3BL-402C



BSB 18C3BL-502C



18V BRUSHLESS PERCUSSION DRILL

BSB 18BL

- PROFLUX™ Brushless Motor for more power, and reduced length of the tool
- Only 202mm in length for perfect ergonomics
- 140Nm with Pro Lithium Ion HD batteries
- Extra long side handle for perfect handling of the tool and working in total safety
- 2 - speed gearbox 0-500 / 0-2.000rpm
- 13mm metal chuck with carbide tips for the heaviest applications
- Microtexture overmould for the best handling on the market
- LED light on the foot print to illuminate the work surface
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



	BSB 18BL-0	BSB 18BL LI-602C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	6,0
No. of batteries supplied	0	2
Charger supplied	-	85 min
Max. drilling wood/ steel/ masonry (mm)	100 / 13 / 20	100 / 13 / 20
Chuck capacity (mm)	13	13
Max. torque (Nm)	140	140
No load speed (rpm)	550 - 2000	550 - 2000
Max. percussion rate (bpm)	8800-32.000	8800-32.000
Weight with battery pack (EPTA) (kg)	2,1	2,5
Supplied in	Gift box	Kitbox
Article Number	4935464099	4935464100
EAN Code	4058546220440	4058546220457

BSB 18BL-0



BSB 18BL LI-602C



PRO 18V BRUSHLESS

NEW

FULL METAL

Gear case design for ultimate tool durability.

POWERFUL BRUSHLESS MOTOR

Providing speeds of up to 2100 Rpm for high speed applications.



110NM OF TORQUE IN PERCUSSION MODE

For drilling up to 13mm in masonry.



18V BRUSHLESS PERCUSSION DRILL

BSB 18CBL

- PROFLUX™ Brushless Motor for more power, more runtime in a smaller tool
- Removable 13mm ratchet chuck for the heaviest applications
- 75Nm with a (4.0Ah) battery for maximum torque which delivers complete power
- 2 - speed 0-550 / 0-2100rpm
- Only 151mm without the chuck and with chuck 193mm in length
- ¼" HEX reception under the chuck, 25mm screwdriving bit can be held in the reception while the chuck is mounted
- Offset and right angle attachment are sold as accessories
- New microtexture overmould for the best handling on the market
- LED light on the foot print to illuminate the work surface
- 3 mode selector - ease of use between applications
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- Supplied with a side handle and a 13mm removable chuck



	BSB 18CBL-0	BSB 18CBL LI-502C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	5,0
No. of batteries supplied	0	2
Charger supplied	-	90 min
Max. drilling wood/ steel/ masonry (mm)	45 / 13 / 14	45/13/14
Chuck capacity (mm)	1,5 - 13	1,5-13
Max. torque (Nm)	75	75
No load speed (rpm)	0 - 550 / 0 - 2100	0-550 / 0-2100
Max. percussion rate (bpm)	7150 / 27.300	7150 / 27.300
Weight with battery pack (EPTA) (kg)	1,8	2,1
Supplied in	Gift box	Kitbox
Article Number	4935451082	4935459396
EAN Code	4002395811083	4058546010577

BSB 18CBL-0



BSB 18CBL LI-502C



18V SUB COMPACT BRUSHLESS PERCUSSION DRILL

BSB 18SBL

- Compact and powerful Sub Compact brushless motor technology delivers up to 65Nm of torque
- Sub Compact design provides ultimate user productivity and ergonomics
- 26.000 bpm percussion mode for concrete and masonry drilling up to 13mm
- Lightweight tool at only 1.4Kg with PRO18V 2.0Ah pack
- Only 165mm in length allows tool to fit into tight spaces
- 2 speed gear box, 0 - 450 rpm & 0 - 1750 rpm
- 24 stage clutch for ultimate control when in screwing applications
- 13mm Metal chuck
- PRO18V system compatibility

SUBCOMPACT



	BSB 18SBL-0	BSB 18SBL-202C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2
No. of batteries supplied	0	2
Charger supplied	No charger supplied	40 min
Chuck capacity (mm)	13	13
Max. drilling wood/ steel/ masonry (mm)	40 / 13 / 13	40 / 13 / 13
Max. torque (Nm)	65	65
Max. percussion rate (bpm)	26.000	26.000
No load speed (rpm)	0-450 / 0-1750	0-450 / 0-1750
Weight with battery pack (EPTA) (kg)	1.4	1.4
Supplied in	Gift box	Kitbox
Article Number	4935478456	4935478455
EAN Code	4058546346478	4058546346461



18V PERCUSSION DRILL

BSB 18C2X

- 206mm in length and only 161mm without the chuck
- 60Nm maximum torque delivers complete power
- 2 - speeds - 0-450 / 0-1800rpm
- 13mm metal removable chuck for improved durability and more versatility
- Robust mode selector with By-Pass
- LED for work place illumination
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



	BSB 18C2X LI-202C
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	40 min
Max. drilling wood/ steel/ masonry (mm)	40 / 13 / 13
Chuck capacity (mm)	13
Max. torque (Nm)	50
No load speed (rpm)	0 - 500 / 0 - 1850
Max. percussion rate (bpm)	5.850 / 23.400
Weight with battery pack (EPTA) (kg)	1,74
Supplied in	Kitbox
Article Number	4935459424
EAN Code	4058546010850



18V BRUSHLESS PERCUSSION DRILL

BSB 18C2 BL

- PROFLEX™ Brushless Motor for more power, and reduced length of the tool
- Brushless motor delivers torque up to 65Nm (4.0Ah)
- Only 183mm in length
- 2 - speeds - 0-500 / 0-1950rpm
- Robust mode selector with By-Pass
- LED for work place illumination
- 13mm metal chuck for improved durability
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



	BSB 18C2BL-0	BSB 18C2BL LI-402C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	4,0
No. of batteries supplied	0	2
Charger supplied	No charger supplied	100 min
Max. drilling wood/ steel/ masonry (mm)	40 / 13 / 13	40 / 13 / 13
Chuck capacity (mm)	13	13
Max. torque (Nm)	65	65
No load speed (rpm)	0 - 500 / 0 - 1950	0 - 500 / 0 - 1950
Max. percussion rate (bpm)	25.350	25.350
Weight with battery pack (EPTA) (kg)	1,8	2,0
Supplied in	Gift box	Kitbox
Article Number	4935472009	4935464097
EAN Code	4058546324056	4058546220426



18V PERCUSSION DRILL

BSB 18C2

- Small, compact & powerful for high torque applications
- Only 191 mm in length
- 60 Nm maximum torque delivers complete power
- 2 - speeds - 0-450 / 0-1800 rpm
- Robust mode selector with By-Pass
- LED for work place illumination
- Forward and reverse
- 13mm Metal chuck for improve durability
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



	BSB 18C2LI-202C
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	40 min
LED	Yes
Max. drilling wood/ steel/ masonry (mm)	40 / 13 / 14
No load speed (rpm)	0 - 500 / 0 - 1850
Max. torque (Nm)	50
Weight with battery pack (EPTA) (kg)	1,71
Supplied in	Kitbox
Article Number	4935459722
EAN Code	4058546028947



18V PERCUSSION DRILL

BSB 18G4

- Compact and lightweight Percussion Drill delivering up to 60Nm of torque
- 2 speed gear box, 0 - 500 rpm & 0 - 1800 rpm
- Percussion mode provides up to 28,800 bpm for fast drilling into masonry
- Lightweight tool at only 1.4Kg with PRO18V 2.0Ah battery
- 24 stage clutch for ultimate control when in screwing applications
- 13mm professional chuck
- PRO18V system compatibility



	BSB 18G4-0	BSB 18G4-202C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2,0
No. of batteries supplied	2	2
Charger supplied	-	60 min
Max. drilling wood/ steel/ masonry (mm)	54 / 13 / 13	54 / 13 / 13
Chuck capacity (mm)	13	13
Max. torque (Nm)	60	60
No load speed gear 1 (rpm)	0 - 500	0 - 500
No load speed gear 2 (rpm)	0 - 1900	0 - 1800
Max. percussion rate (bpm)	30,400	28,000
Weight with battery pack (EPTA) (kg)	1,65	1,7
Supplied in	Gift box	Kitbox
Article Number	4935478632	4935478631
EAN Code	4058546348250	4058546348243



18V BRUSHLESS DRILL DRIVER

BS 18C3BL

- Compact and powerful brushless motor delivers up to 110Nm of torque
- 2 speed gear box, 0 - 500 rpm & 0 - 2100 rpm
- 13mm Metal chuck
- 24 stage clutch settings for ultimate control when in screw driving mode
- Designed to deliver ultimate user productivity backed up by perfect ergonomics
- PRO18V system compatibility



NEW

	BS 18C3BL-402C
Name	BS 18C3BL-402C
Battery type	Li-ion
Battery pack capacity (Ah)	4,0
No. of batteries supplied	2
Charger supplied	70 min
Max. drilling wood/ steel (mm)	65 / 13
Chuck capacity (mm)	13
Max. torque (Nm)	110
No load speed (rpm)	0 - 500 / 0 - 2100
Weight with battery pack (EPTA) (kg)	2,35
Supplied in	Kitbox
Article Number	4935478936
EAN Code	4058546362188



18V BRUSHLESS DRILL DRIVER

BS 18CBL

- PROFLUX™ Brushless Motor for more power, more runtime in a more compact tool
- Only 176mm in length for an extremely compact and perfectly balanced drill driver
- 75Nm with a (4.0Ah) battery for maximum torque delivers complete power
- 2 - speeds - 0-550 / 0-2100rpm
- 13mm ratchet chuck for withstanding the heaviest applications and a perfect torque transmission to the accessory
- New microtexture overmould for the best handling on the market
- LED light on the foot print to illuminate the work surface
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- Supplied with a side handle



	BS 18CBL LI-202C
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	40 min
Max. drilling wood/ steel (mm)	45 / 13
Chuck capacity (mm)	1,5 - 13
Max. torque (Nm)	75
No load speed (rpm)	0 - 550 / 0 - 2100
Weight with battery pack (EPTA) (kg)	1,8
Supplied in	Kitbox
Article Number	4935448768
EAN Code	4002395294572



NEW

LED LIGHT

HD SYNC

Illuminates working space in poorly lit areas.

110 NM OF TORQUE

13MM METAL CHUCK

Allows users to have complete flexibility of bits depending on application.

PRO 18V BRUSHLESS



18V SUB COMPACT BRUSHLESS DRILL DRIVER

BS 18SBL

- Compact and powerful Sub Compact brushless motor technology delivers up to 65Nm of torque
- Sub Compact design provides ultimate user productivity and ergonomics
- Lightweight tool at only 1.3Kg with PRO18V 2.0Ah pack
- Only 157mm in length allows tool to fit into tight spaces
- 2 speed gear box, 0 - 450 rpm & 0 - 1750 rpm
- 24 stage clutch for ultimate control when in screwing applications
- 13mm Metal chuck
- PRO18V system compatibility

SUBCOMPACT



BS 18SBL-202C	
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Max. drilling wood/ steel (mm)	40 13
Chuck capacity (mm)	13
Max. torque (Nm)	65
No load speed (rpm)	0-450 / 0-1750
Weight with battery pack (EPTA) (kg)	1,3
Supplied in	Kitbox
Article Number	4935472277
EAN Code	4058546339234



18V BRUSHLESS DRILL DRIVER

BS 18C2BL

- PROFLUX™ Brushless Motor for more power, and reduced length of the tool
- Brushless motor delivers torque up to 65Nm (4.0Ah)
- Only 176mm in length
- 2 - speeds - 0-500 / 0-1950rpm
- Robust mode selector with By-Pass
- LED for work place illumination
- 13mm metal chuck for improved durability
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



BS 18C2BL LI-202C		BS 18C2BL LI-402C	
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	2,0	4,0	4,0
No. of batteries supplied	2	2	2
Charger supplied	40 min	80 min	80 min
Max. drilling wood/ steel (mm)	40 / 13	40 / 13	40 / 13
Chuck capacity (mm)	13	13	13
Max. torque (Nm)	65	65	65
No load speed (rpm)	0 - 500 / 0 - 1950	0 - 500 / 0 - 1950	0 - 500 / 0 - 1950
Weight with battery pack (EPTA) (kg)	1,7	1,9	1,9
Supplied in	Kitbox	Kitbox	Kitbox
Article Number	4935464094	4935464095	4935464095
EAN Code	4058546220396	4058546220402	4058546220402



18V COMPACT DRILL DRIVER

BS 18C2X

- Changeable chuck for different attachments or screwdriving without the chuck for hard to reach areas
- 202mm in length and only 158mm without the chuck
- 60Nm (4.0Ah) maximum torque delivers complete power
- 2 - speeds - 0-450 / 0-1800rpm
- 13mm metal removable chuck for improved durability and more versatility
- Robust mode selector with By-Pass
- LED for work place illumination
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

BS 18C2X LI-202C	
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	30 min
Max. drilling wood/ steel (mm)	45 / 13
Chuck capacity (mm)	13
Chuck type	Removable
Max. torque (Nm)	60
No load speed (rpm)	0 - 450 / 0 - 1800
Weight with battery pack (EPTA) (kg)	1,7
Supplied in	Kitbox
Article Number	4935459423
EAN Code	4058546010843



BS 18C2X LI-202C



18V COMPACT DRILL DRIVER

BS 18C2

- Small, compact & powerful for high torque applications
- Only 187mm in length
- 60Nm (4.0Ah) maximum torque delivers complete power
- 2 - speeds - 0-500 / 0-1850rpm
- Robust mode selector with By-Pass
- LED for work place illumination
- 13mm metal chuck for improved durability
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

BS18C2 LI-202C	
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	40 min
Max. drilling wood/ steel (mm)	45 / 13
Max. torque (Nm)	50
No load speed (rpm)	0 - 500 / 0 - 1850
Weight with battery pack (EPTA) (kg)	1,68
Supplied in	Kitbox
Article Number	4935459721
EAN Code	4058546028930



BS18C2 LI-202C



18V DRILL DRIVER

BS 18G4

- Compact and lightweight Drill Driver delivering up to 60Nm of torque
- 2 speed gear box, 0 - 500 rpm & 0 - 1900 rpm
- Lightweight tool at only 1,70Kg with PRO18V 2.0Ah battery
- 24 stage clutch for ultimate control when in screwing applications
- 13mm professional chuck
- PRO18V system compatibility

BS 18G4-202C	
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	60 min
Max. drilling wood/ steel (mm)	54 / 13
Chuck capacity (mm)	13
No load speed (rpm)	0 - 500 / 0 - 1800
Weight with battery pack (EPTA) (kg)	1,7
Supplied in	Kitbox
Article Number	4935478630
EAN Code	4058546348236



BS 18G4-202C



18V SUB COMPACT RIGHT ANGLE DRILL

BS 18SRABL

- Powerful brushless motor delivers up to 45Nm through a super compact head design
- 2-speed gearbox with variable speed trigger provides full control from 0 - 500 Rpm to 0-2000 Rpm in speed 2
- Large trigger gives users full control during application
- Light weight and Sub compact ergonomic design allows users to use the tool with ease and safely in multiple orientations

SUBCOMPACT NEW



	BS18SRABL-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	No charger supplied
Max. drilling wood/ steel (mm)	38/10
Chuck capacity (mm)	10
Max. torque (Nm)	42
No load speed (rpm)	0 - 500 / 0 - 1900
Weight with battery pack (EPTA) (kg)	1.4
Article Number	4935480055
EAN Code	4058546403409



18V BRUSHLESS IMPACT DRIVER

BSS 18C3B3

- Compact and powerful brushless motor delivers up to 350Nm of torque
- 3 Speed gear box provides ultimate control through all applications
- 1/4" Hex reception
- Only 139mm in length: Allows tool to fit into tight spaces
- Lightweight tool at only 1.4Kg with PRO18V 2.0Ah battery pack
- PRO18V system compatibility

NEW



	BSS 18C3B3-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
Max. torque (Nm)	350
No load speed (rpm)	0 - 2900
Impact rate (ipm)	0 - 4200
Tool reception	1/4" Hex
Supplied in	Gift box
Weight with battery pack (EPTA) (kg)	1.4
Article Number	4935478940
EAN Code	4058546362225



PRO 18v BRUSHLESS

COMPACT HEAD

Allows users to work in the tightest of spaces where normal drills cannot fit.

OVERSIZED VARIABLE SPEED TRIGGER

Allows the tool to be used easily and safely, whilst being held in multiple different orientations.



SUBCOMPACT TWO SPEED GEARBOX

SLIM HANDLE

Gives great control through fixing and drilling applications

NEW

PRO 18v BRUSHLESS

350NM OF TORQUE 2900RPM SPEED

High speed & torque combination allows user to fix large fasteners in the minimum amount of time, maximizing their productivity.

3 SPEEDS

With mode control to easily switch between speeds depending on application.



HDSYNC

NEW



18V SUB COMPACT BRUSHLESS IMPACT DRIVER

BSS 18SBL

- Compact and powerful Sub Compact brushless motor technology delivers up to 200Nm of torque
- 3 Speed gear box provides ultimate control through all applications
- Sub Compact design provides ultimate user productivity and ergonomics
- Lightweight tool at only 1.3Kg with PRO18V 2.0Ah pack
- Only 119mm in length allows tool to fit into tight spaces
- 1/4" Hex reception
- PRO18V system compatibility

SUBCOMPACT



BSS 18SBL-0	
Battery type	Li-ion
No. of batteries supplied	0
Max. torque (Nm)	200
No load speed (rpm)	0-2900
Impact rate (ipm)	0-4200
Tool reception	1/4" Hex
Weight with battery pack (EPTA) (kg)	1,3
Supplied in	Gift box
Article Number	4935472278
EAN Code	4058546339241

BSS 18SBL-0



4 058546 339241

18V OIL PULSE IMPACT DRIVER

BSS 18OP

- New Oil Pulse Technology reduces the noise of the impact to only 73dB
- Compact and ergonomic with only 152mm overall length
- Easy carriage with the belt clip, user can work hands free even on a ladder
- PROFLUX™ Brushless Motor Technology allows extremely fast driving applications up to M14 Capacity
- 3-Speed powerful gearbox delivers up to 2400rpm
- 100% backwards compatible with all 18V Battery packs



BSS 18OP-0	
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Max. torque (Nm)	22 / 54 / 73
No load speed (rpm)	0 - 1000 / 0 - 1800 / 0 - 2400
Impact rate (ipm)	0 - 550 / 0 - 1300 / 0 - 1700
Tool reception	1/4" Hex
Weight with battery pack (EPTA) (kg)	1,38
Supplied in	Gift box
Article Number	4935451631
EAN Code	4002395140985

BSS 18OP-0



4 002395 140985

18V IMPACT DRIVER

BSS 18C2

- Compact and lightweight Impact Driver delivering up to 210Nm of torque
- Single Speed gear box providing up to 2900 rpm and 3800 ipm for faster driving
- Lightweight tool at only 1,55Kg with PRO18V 2.0Ah battery
- 1/4" Hex reception
- PRO18V system compatibility

NEW



BSS 18C2-0	
Battery type	Li-ion
No. of batteries supplied	0
Max. torque (Nm)	210
No load speed (rpm)	0 - 2900
Impact rate (ipm)	0 - 3600
Tool reception	1/4" Hex
Weight with battery pack (EPTA) (kg)	1,55
Supplied in	Gift box
Article Number	4935478633
EAN Code	4058546348267

BSS 18C2-0



4 058546 348267

18V 4-MODE SDS-PLUS COMPACT HAMMER

BBH 18C

- Compact and powerful 4-mode SDS plus optimised for fixing applications up to 16mm
- Ergonomic design with pistol grip reduces user fatigue in over head and one handed applications
- Optimised striker mechanism provides maximum productivity in common drill sizes (5.5-10mm)
- Dedicated chiselling mode allows for removal of light materials whilst minimising damage to surrounding material
- Replaceable dust mesh prevents motor damage caused by dust ingress
- 1/4" Hex bit holder included for fixing applications
- Belt clip included for user storage
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



BBH 18C-0		BBH 18CLI-202C	
Battery type	Li-ion	Li-ion	
Battery pack capacity (Ah)	-	2,0	
No. of batteries supplied	0	2	
Charger supplied	-	50 min	
Max. drilling wood/ steel/ masonry (mm)	13 / 10 / 16	13 / 10 / 16	
Blow energy (EPTA)(J)	1,5	1,5	
No load speed (rpm)	0 - 1300	0 - 1300	
Full load hammer action (bpm)	0 - 5500	0 - 5500	
Weight with battery pack (EPTA) (kg)	2,5	2,5	
Supplied in	Gift box	Kitbox	
Article Number	4935464984	4935464985	
EAN Code	4058546229290	4058546229306	

BBH 18C-0



4 058546 229290

BBH 18CLI-202C



4 058546 229306



18V BRUSHLESS SDS-PLUS ROTARY HAMMER

BBH 18BL

- L-shape brushless SDS hammer for drilling into concrete up to 26mm
- 2.5 Joule impact energy delivers high performance
- PROFLUX™ Brushless Motor for a better efficiency
- 4-modes for greater versatility
- Hammer action stop for rotary drilling in wood and metal
- Rafter hook for holding the tool on a ladder
- Anti vibration handle for more comfort while working
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



	BBH 18BL-0	BBH 18BL LI-502C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	5,0
No. of batteries supplied	0	2
Charger supplied	-	90 min
Max. drilling wood/ steel/ masonry (mm)	30 / 13 / 26	30 / 13 / 26
Blow energy (EPTA)(J)	2,5	2,5
No load speed (rpm)	0 - 1400	0 - 1400
Full load hammer action (bpm)	0 - 4800	0 - 4800
Weight with battery pack (EPTA) (kg)	-	3,08
Supplied in	Gift box	Kitbox
Article Number	4935464751	4935464753
EAN Code	4058546226961	4058546226985



18V BRUSHLESS IMPACT WRENCH

BSS 18C 12Z BL

- ½" brushless impact wrench
- Only 196mm overall length
- PROFLUX™ Brushless Motor Technology allows extremely fast driving applications
- 500Nm maximum torque/ 360Nm in second speed/ 270Nm in first speed
- Delivers 0-3500 impacts per minute for increased productivity
- ½" Square reception and delivered with ½" hex adaptor for screwdriving
- 4-Speed Gearbox, 3-Speeds plus Auto Stop Mode
- Built in triple LED for perfect illumination of the work surface without any shadow effect



	BSS 18C 12ZBL-0	BSS 18C 12ZBL LI-402C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	4,0
No. of batteries supplied	0	2
Charger supplied	-	80 min
Max. torque (Nm)	500	500
No load speed (rpm)	1400 - 2750	1400 - 2750
Impact rate (ipm)	0 - 3500	0 - 3500
Tool reception	½" square	½" square
Weight with battery pack (EPTA) (kg)	2,3	3,02
Supplied in	Gift box	Kitbox
Article Number	4935459426	4935459427
EAN Code	4058546010874	4058546010881



18V BRUSHLESS IMPACT WRENCH

BSS 18MTF12

NEW

- 1/2" Brushless Impact Wrench with friction ring
- Comes with a powerful motor that delivers up to 785 Nm of torque
- Only 180mm overall length
- 4-Mode control gives users the option to move between four different speed and torque settings for versatility



	BSS 18MTF12-402C	BSS 18MTF12-0
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	4	-
No. of batteries supplied	2	0
Charger supplied	70 min	No charger supplied
Max. torque (Nm)	785	785
No load speed (rpm)	0 - 2800	0 - 2800
Impact rate (ipm)	0 - 3800	0 - 3800
Tool reception	½" Universal	½" Universal
Weight with battery pack (EPTA) (kg)	2,6	2,6
Supplied in	Kitbox	Gift box
Article Number	4935479664	4935479663
EAN Code	4058546374587	4058546374570



PRO 18v BRUSHLESS

BRUSHLESS MOTOR

Brushless compact motor provides 785Nm of fastening torque and up to 850Nm of breakaway torque

HDSYNC

FRICTION RING ANVIL

4 MODES

3 speed selection modes and Autostop mode make the tool truly flexible.

LED LIGHT

Illuminates working space in poorly lit areas

½ INCH RECEPTION



18V BRUSHLESS 6 MODE HIGH TORQUE IMPACT WRENCH

BSS 18HTF12B6

- Industry leading power delivers up to 1550Nm of fastening torque
- 6 Mode torque selection gives users ultimate control through all applications
- 2100Nm of maximum break away torque for increased power on fastener removal
- Speeds 1, 2 & 3 increase in speed and power subject to application and fastener size
- AUTOSTOP mode 1 shuts to the tool off after impact at 200Nm +/-10%
- AUTOSTOP mode 2 shuts to the tool off after impact at 790Nm +/-10%
- AUTOSTOP mode 3 shuts to the tool off after impact at 1230Nm +/-10%
- 1/2" Square reception
- PRO18V system compatibility



BSS 18HTF12B6-0	
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	-
Max. torque (Nm)	1550
No load speed (rpm)	0-1800
Impact rate (ipm)	0-2300
Tool reception	1/2" square
Weight with battery pack (EPTA) (kg)	3,6
Supplied in	Gift box
Article Number	4935472245
EAN Code	4058546326418

BSS 18HTF12B6-0



4 058546 326418

18V COMPACT IMPACT WRENCH

BSS 18C 12Z

- Only 203mm overall length
- 360Nm maximum torque
- Delivers 0-3200 impacts per minute for increased productivity
- Industrial metal gearbox and gears for extended life
- 1/2" Square reception and delivered with 1/4" hex adaptor for screwdriving
- Built in Triple LED for perfect illumination of the work surface without any shadow effect



BSS 18C 12Z-0		BSS 18C 12Z Li-402C	
Battery type	Li-ion	Li-ion	
Battery pack capacity (Ah)	-	4,0	
No. of batteries supplied	0	2	
Charger supplied	-	80 min	
Max. torque (Nm)	360	360	
No load speed (rpm)	0 - 2900	0 - 2900	
Impact rate (ipm)	0 - 3200	0 - 3200	
Tool reception	1/2" square	1/2" square	
Weight with battery pack (EPTA) (kg)	2,1	2,3	
Supplied in	Gift box	Kitbox	
Article Number	4935446449	4935446456	
EAN Code	4002395136247	4002395136254	

BSS 18C 12Z-0



4 002395 136247

BSS 18C 12Z Li-402C



4 002395 136254

18V SUB COMPACT BRUSHLESS MULTI-MATERIAL CUT OFF TOOL

BMMS 18SBL

- Compact and Powerful Sub Compact brushless motor technology delivers up to 20.000 rpm
- Ergonomically designed for best control and one-handed use
- Lightweight and compact cut -off tool, weighing only 1.2kg with 2Ah battery pack
- 76mm blade diameter providing 16mm depth of cut
- Forward/reverse blade rotational selection and easy to adjust guard
- LED light provides a bright illumination of the work surface
- Capability to cut metal, masonry, Plastic and plasterboard materials
- PRO18V system compatibility

SUBCOMPACT



BMMS 18SBL-0	
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	-
Arbor size (mm)	10
Blade diameter (mm)	76
Blade speed (rpm)	20.000
Max. cutting capacity (mm)	16
Weight with battery pack (EPTA) (kg)	1,2
Supplied in	Gift box
Article Number	4935472280
EAN Code	4058546339265

BMMS 18SBL-0



4 058546 339265

18V 125MM BRUSHLESS ANGLE GRINDER WITH PADDLE SWITCH

BEWS 18-125BLPX

- Powerful 18V PROFLUX™ Brushless Motor with 11.000rpm for faster cutting
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- LED warning light, to indicate overload protection
- Built-in fuel gauge on the battery
- Best safety with disc break and anti kick-back function
- AVS side handle for more safety and comfort
- Supplied with a FIXTEC flange nut and keyless grinding guard for faster adjustment
- CORETEK™ Intelligent Electronics constantly monitors the communication between the PRO Li-ion battery pack and the PROFLUX™ brushless motor to deliver constant speed and power



BEWS 18-125BLPX-0		BEWS 18-125BLPX-602C	
Battery type	Li-ion	Li-ion	
Battery pack capacity (Ah)	-	6,0	
No. of batteries supplied	0	2	
Charger supplied	-	85 min	
No load speed (rpm)	11.000	11.000	
Max. cutting depth (mm)	26	26	
Spindle size	M 14	M 14	
Weight with battery pack (EPTA) (kg)	2,5	2,9	
Supplied in	Gift box	Kitbox	
Article Number	4935464419	4935464422	
EAN Code	4058546223649	4058546223670	

BEWS 18-125BLPX-0



4 058546 224578

BEWS 18-125BLPX-602C



4 058546 223670



18V 115MM BRUSHLESS ANGLE GRINDER WITH PADDLE SWITCH

BEWS 18-115BLPX

- Powerful 18V PROFLUX™ Brushless Motor with 11.000rpm for faster cutting
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- LED warning light, to indicate overload protection
- Built-in fuel gauge on the battery
- Best safety with disc break and anti kick-back function
- AVS side handle for more safety and comfort
- Supplied with a FIXTEC flange nut and keyless grinding guard for faster adjustment
- CORETEK™ Intelligent Electronics constantly monitors the communication between the PRO Li-ion battery pack and the PROFLUX™ brushless motor to deliver constant speed and power



	BEWS 18-115BLPX-0	BEWS 18-115BLPX-602C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	6,0
No. of batteries supplied	0	2
Charger supplied	-	100 min
No load speed (rpm)	11.000	11.000
Max. cutting depth (mm)	21	21
Spindle size	M14	M14
Weight with battery pack (EPTA) (kg)	2,5	3,0
Supplied in	Gift box	Kitbox
Article Number	4935464420	4935464423
EAN Code	4058546223656	4058546223687



18V 125MM BRUSHLESS ANGLE GRINDER WITH SLIDE SWITCH

BEWS 18-125BL

- Powerful 18V PROFLUX™ Brushless Motor with 11.000rpm for faster cutting
- LED warning light, to indicate overload protection
- Built-in fuel gauge on the battery
- CORETEK™ Intelligent Electronics constantly monitors the communication between the PRO Li-ion battery pack and the PROFLUX™ brushless motor to deliver constant speed and power
- Keyless grinding guard for faster adjustment
- Line Lock Out feature for more safety
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



	BEWS 18-125BL-0	BEWS 18-125BL-502C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	5,0
No. of batteries supplied	0	2
Charger supplied	-	90 min
No load speed (rpm)	11.000	11.000
Max. cutting depth (mm)	26	26
Spindle size	M14	M14
Weight with battery pack (EPTA) (kg)	2,4	2,6
Supplied in	Gift box	Kitbox
Article Number	4935464414	4935464417
EAN Code	4058546223595	4058546223625



18V 115MM BRUSHLESS ANGLE GRINDER WITH SLIDE SWITCH

BEWS 18-115BL

- Powerful 18V PROFLUX™ Brushless Motor with 11.000rpm for faster cutting
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- LED warning light, to indicate overload protection
- Built-in fuel gauge on the battery
- CORETEK™ Intelligent Electronics constantly monitors the communication between the PRO Li-ion battery pack and the PROFLUX™ brushless motor to deliver constant speed and power
- Keyless grinding guard for faster adjustment



	BEWS 18-115BL-0	BEWS 18-115BL-502C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	5,0
No. of batteries supplied	0	2
Charger supplied	-	90 min
No load speed (rpm)	11.000	11.000
Max. cutting depth (mm)	21	21
Spindle size	M14	M14
Weight with battery pack (EPTA) (kg)	2,4	2,65
Supplied in	Gift box	Kitbox
Article Number	4935464415	4935464418
EAN Code	4058546223601	4058546223632



18V BRUSHLESS ANGLE GRINDER

BEWS 18-230BL

- The first 18V dual battery 230mm Grinder on the market
- Dual 18V battery system but one battery is enough to operate
- PROFLUX™ Brushless motor enables up to 5.500rpm
- Best safety with disc break and anti kick-back function
- Perfect handling with the rotating back handle with anti-vibration system
- LED warning for overload and line lock-out
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



	BEWS 18-230BL-0	BEWS 18-230BL LI-602C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	6,0
No. of batteries supplied	0	2
Charger supplied	-	120 min
No load speed (rpm)	5500	5500
Max. cutting depth (mm)	68	68
Spindle size	M14	M14
Weight with battery pack (EPTA) (kg)	5,7	7,2
Supplied in	Gift box	Kitbox
Article Number	4935459735	4935464816
EAN Code	4058546029074	4058546227616



18V CIRCULAR SAW

BKS 18C2

- Light weight, compact and well balanced circular saw
- Fast cutting speed of 3700 RPM
- Metal upper guard and aluminium base plate for durability
- Safety trigger lock prevents accidental start up
- Spindle lock for fast blade change
- 50°bevel capacity
- PRO18V system compatibility



	BKS 18C2-0
Battery type	Li-ion
No. of batteries supplied	0
Arbor size (mm)	20
No load speed (rpm)	3700
Blade diameter (mm)	165
Max. cutting depth 45° (mm)	39,7
Max. cutting depth 90° (mm)	57
Weight with battery pack (EPTA) (kg)	3,52
Supplied in	Gift box
Article Number	4935478635
EAN Code	4058546348281



18V BRUSHLESS 190MM CIRCULAR SAW

BKS 18BL2

NEW

- PROFLUX™ Brushless Motor delivers high speed and high power
- Lightweight and designed to tackle the toughest and roughest of material and jobsite conditions
- Aluminium guard and magnesium minimised shoe keep the tool extremely light
- Supplied with a 190mm TCT blade with 24 carbide teeth for a perfectly clean and fast cut
- Electronic motor brake, saw blade stops within seconds
- Lock off switch for safety
- Spindle lock for fast blade changing
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- Rafter hook to mount tool close to user when not in use



BKS 18BL2-0	
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Blade diameter (mm)	190
Bevel capacity (°)	56
Max. cutting depth 45° (mm)	47.5
Max. cutting depth 90° (mm)	65
No load speed (rpm)	5400
Arbor size (mm)	30
Weight with battery pack (EPTA) (kg)	4.4
Supplied in	Gift box
Article Number	4935479661
EAN Code	4058546374556



18V BRUSHLESS SUB COMPACT 165MM CIRCULAR SAW

BKS 18SBL

SUBCOMPACT NEW

- PROFLUX™ Brushless Motor delivers high speed and high power
- Ultra compact and lightweight circular saw
- Magnesium guard and minimised shoe keep the tool extremely light
- Supplied with a 165mm TCT blade with 18 carbide teeth for a perfectly clean and fast cut
- Electronic motor brake, saw blade stops within seconds
- Lock off switch for safety
- Spindle lock for fast blade changing
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



BKS 18SBL-0	
Name	BKS 18SBL-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Blade diameter (mm)	165
Bevel capacity (°)	50
Max. cutting depth 45° (mm)	41
Max. cutting depth 90° (mm)	57
No load speed (rpm)	5000
Arbor size (mm)	20
Weight with battery pack (EPTA) (kg)	2.9
Supplied in	Gift box
Article Number	4935479660
EAN Code	4058546374549



PRO 18v BRUSHLESS

HDSYNC

NEW

5400 RPM

UP TO 30% MORE TORQUE*

65MM DEPTH OF CUT

DEPTH LEVER
For precise selection of depth of cut

OVER 40% HIGHER RPM

PRO 18v BRUSHLESS

NEW

POWERFUL BRUSHLESS MOTOR

57mm depth of cut and 5000 rpm

SUBCOMPACT

DUST PORT
Compatible with AEG dust extraction system AP2-200 ELCP

MITRE SCALE
For accurate preselection of cutting angles up to 50°



18V BRUSHLESS RECIPROCATING SAW

BUS 18BL2

NEW



- PROFLUX™ Brushless Motor delivers up to 3200spm
- Orbital function on board for cutting without pushing, perfect for overhead work
- 32mm stroke length for the fastest cutting performance on the market
- Quick release blade system, accepts all standard recip saw blades
- Easy and quick adjustable shoe with tool free system
- Fuel gauge on board, always be aware about the remaining power
- LED enables perfect view on the work piece
- Rafter hook for an easy carriage when you are on a ladder
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BUS 18BL2-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
No load stroke rate (spm)	3200
Stroke length (mm)	32
Max. cutting capacity wood (mm)	255
Max. cutting capacity steel (mm)	20
Max. cutting capacity plastic (mm)	130
Weight with battery pack (EPTA) (kg)	3.6
Supplied in	Gift box
Article Number	4935478941
EAN Code	4058546362232



18V SUB COMPACT BRUSHLESS RECIP SAW

BUS 18SBL

SUBCOMPACT NEW



- Compact and powerful one handed design allows the user to complete heavy duty applications in confined spaces
- Orbital cutting action easily pushes blade through material for fast and aggressive cuts
- Overmoulded motor housing provides maximum grip and safety for two handed applications
- 22mm stroke length enables the removal of maximum amount of material with every cut
- 3200 spm delivers the speed and accuracy required when cutting studs and sheet material
- Quick release blade system for convenient blade change
- PROFLUX™ Brushless Motor with Coretek Technologies delivers market leading power and runtime
- PRO18V system compatibility

	BUS 18SBL-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
No load stroke rate (spm)	0-3200
Stroke length (mm)	22
Max. cutting capacity wood (mm)	100
Max. cutting capacity steel (mm)	40
Max. cutting capacity plastic (mm)	75
Weight with battery pack (EPTA) (kg)	2.5
Supplied in	Gift box
Article Number	4935479662
EAN Code	4058546374563



NEW

PRO 18v BRUSHLESS

LARGE

OVERMOULDED HANDLE

HDSYNC

32MM STROKE LENGTH WITH 3200 SPM

For faster more aggressive cutting through material.

Ensures maximum user comfort during use.

PIVOTING ADJUSTING SHOE

For added comfort and safety when cutting all shapes/angles of material.

LEVER-STYLE BLADE CHANGE

Compared to previous AEG reciprocating saws.

NEW

PRO 18v BRUSHLESS

SUBCOMPACT

22MM STROKE LENGTH WITH 3200 SPM

For faster more aggressive cutting through material

ROTATING SLEEVE BLADE CHANGE

For quick and easy change of blades when required

OVER MOULDED BODY

For maximum comfort during two handed applications



18V RECIPROCATING SAW

BUS 18C2

NEW



- Brushed Motor delivers up to 3000spm
- Quick release blade system, accepts all standard recip saw blades
- Easy and quick adjustable shoe with tool free system
- Fuel gauge on board, always be aware about the remaining power
- LED enables perfect view on the work piece
- Rafter hook for an easy carriage when you are on a ladder
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

BUS 18C2-0	
Battery type	Li-ion
No. of batteries supplied	0
No load stroke rate (spm)	3000
Max. cutting capacity wood (mm)	130
Max. cutting capacity steel (mm)	20
Max. cutting capacity plastic (mm)	255
Weight with battery pack (EPTA) (kg)	3.6
Supplied in	Gift box
Article Number	4935478942
EAN Code	4058546362249



18V BRUSHLESS SLIDE MITRE SAW

BPS18-254BL



- 18V brushless motor designed for superior runtime and performance
- Dual 18V system, for longer runtime
- Dual bevel cut
- Clamp system, for a safer cut
- LED for perfect view on the cutting line and adjustable laser for quick and precise cut
- Blade depth adjustment, Allows for trenching applications
- 254mm Blade, providing fantastic cutting capacities up to 90mm x 305mm
- Only 15.5kg, for easy transportation on the jobsite
- Supplied with 48 tooth blade
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

BPS18-254BL-0	
Battery type	Li-ion
No. of batteries supplied	0
Blade diameter (mm)	254
Max. cutting depth (mm)	90
No load speed (rpm)	3900
Max. cutting capacity 0 mitre/ 45 bevel (mm)	39 x 305
Max. cutting capacity 45° mitre/ 45° bevel (mm)	39 x 215
Max. cutting depth 45° (mm)	43
Mitre capacity left (°)	45
Mitre capacity right (°)	45
LED	Yes
Weight with battery pack (EPTA) (kg)	16,3
Supplied in	Gift box
Article Number	4935459336
EAN Code	4058546009977



18V BRUSHLESS JIGSAW

BST 18BLX



- Powerful 18V PROFILUX™ Brushless Motor with 3500spm
- Lock on button for usage like a body grip jigsaw
- Patented FIXTEC system for fast keyless blade change and bevel adjustment with snap-in at 0° and 45°
- Variable speed with 5 positions, soft start and constant speed under load
- Adjustable chipping blower to the front and rear
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

BST 18BLX-0	
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	-
Stroke length (mm)	25,4
No load stroke rate (spm)	3500
Bevel capacity (°)	45
Max. cutting capacity soft wood (mm)	135
Max. cutting capacity aluminium (mm)	20
Weight with battery pack (EPTA) (kg)	2,46
Supplied in	Gift box
Article Number	4935459654
EAN Code	4058546028268



18V HEAVY DUTY JIGSAW

BST 18X



- Pendulum action for increased cutting performance
- Metal gearbox for extended durability
- Professional, die-cast aluminium base plate
- Patented FIXTEC system for fast keyless blade change
- Variable speed trigger
- Ergonomic soft-grip for comfortable use
- Electronic motor brake
- Supplied with a plastic shoe cover, an anti splintering device and 2 blades

BST 18X-0	
Battery type	Li-ion
No. of batteries supplied	0
Stroke length (mm)	26
No load stroke rate (spm)	0 - 2050
Bevel capacity (°)	45
Max. cutting capacity soft wood (mm)	80
Supplied in	Gift box
Weight with battery pack (EPTA) (kg)	3,5
Article Number	4935413130
EAN Code	4002395197460



18V BRUSHLESS CHAINSAW

ACS18B30



- High-performance brushless motor for higher productivity
- 30cm Oregon® bar runs at 10m/s for best performance
- Mechanical and electronic motor brake for added safety
- Best balance for comfortable use in any orientation
- Large, easy-fill chain oil reservoir for automatic chain lubrication
- Tooled chain tensioning adjustments with on board tool storage
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

ACS18B30-0	
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	-
Chain bar length (cm)	30
Chain speed (m/s)	10
Supplied in	Gift box
Article Number	4935471337
EAN Code	4058546289652



18V BRUSHLESS PLANER

BHO 18BL

- Powerful brushless motor delivers up to 16000rpm to achieve supreme surface finish across a range of materials
- 82mm reversible cutting blade with 58mm ejection ports maximises material removal
- Patented depth adjustment feature allows user to retract the planer shoe up to -2mm giving perfectly balanced and precise chamfering capability
- Adjustable cutting depth up to 2mm allows the user to accurately control the amount of material removed with each pass
- Left or right material ejection port to suit user comfort and application
- A lockable kickstand on the base of the tool protects material from accidental damage
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



BHO18 BL-0	
Battery type	Li-ion
No. of batteries supplied	0
No load speed (rpm)	14.300
Planing depth (mm)	0 - 2,0
Planing width (mm)	82
Rebate depth (mm)	0 - 12,5
Weight with battery pack (EPTA) (kg)	3,32
Supplied in	Gift box
Article Number	4935464988
EAN Code	4058546229337



18V BRUSHLESS BELT SANDER

BHBS 18-75BL

- PROFLUX™ Brushless Motor for more power, more runtime and a more compact tool
- Compact and lightweight Sander
- Variable speed dial to match the speed of the sander with the specific application
- Lock on button for comfortable operating
- Integrated dust absorption (DEK 26 system)
- Accepts up to 457mm belt length and 75mm belt width
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



BHBS18-75BL-0	
Battery type	Li-ion
No. of batteries supplied	0
Belt length (mm)	457
Belt width (mm)	75
No load speed (rpm)	135 - 300
Speed settings	6
Weight with battery pack (EPTA) (kg)	-
Supplied in	Kitbox
Article Number	4935459582
EAN Code	4058546027544



18V ORBITAL SANDER

BEX18-125

- Powerful 18V motor 125mm random orbital sander
- Ideal for working in confined spaces and overhead
- Variable speed for optimum control
- Convenient hook & loop paper fastening
- Very efficient dust extraction, over 8 holes in the base plate
- Dust extraction, with dust bag or absorption system
- Micro texture grip for perfect handling
- Supplied with dust bag and sanding paper
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



BEX18-125-0	
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	-
No load speed (rpm)	7000 - 11.000
Oscillation rate (opm)	14.000 - 22.000
Oscillation diameter (mm)	2,4
Sanding pad size (mm)	125
Weight with battery pack (EPTA) (kg)	-
Supplied in	Gift box
Article Number	4935451086
EAN Code	4002395811120



18V BRUSHLESS TRIM ROUTER

BOF 18BL2

NEW

- One-hand cordless 18V brushless trim router
- Up to 30.000rpm for rounding all types of wood
- Collet size 6mm for the most common accessories on the market
- Spindle Lock enables quick and simple router bit changes
- Built in speed dial, for adjusting the speed for different materials
- Micro adjust dial: For easily adjusting the router depth to the specific material and application
- Magnesium guard for more durability
- Ergonomic slim grip for maximum comfort during extended use
- PRO18V system compatibility



BOF 18BL2-0	
Battery type	Li-ion
No. of batteries supplied	0
Collet capacity (mm)	6
Fuel gauge	Yes
No load speed (rpm)	17.000 - 25.000
Plunge capacity (mm)	32
Speed settings	7
Weight with battery pack (EPTA) (kg)	1,7
Supplied in	Gift box
Standard equipment	Edge Guide, 6mm Bit + 6,35mm, Round and Square base, wrench
Article Number	4935479163
EAN Code	4058546369576



PRO 18v BRUSHLESS

ERGONOMIC SLIM GRIP

For maximum comfort.

30000RPM

For rounding all types of wood.

MAGNESIUM GUARD

For durability.

HDSYNC

7 SPEEDS

For working with different types of material.

NEW



18V MULTI TOOL

BMT 18

NEW

- Gives more power and more runtime whilst keeping the advantage of cordless portability
- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2-finger switch with adjustable speed
- Range of one-handed applications
- LED for work place illumination
- Built in fuel gauge
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- 3.6° Oscillating degree for quick and faster cuts through materials



	BMT 18-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
Charger supplied	No charger supplied
Oscillation rate (opm)	20000
Standard equipment	Accessories
Weight with battery pack (EPTA) (kg)	1.15
Supplied in	Gift box
Article Number	4935478943
EAN Code	4058546362256



BMT 18-0

18V BRUSHLESS DRYWALL SCREWDRIVER

BTS 18BL

- Small lightweight drywall screwdriver with a length of 266mm/ 418mm with collated attachment
- Powerful motor with 5000rpm
- Push drive function for improved runtime and comfort
- Incredible runtime up to 3000 screws with a L1850R Battery
- Fine adjustment nose cone for setting desired countersink levels in single screw applications +/-5 mm
- Quick release ¼" Hex chuck allows for easy bit change
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- Belt clip to hang your tool quickly and easily



	BTS 18BL-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	-
Tool reception	¼" Hex
Max. torque (Nm)	5
No load speed (rpm)	5000
Standard equipment	-
Weight with battery pack (EPTA) (kg)	1.87
Supplied in	Gift box
Article Number	4935459620
EAN Code	4058546027926



BTS 18BL-0

PRO 18v

3.6 OSCILLATING DEGREE

NEW

For quick and faster cuts through materials.

TOOL FREE BLADE CHANGE

For easy and fast blade change. Helps reduce down-time.

20000 OPM

18V 18 GA BRUSHLESS NAIL GUN

B18N18

- Vacuum Drive Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 18 Gauge (1.2mm) nails from 15.9 to 55mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-Light technology engages twin LEDs by grasping the handle
- Tool-less depth and power adjustment helps to protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool free release lever to remove jammed nails
- Belt hook mounts left or right side for added convenience
- Includes 2 non marking rubber nose caps to prevent damage to work surface
- Up to 1450 Nails runtime using a L1840R battery pack
- Runtime can vary by tool, battery and application
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



	B18N18-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	-
Magazine capacity	105
Nail type (mm)	1.2
Cycle rate (h)	2/sec
Weight with battery pack (EPTA) (kg)	2.7
Supplied in	Kitbox
Article Number	4935451535
EAN Code	4002395146321



B18N18-0



18V 16 GA BRUSHLESS NAIL GUN

B16N18

- Vacuum Drive Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 16 Gauge (1.6mm) nails from 19 to 65mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-Light technology engages LED by grasping the handle
- Tool-less depth and power adjustment helps to protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool free release lever to remove jammed nails
- Belt hook mounts on left or right side for added convenience
- Includes 2 non marking rubber nose caps to prevent damage to work surface
- Up to 1400 nails runtime using a L1840R battery pack
- Runtime can vary by tool, battery and application
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



B16N18-0	
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	-
Magazine capacity	105
Nail type (mm)	1,6
Cycle rate (h)	2/Sec
Weight with battery pack (EPTA) (kg)	3,0
Supplied in	Kitbox
Article Number	4935451533
EAN Code	4002395146307



18V CAULK GUN - 310ML

BKP 18C2

- 4000N of force even for high velocity material
- 310ml cartridge capacity with anti-drip feature to prevent unwanted dripping when trigger is released
- Speed dial with 7 speed settings for optimal speed
- Integrated rafter hook for storage when tool not in use
- Spring loaded cartridge holder for easy setup
- PRO18V system compatibility



BKP 18C2-310-0	
Battery type	Li-ion
No. of batteries supplied	0
Max. pushing force (N)	4000
Weight with battery pack (EPTA) (kg)	2
Supplied in	Gift box
Article Number	4935478634
EAN Code	4058546348274



DUAL 18V BRUSHLESS COMPRESSOR

BK18-38BL

- Dual 18V for longer runtime
- 3.8L tank with roll cage for portability and protection
- Pressure regulator knob for accurate pressure adjustments with on board pressure gauge
- Quick connect coupler for easy compatibility
- Oil-free pump design and up to 30.8L/min air flow
- Enough runtime to fire 1,200 brad nails per charge
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



BK18-38BL-0	
Battery supplied	-
Power (kW)	0,4
Tank capacity (l)	3,8
Max. pressure (bar)	8,3
Air flow (l/min)	30,8
Supplied in	Gift box
Article Number	4935471201
EAN Code	4058546288297



18V HIGH PRESSURE INFLATOR

BK 18C

- 18V high pressure inflator suitable for inflating car, light truck and compact equipment tires
- Delivers up to 10.3 Bar / 150 Psi
- Auto mode allows users to pre-select pressure for accurate inflation. Inflator automatically stops when pre-selected pressure is achieved
- Supplied with a sports ball needle, presta valve and high pressure tapered nozzle
- Illuminated LCD displays pressure in BAR & PSI
- Onboard nozzle and hose storage, easily stores hose and attachment. Comes with a plastic locking chuck
- PRO18V system compatibility



	BK 18C-0
Battery type	Li-ion
No. of batteries supplied	0
Air delivery rate at 35 psi / 2.41 bar / 241 kPa (l/min)	23
Air delivery rate at 90 psi / 6.21 bar / 621 kPa (l/min)	14
Max. pressure (bar / PSI)	10.3 / 150
Supplied in	Gift box
Weight with battery pack (EPTA) (kg)	1.47
Article Number	4935478457
EAN Code	4058546346485



18V BLUETOOTH SPEAKER

BSP 18

- 18V Bluetooth speaker with premium 10W speaker for clear sound on the jobsite
- 2 Amp USB charging port charges a variety of portable devices including mobile phones
- Smart Bluetooth Wireless Technology ensures versatility to stream full audio from up to 30 meters away

NEW



	BSP 18-0
No. of batteries supplied	0
Weight with battery pack (EPTA) (kg)	1.2
Supplied in	Gift box
Article Number	4935479667
EAN Code	4058546374617



18V DAB + DIGITAL JOBSITE RADIO

BR 1218C

- Ultra compact AC/DC jobsite Radio 1.1kg
- 150mm width only, fits on almost all window frames
- New PROLITHIUMION™ 5.0Ah provides over 20 hours runtime
- Back light display allows perfect visibility
- 10 channel pre set for FM/ 10 channel pre set for DAB+
- DAB+ compatible
- Aux Cable Connector (Ipod, Phone)
- Water and debris resistant to withstand tough conditions on the jobsite
- Accepts all 12V stem packs and all PRO18V packs
- 220V-240V 2 pin EU plug transformer included



	BR 1218C-0
Battery type	Li-ion
No. of batteries supplied	0
Weight with battery pack (EPTA) (kg)	1.93
Supplied in	Gift box
Article Number	4935451539
EAN Code	4002395146369



NEW

PRO 18v

**2 AMP
USB
CHARGING
PORT**

**PREMIUM
10W
SPEAKER**

30M

**UNOBSTRUCTED
WIRELESS
RANGE**

18V HANDHELD DUST EXTRACTOR

BHSS 18

- Powerful suction, optimised for quick clean ups
- One-motion detachable tank for easy emptying
- Fully transparent tank to show when emptying is required
- Lock on/off power switch
- Over mould for user comfort
- Compact and lightweight
- Washable pre-filter for superior filtration
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



BHSS 18-0	
Battery type	Li-ion
No. of batteries supplied	0
Sealed Suction [kPa]	5,4
Air flow (l/min)	1068
Tank capacity (l)	0,67
Filter type	Washable pre filter
Weight with battery pack (EPTA) (kg)	1,5
Supplied in	Gift box
Article Number	4935471983
EAN Code	4058546298821



18V JOBSITE BLOWER

BGE 18C2

- Compact & Powerful blower for jobsite clean up
- Trigger actuated variable speed
- Lock-on switch ensures user comfort during use
- Reinforced motor housing for durability
- Comes with an additional nozzle piece for inflating/deflating airbed and other inflatables
- PRO18V system compatibility



BGE 18C2-0	
Battery type	Li-ion
No. of batteries supplied	0
No load speed (rpm)	18,000
Air volume (m³/min)	2,8
Air speed (km/h)	257
Supplied in	Gift box
Weight with battery pack (EPTA) (kg)	1,62
Article Number	4935478458
EAN Code	4058546346492



18V USB CHARGER

BHJ18C

- Compatible with all PRO18V AEG batteries
- Makes it possible to run the 12V Heated Gear from a PRO18V AEG battery
- USB charging port for MP3 player, mobile phone, digital camera, GPS
- Belt clip for maximum comfort
- On/Off switch for USB port
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



BHJ18C-0	
Battery type	Li-ion
No. of batteries supplied	0
Weight with battery pack (EPTA) (kg)	0,71
Supplied in	Blister packaging
Article Number	4935459335
EAN Code	4058546009960



18V JOBSITE STICK LIGHT

BSL 18

- High performance LED stick light delivers up to 800 lumens
- Compact and ergonomic design with belt clip makes this unit extremely portable
- Integrated adjustable metal hook allows for light to be hung in multiple orientations when in use
- Adjustable and rotatable head rotates up to 180° which allows the user to direct the light beam at the desired work area
- Rubberized soft grip combined with its light weight, increases comfort on the job site



NEW

BSL 18-0	
Battery type	Li-ion
No. of batteries supplied	0
Bulb type	LED
Max. lumens	800
Supplied in	Gift box
Weight with battery pack (EPTA) (kg)	0,8
Article Number	4935479666
EAN Code	4058546374600



18V JOBSITE TORCH LIGHT

BFL 18

- High performance LED light provides up to 340 Lumens
- Swivel head rotates up to 180° and allows users to direct the light beam at the desired work area
- Integrated adjustable metal hook allows for light to be hung in multiple orientations when in use
- Compact design - can be used in tight spaces



NEW

	BFL 18-0
Battery type	Li-ion
No. of batteries supplied	0
Bulb type	LED
Max. lumens	340
Supplied in	Gift box
Weight with battery pack (EPTA) (kg)	0,79
Article Number	4935479665
EAN Code	4058546374594



NEW

RETRACTABLE
HOOK

340
LUMENS

90°
PIVOTING HEAD

PRO 18v

18V JOBSITE
TORCH LIGHT

VERSATILE & COMPACT LIGHTING DESIGNED FOR THE TRADE

NEW

PRO 18v

18V STICK LIGHT

800
LUMENS

RETRACTABLE
HOOK

PIVOTING &
ROTATING HEAD

PRO 18v
18V STICK LIGHT

800
LUMENS
RETRACTABLE
HOOK

PIVOTING &
ROTATING HEAD

18V 6,0 AH PROLITHIUM-ION™ HD BATTERY

L1860SHD

- Compatible with all AEG PRO18V powertools
- AEG 6,0Ah HD battery pack provides extended runtime and power in a compact design
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw



NEW

	L1860SHD
Battery type	Li-ion
Battery pack capacity (Ah)	6,0
Voltage (V)	18V
Weight (kg)	0,8
Supplied in	Gift box
Article Number	4935480049
EAN Code	4058546403348



18V 5,0 AH PROLITHIUM-ION™ HD BATTERY

L1850SHD

- Compatible with all AEG PRO18V powertools
- AEG 5,0Ah HD battery pack provides extended runtime and power in a compact design
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- LED charge level indicator



NEW

	L1850SHD
Battery type	Li-ion
Battery pack capacity (Ah)	5,0
Voltage (V)	18
Weight (kg)	0,7
Supplied in	Gift box
Article Number	4935478860
EAN Code	4058546361426



18V 4,0 AH PROLITHIUM-ION™ HD BATTERY

L1840SHD

- Compatible with all AEG PRO18V powertools
- AEG 4,0Ah HD battery pack provides extended runtime and power in a compact design
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- LED charge level indicator

NEW



	L1840SHD
Battery type	Li-ion
Battery pack capacity (Ah)	4,0
Voltage (V)	18
Weight (kg)	0,7
Article Number	4935478859
EAN Code	4058546361419



18V 2,0 AH PROLITHIUM-ION™ HD BATTERY

L1820SHD

- Compatible with all AEG PRO18V powertools
- AEG 2,0Ah HD battery pack provides ultimate power in a compact package
- Light weight and compact design
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over-discharging
- LED charge level indicator

NEW



	L1820SHD
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
Voltage (V)	18
Weight (kg)	0,42
Article Number	4935478858
EAN Code	4058546361402



18V 4.0 AH PROLITHIUM-ION™ BATTERY

L1840S

- AEG 4,0Ah pack provides extended runtime and power in a compact package
- Compatible with all AEG PRO18V powertools
- Light weight and compact design to minimise user fatigue
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- LED Charge level indicator



	L1840S
Battery type	Li-ion
Battery pack capacity (Ah)	4,0
Voltage (V)	18
Weight (kg)	0,7
Supplied in	Gift box
Article Number	4935478636
EAN Code	4058546348298



18V 2,0 AH PROLITHIUM-ION™ BATTERY

L1820S

- AEG 2,0Ah pack provides ultimate portability and power in a compact package
- Compatible with all AEG PRO18V powertools
- Light weight and compact design to minimise user fatigue
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- LED Charge level indicator



	L1820S
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
Voltage (V)	18
Weight (kg)	0,42
Supplied in	Gift box
Article Number	4935472275
EAN Code	4058546339210



18V 4,0AH BATTERY / CHARGER SET

SET L1840SHD

NEW

- New AEG HD battery technology offers higher performance level on high demand application
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the battery pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging.
- On-board battery fuel gauge helps the user to maximize battery run-time efficiency
- PRO18V system compatibility



	SET L1840SHD
Battery type	Li-ion
Battery pack capacity (Ah)	4,0
Charger supplied	70 min
Supplied in	Gift box
Article Number	4935478944
EAN Code	4058546362263



18V 5,0AH BATTERY / CHARGER SET

SET LL1850SHD

NEW

- New AEG HD battery technology offers higher performance level on high demand application
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the battery pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging.
- On-board battery fuel gauge helps the user to maximize battery run-time efficiency
- PRO18V system compatibility



	SET LL1850SHD
Battery type	Li-ion
Battery pack capacity (Ah)	5,0
Charger supplied	70 min
Supplied in	Gift box
Article Number	4935478945
EAN Code	4058546362270



18V 2X5,0 AH PROLITHIUM-ION™ BATTERY STARTER KIT

SET LL1850 BL

- BL1218 standard Charger with 2 x L1840R in a Bag
- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- On-board battery fuel gauge helps the user to maximize battery run-time efficiency
- Backwards compatible with all AEG 18V tools



	SET LL1850 BL
Battery type	Li-ion
Battery pack capacity (Ah)	5,0
Charger supplied	BL1418
No. of batteries supplied	2
Supplied in	Tool bag
Article Number	4932464019
EAN Code	4058546219642



18V 2X4,0 AH PROLITHIUM-ION™ BATTERY STARTER KIT

SET LL1840BL

- BL1218 standard charger with 2 x L1840R in a bag
- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- On-board battery fuel gauge helps the user to maximize battery run-time efficiency
- Backwards compatible with all AEG 18V tools



	SET LL1840BL
Battery type	Li-ion
Battery pack capacity (Ah)	4,0
Charger supplied	80 min
Supplied in	Tool bag
Article Number	4932464157
EAN Code	4058546221027



18V 4,0 AH PROLITHIUM-ION™ BATTERY STARTER KIT

SET L1840 BL

- BL1218 standard charger with 1 x 18V 4,0Ah battery in a Sports Bag
- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- On-board battery fuel gauge helps the user to maximize battery run-time efficiency
- Backwards compatible with all AEG 18V tools



	SET L1840 BL
Battery type	Li-ion
Battery pack capacity (Ah)	4,0
Charger supplied	80 min
No. of batteries supplied	1
Supplied in	Tool bag
Article Number	4932430359
EAN Code	4002395380206



18V 6 PORT SEQUENTIAL CHARGER

BL18C6

NEW

- PRO18V 6 Port Sequential Charger
- Charges 6 batteries in a sequential manner at a 4Ah charge rate
- Comes with integrated LED light to let users know when batteries are charging or fully charged
- Compatible with all PRO18V batteries



	BL18C6
Charge rate (Amps per hour)	4
Weight (kg)	1.7
Supplied in	Gift box
Article Number	4935480051
EAN Code	4058546403362



18V DUAL PORT PARALLEL CHARGER

BL18C2

NEW

- PRO18V Dual Port Parallel Charger
- Capable of charging 2 batteries simultaneously at 4Ah charge rate
- Comes with integrated hook for hanging the charger while charging
- Compatible with all PRO18V batteries
- Comes with integrated LED light to let users know when batteries are charging or fully charged



	BL18C2
Charge rate (Amps per hour)	4
Weight (kg)	1.2
Supplied in	Gift box
Article Number	4935480052
EAN Code	4058546403379



14-18V FAST TWIN CHARGER

BL1418

- Power LED: Indicates if the charger is plugged on an energy source
- Evaluate LED: Indicates when the charger is analyzing the battery status
- Defect LED: Blinks when the pack is defective
- Charging LED: Blinks when the battery is charging, stays when the pack is charged
- Temperature LED: Blinks when the pack is too hot or too cold and needs to be cooled or warmed before charging



	BL1418
Battery type	Li-ion
Charging range	14-18v
Weight (kg)	0.98
Supplied in	Gift box
Article Number	4932464542
EAN Code	4058546224875



18V CHARGER

AL 18G

- Compatible with all AEG PRO18V batteries
- LED Charge level indicator with easy to read descriptions
- Battery Fault indicator displays when battery is defective
- Temperature indicator displays if pack is to hot, or to cold to charge
- Power LED indicates if charger is plugged into a power source



	AL 18G
Charging range	18V
Charge rate (Amps per hour)	2.0
Weight (kg)	0.65
Supplied in	Gift box
Article Number	4932459891
EAN Code	4058546030636



18V CHARGER

BL 18S

- Compatible with all AEG PRO18V batteries
- LED Charge level indicator with easy to read descriptions
- Battery Fault indicator displays when battery is defective
- Temperature indicator displays if pack is to hot, or to cold to charge
- Power LED indicates if charger is plugged into a power source



	BL 18S
Charging range	18V
Charge rate (Amps per hour)	2.0
Weight (kg)	0.35
Supplied in	Gift box
Article Number	4935472276
EAN Code	4058546339227



AEG

PRO 12v

COMPACT SIZE.
HEAVY DUTY
PERFORMANCE.



THE PRO 12v RANGE

12V 2-SPEED DRILL DRIVER

BBS 12C2

- Removable chuck system allows the user to keep a 25mm screwdriving bit in the reception when the chuck is installed
- Extremely compact percussion drill - 192mm length with the chuck / 155mm without
- Belt clip for easy transportation
- Built in fuel gauge
- High torque - 40Nm for a wide range of applications
- Offset and right angle attachments available separately
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- Full metal planetary gears and gear housing for maximum durability
- Ideal for all application in series that required pre-drilling
- 25mm screw driving bit can be let in the reception when the attachment is installed



BBS 12C2 LI-202B	
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	40 min
Max. drilling wood/ steel (mm)	20 / 10
Chuck capacity (mm)	10
Max. torque (Nm)	32
No load speed (rpm)	0 - 400 / 0 - 1500
Standard equipment	Removable chuck, screwdriving bit, belt clip
Weight with battery pack (EPTA) (kg)	1,2
Supplied in	Tool bag
Article Number	4935446693
EAN Code	4002395136377

BBS 12C2 LI-202B



4 002395 136377

12V 2-SPEED ULTRA COMPACT PERCUSSION DRILL

BSB 12C2

- Compact hammer drill/driver measuring only 192mm
- Powerful torque of up to 40Nm (4.0Ah) for all driving applications
- FIXTEC spindle lock and keyless 10mm chuck
- 2-speed gearbox for a wide range of applications
- Industrial metal gearbox and gears for superior durability
- Built in fuel gauge and belt clip
- 3 mode selector - ease of use between applications
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- Electronic switch with variable speed



	BSB 12C2 LI-202B	BSB 12C2 LI-402B
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	2,0	4,0
No. of batteries supplied	2	2
Charger supplied	40 min	80 min
Max. drilling wood/ steel/ masonry (mm)	20 / 10 / 10	20 / 10 / 10
Chuck capacity (mm)	10	10
Max. torque (Nm)	40	40
No load speed (rpm)	0 - 400 / 0 - 1500	0 - 400 / 0 - 1500
Max. percussion rate (bpm)	22.500	22.500
Weight with battery pack (EPTA) (kg)	1,2	1,4
Supplied in	Tool bag	Tool bag
Article Number	4935443964	4935446696
EAN Code	4002395135622	4002395136384

BSB 12C2 LI-202B



4 002395 135622

BSB 12C2 LI-402B



4 002395 136384



12V COMPACT SCREWDRIVER

BS 12C2 NEW

- 17-stage torque adjustment plus additional drilling stage
- 2-speed gearbox for a wide range of applications
- Built in fuel gauge
- Belt clip
- FIXTEC spindle lock on keyless 10mm chuck
- Electronic switch with variable speed
- Built in LED light illuminates the work surface
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



	BS 12C2 LI-152B	BS 12C2 LI-202C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	1,5	2,0
No. of batteries supplied	2	2
Charger supplied	30 min	40 min
Max. drilling wood/ steel (mm)	20 / 10	20 / 10
Chuck capacity (mm)	10	10
Max. torque (Nm)	34	34
No load speed (rpm)	0 - 350 / 0 - 1500	0 - 350 / 0 - 1500
Weight with battery pack (EPTA) (kg)	1,1	1,1
Supplied in	Tool bag	Kitbox
Article Number	4935448464	4935447867
EAN Code	4002395259380	4002395135585



12V ULTRA COMPACT IMPACT DRIVER

BSS 12C

- Ultra compact impact driver measuring only 163mm
- 115Nm torque
- Industrial metal gearbox and gears for superior durability
- Built in fuel gauge
- 1/4" Hex bit reception
- Ergonomic soft-grip design
- NEW 3 beam LED for total workplace illumination
- Belt clip
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



	BSS 12C-0	BSS 12C LI-202C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2,0
No. of batteries supplied	0	2
Charger supplied	-	40 min
Max. torque (Nm)	115	115
No load speed (rpm)	0 - 2000	0 - 2000
Impact rate (ipm)	0 - 3000	0 - 3000
Tool reception	1/4" Hex	1/4" Hex
Weight with battery pack (EPTA) (kg)	1,0	1,0
Supplied in	-	Kitbox
Article Number	4935446702	4935443965
EAN Code	4002395136407	4002395135639



12V DRYWALL SCREWDRIVER

BTS 12C

- Light and small Drywall Screwdriver weighs only 1,5kg with an OAL of 254mm
- Powerful, 4000rpm motor
- A lock on trigger to work more comfortably and save runtime
- Fine adjustment nose cone for setting desired countersink levels in single screw applications +/-5 mm
- Quick release 1/4" Hex chuck allows for easy bit change
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability
- Fuel gauge displays remaining charge
- Bright LED workspace illumination
- Belt clip to hang your tool quickly and easily



	BTS 12C-0	BTS 12C LI-202C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2,0
No. of batteries supplied	0	2
Charger supplied	-	40 min
Max. torque (Nm)	3	3
No load speed (rpm)	4000	4000
Tool reception	1/4" Hex	1/4" Hex
Wood screws to (mm)	25 - 55	25 - 55
Weight with battery pack (EPTA) (kg)	-	1,5
Supplied in	Gift box	Gift box
Article Number	4935459624	4935459625
EAN Code	4058546027964	4058546027971



12V FLASHLIGHT

BLL 12 C

- Fantastic power to weight ratio
- Extra long runtime with PROLITHIUMION™ packs
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



	BLL 12C
Bulb type	LED
Battery life (continuous use) (hrs)	9
Weight with battery pack (EPTA) (kg)	0,71
Supplied in	Gift box
Article Number	4932352162
EAN Code	4002395368150



12V MULTI-TOOL

BMT12C

- The 12V multi-tool is a problem solver for the professional user
- 20.000opm enables you to work with all kind of materials
- Speed dial 1-6 for perfect control of the speed
- Lock-on switch for better comfort, no need for constant pushing
- Keyless bladechange is an easy and quick solution
- 1,5°/1,5° L/R oscillation for a clean cut
- Fuel gauge, to be aware of the power remaining
- Unique LED in multi-tool, makes working in dark areas easy
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



	BMT12C-0
Battery type	Li-ion
Standard equipment	1 x multi-tool head, accessories
Oscillation rate (opm)	20.000
Weight with battery pack (EPTA) (kg)	1,37
Supplied in	Gift box
Article Number	4935464030
EAN Code	4058546219758



12V 6.0 AH PROLITHIUM-ION™ BATTERY

L1260

- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging



	L1260
Battery type	Li-ion
Battery pack capacity (Ah)	6,0
Voltage (V)	12
Weight (kg)	0,46
Supplied in	Blister packaging
Article Number	4932459181
EAN Code	4002395288564



12V 3.0 AH PROLITHIUM-ION™ BATTERY

L1230

- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging



	L1230
Battery type	Li-ion
Battery pack capacity (Ah)	3,0
Voltage (V)	12
Weight (kg)	0,46
Supplied in	Blister packaging
Article Number	4932459180
EAN Code	4002395288557



12V 4.0 AH PROLITHIUM-ION™ BATTERY

L1240

- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Impact and vibration resistant outer shell to protect and increase the lifetime of each pack



	L1240
Battery type	Li-ion
Battery pack capacity (Ah)	4,0
Voltage (V)	12
Weight (kg)	0,46
Supplied in	Blister packaging
Article Number	4932430166
EAN Code	4002395378272



12V 2.0 AH PROLITHIUM-ION™ BATTERY

L1220

- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging



	L1220
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
Voltage (V)	12
Weight (kg)	0,24
Supplied in	Blister packaging
Article Number	4932430165
EAN Code	4002395378265



14,4V COMPACT PERCUSSION DRILL

- 3 mode selector
- Powerful new frameless motor delivering 50Nm maximum torque
- 2 speeds - 0-400 / 0-1500rpm
- FIXTEC 13mm keyless chuck
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

BSB 14C



BSB 14C LI-202C	
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	40 min
Max. drilling wood/ steel/ masonry (mm)	45 / 13 / 14
Chuck capacity (mm)	1,5 - 13
Max. torque (Nm)	50
No load speed (rpm)	0 - 400 / 0 - 1500
Max. percussion rate (bpm)	19.500
Weight with battery pack (EPTA) (kg)	1,8
Supplied in	Kitbox
Article Number	4935443974
EAN Code	4002395136025



14,4V COMPACT PERCUSSION DRILL

- Compact (190mm OAL) & powerful for completion of all jobsite applications
- 36Nm maximum torque delivers complete power
- 2 speed Gearbox 0-400 / 0-1700rpm
- 24-stage torque adjustment
- 13mm single sleeve metal chuck with full metal jaws
- 3 mode selector for ease of use between functions
- LED - for work place illumination and built in fuel gauge
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

BSB 14G3



BSB 14G3 LI-202C	
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	80 min
Max. drilling wood/ steel/ masonry (mm)	32 / 12 /
Chuck capacity (mm)	2,0 - 13
Max. torque (Nm)	36
No load speed (rpm)	0 - 400 / 0 - 1700
Max. percussion rate (bpm)	1.700
Weight with battery pack (EPTA) (kg)	1,26
Supplied in	Kitbox
Article Number	4935451532
EAN Code	4002395145690



14,4V COMPACT DRILL DRIVER

- Ultra compact drill/driver measuring 186mm in length
- Powerful new frameless motor delivering 50Nm maximum torque
- 2 speeds 0-400 / 0-1500rpm
- FIXTEC 13 mm keyless chuck
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

BS 14C



BS 14C LI-202C	
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	40 min
Max. drilling wood/ steel (mm)	45 / 13
Chuck capacity (mm)	1,5 - 13
Max. torque (Nm)	50
No load speed (rpm)	0 - 400 / 0 - 1500
Weight with battery pack (EPTA) (kg)	1,7
Supplied in	Kitbox
Article Number	4935443971
EAN Code	4002395135653



14,4V COMPACT DRILL DRIVER

- Compact (Up to 180mm OAL) & powerful for completion of all jobsite applications
- Up to 36Nm maximum torque delivers complete power
- 2 speeds 0-400 / 0-1700rpm
- 24 stage torque adjustment for complete control
- 13mm single sleeve metal chuck with full metal jaws (202C Version only)
- Built in fuel gauge (202C Version only)
- LED - for work place illumination (202C Version only)
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

BS 14G3



	BS 14G3 LI-152C	BS 14G3 LI-202C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	1,5	2,0
No. of batteries supplied	2	2
Charger supplied	60 min	80 min
Max. drilling wood/ steel (mm)	30 / 10	32 / 13
Chuck capacity (mm)	0,8 - 10	2,0 - 13
Max. torque (Nm)	36	36
No load speed (rpm)	0 - 400 / 0 - 1700	0 - 400 / 0 - 1700
Weight with battery pack (EPTA) (kg)	1,2	1,2
Supplied in	Kitbox	Kitbox
Article Number	4935451092	4935451093
EAN Code	4002395811182	4002395811199



12V COMPACT PERCUSSION DRILL

- Compact (188mm OAL) & powerful for completion of all jobsite applications
- 32Nm maximum torque delivers complete power
- 2 speed Gearbox 0-350 / 0-1500rpm
- 24-stage torque adjustment
- 10mm single sleeve chuck with full metal jaws
- 3 mode selector - ease of use between functions
- 12V 2.0Ah PROLITHIUMION™ pack delivering higher power and higher runtime

BSB 12G3



BSB 12G3 LI-202C	
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	80 min
Max. drilling wood/ steel/ masonry (mm)	30 / 10 / 10
Chuck capacity (mm)	0,8 - 10
Max. torque (Nm)	32
No load speed gear 1 (rpm)	0 - 350
No load speed gear 2 (rpm)	0 - 1500
Max. percussion rate (bpm)	20.250
Weight with battery pack (EPTA) (kg)	1,2
Supplied in	Kitbox
Article Number	4935451531
EAN Code	4002395145683



12V COMPACT DRILL DRIVER

BS 12G3

- Compact (180mm OAL) & powerful for completion of all jobsite applications
- Up to 32Nm maximum torque delivers complete power
- 2 speed Gearbox delivering 0-350 / 0-1500rpm
- 24-stage torque adjustment for complete control
- 10mm single sleeve chuck with full metal jaws
- 12V 2.0Ah PROLITHIUMION™ pack delivering higher power and higher runtime (202C Version only)
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



	BS 12G3 LI-152C	BS 12G3 LI-202C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	1,5	2,0
No. of batteries supplied	2	2
Charger supplied	60 min	80 min
Max. drilling wood/ steel (mm)	30 / 10	30 / 10
Chuck capacity (mm)	0,8 - 10	0,8 - 10
Max. torque (Nm)	32	32
No load speed (rpm)	0 - 350 / 0 - 1500	0 - 350 / 0 - 1500
Weight with battery pack (EPTA) (kg)	1,1	1,1
Supplied in	Kitbox	Kitbox
Article Number	4935451090	4935451091
EAN Code	4002395811168	4002395811175

BS 12G3 LI-152C



4 002395 811168

BS 12G3 LI-202C



4 002395 811175

3.6V INLINE SCREWDRIVER

SE 3.6

- In-line or angled handle adjustment
- 10-stage torque selection plus drill stage
- Ergonomic, modern design
- 2-speed full metal gearbox
- 1/4" Hex bit reception



	SE 3.6 LI-152C
Battery type	Li-ion
Battery pack capacity (Ah)	1,5
No. of batteries supplied	2
Charger supplied	30 min
No load speed (rpm)	200 / 600
Weight with battery pack (EPTA) (kg)	0,6
Supplied in	Kitbox
Article Number	4935413165
EAN Code	4002395197538

SE 3.6 LI-152C



4 002395 197538

OMNI^{PRO}

THIS IS HOW
REAL PROS
MULTI TASK

AEG-POWERTOOLS.EU



300W MULTI-TOOL

OMNI 300

- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2 finger switch with adjustable speed
- Range of one handed applications
- LED for work place illumination



OMNI 300 KIT1	
Power input (W)	300
Oscillation rate (opm)	20.000
Oscillation angle left/ right (°)	2,0
Standard equipment	1 x multi-tool head, accessories
Weight (kg)	2,52
Supplied in	Tool bag
Article Number	4935431790
EAN Code	4002395194995



OMNI KEYLESS MULTI TOOL HEAD

OMNI-MTX

- For applications: cutting, grout removal, rasping, sanding, scraping, polishing
- Keyless blade change system, no more allen key needed for an easy and quick solution
- Full metal head construction for more durability
- Supplied with an adaptor to fit the most common blades on the market



OMNI - MTX	
Oscillation angle left/ right (°)	2 / 2
Oscillation rate (opm)	20.000
Article Number	4935446707
EAN Code	4002395136414

OMNI MULTI-TOOL HEAD

OMNI-MT

- For applications: sawing, grout removal, rasping, shaving, sanding, scraping, filing, cutting, sharpening, polishing



OMNI - MT	
Oscillation angle left/ right (°)	1,5
Article Number	4935440700
EAN Code	4002395136417

OMNI ROTARY/DRYWALL CUTTER HEAD

OMNI-RT

- A problem solver head for the professional user, which will help them to make clean and precise curve plunge cut in drywall. Precise cut in non-ferrous metal, small and precise grinding & sanding jobs
- Up to 24.000rpm clean cut in all materials
- Adjustable depth gauge for having perfect control of the cut
- Multipurpose depth gauge: one end depth gauge, other end key to change the bit. Easy and quick solution, always by the tool, no need to lose time looking for the key
- 3,2mm reception accepts the most common accessories on the market. Can be used: cutting wheel for cutting metal. Grinding wheel for metal. Sanding wheels for wood. Drywall drill bit etc.



OMNI - RT	
No load speed (rpm)	24.000
Collet capacity (mm)	3175
Article Number	4935451311
EAN Code	4002395151295

OMNI JIGSAW HEAD

OMNI-JS

- For applications: cutting wood, laminate, thin metal and plastic
- Keyless blade change system
- Integrated dust blow
- Full metal gear case for maximum durability
- 15mm stroke length for clean and fast cuts



OMNI - JS	
Max. cutting capacity wood/ steel/ aluminium (mm)	40 / 6 / 10
Stroke length (mm)	15
No load stroke rate (spm)	0 - 3000
Article Number	4935440715
EAN Code	4002395134748



OMNI RECIPROCATING SAW HEAD

OMNI-RH

- For applications: cutting metal & plastic pipe, wood (interior, garden & exterior), plasterboard
- 13mm stroke length and up to 3000spm for fast cutting application
- Keyless blade change for perfect ergonomics



	OMNI-RH
No load stroke rate (spm)	0 - 3000
Stroke length (mm)	13
Article Number	4935440725
EAN Code	4002395134762

OMNI RIGHT ANGLE DRILLING HEAD

OMNI-RAD

- For applications: drilling wood, metal and plastic, fastening / screwdriving
- Single sleeve 10mm chuck



	OMNI-RAD
Max. drilling wood/ steel (mm)	18 / 10
Max. torque (Nm)	12
No load speed (rpm)	0 - 550
Wood screws to (mm)	4
Article Number	4935440705
EAN Code	4002395134724

OMNI RATCHET HEAD

OMNI-IR

- For applications: fastening / loosening bolts
- 3/8" reception
- 28Nm torque for up to M12 capacity of nuts
- Up to 220rpm in forward / reverse



	OMNI-IR
No load speed (rpm)	0 - 220
Tool reception	3/8" square
Max. torque (Nm)	28
Article Number	4935440720
EAN Code	4002395134755

OMNI IMPACT DRIVER HEAD

OMNI-IH

- For applications: fastening / screwdriving, drilling wood & metal
- Quick release system for easy change of bit



	OMNI-IH
Max. torque (Nm)	62
Impact rate (ipm)	0 - 3100
No load speed (rpm)	0 - 2000
Tool reception	1/2" Hex
Article Number	4935440730
EAN Code	4002395134779

WORK SMARTER

INTRODUCING THE NEW
SELF-LEVELLING LASERS

WORK ACCURATELY
SPEED DOESN'T COME AT THE EXPENSE OF ACCURACY.




WORK FASTER
YOU CAN'T AFFORD MISTAKES SO WE DON'T MAKE THEM.



GREEN LASER TECHNOLOGY

4X

MORE VISIBLE



EASY TO USE

3 YEAR TOOL WARRANTY*

*Register within 30 days of purchase. See online for more details.
AEG is a registered trademark used under license from AB Electrolux (publ).



AEG

APPLICATION GUIDE

MODEL	CLR215-B	CLG220-B	CLG220-K	CLG330-K
INCLUDES				
VISIBILITY				
PROJECTION LINES				
RANGE	15m	20m	20m	30m
IP	54	54	54	54
HORIZONTAL LEVELLING	✓	✓*	✓*	✓
VERTICAL ALIGNMENT	✓	✓*	✓*	✓
CROSS-LINE	✓	✓	✓	✓
90° PROJECTION				✓
PLUMB DOWN				✓

*both horizontal and vertical lines will be visible



3 YEAR TOOL WARRANTY*

THREE GREEN LINE LASER + PLUMB DOWN

CLG330-K

- Projects one bright horizontal line, two bright vertical lines at 90° and a plumb down. All lines can be activated individually or simultaneously
- Green Laser technology improves visibility by 4 times in all light conditions, is ideal for all job sites
- Jobsite ready working range up to 30M
- The two vertical lines cross in the ceiling and are aligned with the plumb down, this is ideal for transferring points from the floor to ceiling

Battery type	Alkaline
Range (m)	30M
Laser projection	Horizontal Line, 2 x Vertical Lines, Cross Line, Plumb Down
Laser classification	Class 2, < 1 mW
Colour of laser line	Green
Colour of plumb points	Red
Accuracy	±0.2 mm/m
Self-levelling range (°)	3
Self-levelling time (s)	3 - 5
Laser wavelength (nm)	520±10
Tripod fitting	1/4"
Standard equipment	Rotary Magnetic Wall Mount with 1/8" and 1/4" thread, Green Target Plate, 3 x AAA batteries and a Pouch
Supplied in	Gift box
Article Number	4935472255
EAN Code	4058546339012



CLG330-K




GREEN CROSS LINE LASER KIT

CLG220-K

- Projects a bright horizontal and vertical line simultaneously up to 20M
- Green Laser technology improves visibility by 4 times in all light conditions, is ideal for all job sites
- IP 54 rated with robust rubber overmold protects the housing
- Includes sturdy rotary magnetic wall mount enabling use in metallic surfaces and can be fixed to any other surface through a hang hole
- Includes sturdy ceiling bracket to be used with the magnetic wall mount, perfect when levelling suspended ceilings

Battery type	Alkaline
Range (m)	20M
Laser projection	Horizontal and Vertical line simultaneously
Laser classification	Class 2, < 1 mW
Colour of laser line	Green
Accuracy	± 0.4 mm/m
Self-levelling range (°)	3
Self-levelling time (s)	3 - 5
Laser wavelength (nm)	520 ± 10
Tripod fitting	1/4"
Standard equipment	Rotary Magnetic Wall Mount with 1/8" and 1/4" thread, Ceiling Bracket, Green Target Plate, 2 x AA Batteries and Pouch
Supplied in	Gift box
Article Number	4935472254
EAN Code	4058546339005



CLG220-K




GREEN CROSS LINE LASER

CLG220-B

- Projects a bright horizontal and vertical line simultaneously up to 20M
- Green Laser technology improves visibility by 4 times in all light conditions, is ideal for all job sites
- ON/OFF Switch with lock for secure transportation
- IP 54 rated with robust rubber overmold protects the housing
- Includes sturdy rotary magnetic wall mount enabling use in metallic surfaces and can be fixed to any other surface through a hang hole
- Quick self-levelling and a continuous blinking line will indicate when the laser is out of level
- Incline function can be activated through the top button (M) when the laser is switched OFF/lock
- 1/4" thread for tripod mounting

Battery type	Alkaline
Range (m)	20M
Laser projection	Horizontal and vertical line simultaneous
Laser classification	Class 2, < 1 mW
Colour of laser line	Green
Accuracy	±0.4mm/m
Self-levelling range (°)	3
Self-levelling time (s)	3 - 5
Laser wavelength (nm)	520±10
Tripod fitting	1/4"
Standard equipment	Rotary Magnetic Wall Mount with 1/8" and 1/4" thread, 2 x AA Batteries and Pouch
Article Number	4935472253
EAN Code	4058546338992




CLG220-B



RED CROSS LINE LASER

CLR215-B

- Projects a bright single vertical line, single horizontal line and a cross line for up to 15M
- IP 54 rated with robust rubber overmold protects the housing
- ON/OFF Switch with pendulum lock for secure transportation
- Sturdy rotary magnetic wall mount included enabling use in metallic surfaces and can be fixed to any other surface through a hang hole
- Quick self-levelling, a continuous blinking line will indicate when the laser is out of level
- Perfect alignment, accurate to ± 0.3 mm/m
- $\frac{1}{4}$ " thread for tripod mounting
- Incline function can be activated through top button when the laser is switched OFF/lock



Battery type	CLR215-B Alkaline
Range (m)	15M
Laser projection	Single vertical, single horizontal and cross line
Laser classification	Class 2, < 1 mW
Colour of laser line	Red
Accuracy	± 0.3 mm/m
Self-levelling range (°)	3
Self-levelling time (s)	3 - 5
Laser wavelength (nm)	635 \pm 5nm
Tripod fitting	$\frac{1}{4}$ "
Standard equipment	Rotary Magnetic Wall Mount with $\frac{3}{8}$ " and $\frac{1}{4}$ " thread, 2 x AA Batteries and Pouch
Supplied in	Gift box
Article Number	4935472252
EAN Code	4058546338985

CLR215-B



4 058546 338985

LASER DISTANCE METER

LMG 50

- Point and shoot system - one person measuring with only one simple press of a button
- Area, volume, height and width measurement
- Pythagoras 3 types
- Large and easy to read 3 line LCD graphical display with automatic white backlight
- Measuring pin for corner measurement
- Memory recall for last 10 measurements
- IP54 water & dust protection
- Extremely slim LDM
- Rubber overmold for perfect handling
- Large rising buttons with intuitive positioning
- Belt clip makes it easy to carry and to hold in the pocket
- Addition/subtraction function for adding measures of areas and volumes
- 3 points of measures: from the back, front or back end pin
- Indirect surface measurement



Battery type	LMG 50 2 x AAA
No. of batteries supplied	2
IP protection class	IP 54
Max. measurement range (m)	50
Pythagoras function	3 - point
Weight with battery pack (EPTA) (kg)	1.0
Supplied in	Blister packaging
Article Number	4935447680
EAN Code	4002395294275

LMG 50



4 002395 294275

AEG

AC HAMMER
RANGE

SDS-PLUS ROTARY HAMMER

BH 24IE

- Powerful 800 watt motor
- 24mm drilling capacity in concrete
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and reverse mechanism
- Soft-grip handle for comfort
- Supplied with a side handle, metal depth gauge and a 4m cable

	BH 24IE
Power input (W)	800
No load speed (rpm)	0 - 1500
Full load hammer action (bpm)	0 - 4500
Blow energy (EPTAXJ)	2,4
Max. drilling wood/ steel/ concrete (mm)	30 / 13 / 24
Tool reception	SDS-Plus
FIXTEC™	No
Supplied in	Kitbox
Weight (kg)	2,8
Article Number	4935451558
EAN Code	4002395145201



BH 24IE



4 002395 145201

SDS-PLUS COMBI HAMMER

KH 24IE

- Powerful 800 watt motor
- 24mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and Reverse mechanism
- Soft grip handle for comfort

	KH 24IE
Power input (W)	800
No load speed (rpm)	0 - 1500
Full load hammer action (bpm)	0 - 4500
Blow energy (EPTAXJ)	2,4
Max. drilling wood/ steel/ concrete (mm)	30 / 13 / 24
Tool reception	SDS-Plus
FIXTEC™	No
Supplied in	Kitbox
Weight (kg)	2,8
Article Number	4935451555
EAN Code	4002395144570



KH 24IE



4 002395 144570

SDS-PLUS ROTARY HAMMER

KH 24IXE

- Powerful 800 watt motor
- 24mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- FIXTEC quick change chuck
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and reverse mechanism
- Soft-grip handle for comfort
- Supplied with a side handle, FIXTEC adaptor and keyless chuck, metal depth gauge and a 4m cable

	KH 24IXE
Power input (W)	800
No load speed (rpm)	0 - 1500
Full load hammer action (bpm)	0 - 4500
Blow energy (EPTAXJ)	2,4
Max. drilling wood/ steel/ concrete (mm)	30 / 13 / 24
Tool reception	SDS-Plus
FIXTEC™	Yes
Supplied in	Kitbox
Weight (kg)	2,8
Article Number	4935451553
EAN Code	4002395144556



KH 24IXE



4 002395 144556

SDS-PLUS COMBI HAMMER

KH 26E

- Powerful 800 watt motor
- 26mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and reverse mechanism
- Soft-grip handle for comfort
- Supplied with a side handle, metal depth gauge and a 4m cable



	KH 26E	KH 26XE
Power input (W)	800	800
No load speed (rpm)	0 - 1500	0 - 1500
Full load hammer action (bpm)	0 - 4500	0 - 4500
Blow energy (EPTAXJ)	2,5	2,5
Max. drilling wood/ steel/ concrete (mm)	30 / 13 / 26	30 / 13 / 26
Tool reception	SDS-Plus	SDS-Plus
FIXTEC™	No	Yes
Supplied in	Kitbox	Kitbox
Weight (kg)	2,6	2,8
Article Number	4935428180	4935428910
EAN Code	4002395194360	4002395194681

KH 26E



4 002395 194360

KH 26XE



4 002395 194681

SDS-PLUS COMBI HAMMER

KH 28 Super XE

- Powerful 1010 watt motor
- 28mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Soft hammer mode reduces blow energy and speed for drilling/chiselling in sensitive materials
- FIXTEC quick change tool system
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Soft-grip handle for comfort
- Electronic overload protection
- No load speed limitation
- Supplied with a side handle, FIXTEC adaptor and keyless chuck, metal depth gauge and a 4 m cable



	KH 28 Super XE
Power input (W)	1010
No load speed (rpm)	0 - 1500
Full load hammer action (bpm)	0 - 5000
Blow energy (EPTAXJ)	2,8
Max. drilling wood/ steel/ concrete (mm)	30 / 13 / 28
Tool reception	SDS-Plus
FIXTEC™	Yes
Supplied in	Kitbox
Weight (kg)	2,8
Article Number	4935428190
EAN Code	4002395194377

KH 28 Super XE



4 002395 194377



SDS-PLUS COMBI HAMMER

PN 3500X

- Powerful 750 watt motor
- 30mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Soft hammer mode reduces blow energy and speed for controlled drilling in masonry
- FIXTEC quick change tool system
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Safety clutch for user protection
- Hammer action stop for drilling in wood or metal
- Supplied with a side handle, FIXTEC adaptor and keyed chuck, metal depth gauge and a 4m cable

	PN 3500X	PN 3500
Power input (W)	750	750
No load speed (rpm)	0 - 970	0 - 970
Full load hammer action (bpm)	0 - 4200	0 - 4200
Blow energy (EPTA)(J)	3,4	3,4
Max. drilling wood/ steel/ concrete (mm)	40 / 16 / 30	40 / 16 / 30
Tool reception	SDS-Plus	SDS-Plus
FIXTEC™	Yes	No
Supplied in	Kitbox	Kitbox
Weight (kg)	3,6	3,4
Article Number	4935412210	4935412152
EAN Code	4002395198337	4002395198306



SDS-MAX TRADESMANN CHIPPING HAMMER

MH 5G

- Powerful 1100 watt motor
- 7.5J EPTA blow energy
- 2 mode SDS-Max chipping hammer
- Multi position chisel function gives 12 different positions to optimize working angle
- Robust magnesium gear housing for tough environments
- Low vibration construction enhances usage time per day
- Soft grip side handle
- Supplied with a side handle and a 4m cable

	MH 5G
Power input (W)	1100
Full load hammer action (bpm)	0 - 3000
Blow energy (EPTA)(J)	7,5
Tool reception	SDS-Max
Supplied in	Kitbox
Weight (kg)	5,9
Article Number	4935443170
EAN Code	4002395135462



SDS-MAX COMBI HAMMER

KH 5G

- Powerful 1100 watt motor
- 7.5J EPTA blow energy
- 40mm drilling capacity in concrete
- Rotary stop for chiselling applications
- Safety clutch for user protection
- Soft start for precise start of drilling/chiselling
- Supplied with a side handle, metal depth gauge, grease and a 4m cable

	KH 5G
Power input (W)	1100
No load speed (rpm)	0 - 450
Full load hammer action (bpm)	0 - 3000
Blow energy (EPTA)(J)	7,5
Max. drilling concrete/core bit/tunnel drill bit (mm)	40 / 105 / 65
Tool reception	SDS-Max
Supplied in	Kitbox
Weight (kg)	6,4
Article Number	4935418160
EAN Code	4002395133062



SDS-MAX DEMOLITION HAMMER

MH 5E

- Powerful 1200 watt motor
- 8.5J impact energy for effortless chipping
- Soft hammer mode reduces blow energy for chiselling in sensitive materials
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Soft start for precise start of chiselling
- Service light provides in-time notice in the case of worn out brushes
- Power light indicates if the tool is live
- Supplied with a D front handle, grease and a 6m cable

	MH 5E
Power input (W)	1500
Full load hammer action (bpm)	0 - 2700
Blow energy (EPTA)(J)	10,5
Max. drilling concrete (mm)	45
Tool reception	SDS-Max
Supplied in	Kitbox
Weight (kg)	7,3
Article Number	4935459422
EAN Code	4058546010836



SDS-MAX COMBI HAMMER

KH 5E

- Powerful 1200 watt motor
- 40mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Soft hammer mode reduces blow energy and speed for drilling/chiselling in sensitive materials
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Safety clutch for user protection
- Soft start for precise start of drilling/chiselling
- Service light provides in-time notice in the case of worn out brushes
- Power light indicates if the tool is live
- Supplied with a side handle, metal depth gauge, grease and a 6m cable

	KH 5E
Power input (W)	1200
No load speed (rpm)	0 - 300
Full load hammer action (bpm)	0 - 2840
Blow energy (EPTA)(J)	8,5
Max. drilling concrete/core bit/tunnel drill bit (mm)	40 / 90 / 65
Tool reception	SDS-Max
Supplied in	Kitbox
Weight (kg)	6,6
Article Number	4935412326
EAN Code	4002395198603



SDS-MAX DEMOLITION HAMMER

MH 7E

- Powerful 1500 watt motor
- 10.5J impact energy for stronger chipping applications
- Soft hammer mode for reducing the blow energy by working on sensitive materials
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Soft start for precise start of chiselling
- Service lights provide in-time notice in case of worn out brushes
- Power light indicates if the tool is live

	MH 7E
Power input (W)	1200
Full load hammer action (bpm)	0 - 2840
Blow energy (EPTA)(J)	8,5
Tool reception	SDS-Max
Max. drilling concrete (mm)	40
Supplied in	Kitbox
Weight (kg)	6,2
Article Number	4935412361
EAN Code	4002395198795



SDS-MAX CHIPPING HAMMER

KH 7E

- Powerful 1500 watt motor
- 10.5J impact energy for stronger chipping applications
- Soft hammer mode for reducing the blow energy by working on sensitive materials
- 3 mode selector switch (1-Hammer drilling / 2-Chisel lock off), allows to lock chisel in 12 different positions
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Soft start for precise start of chiseling
- Service lights provides in-time notice in case of worn out brushes
- Power light indicates if electricity flows



	KH 7E
Power input (W)	1500
No load speed (rpm)	0 - 300
Full load hammer action (bpm)	0 - 2700
Max. drilling concrete (mm)	45
Blow energy (J)	10,5
Tool reception	SDS-Max
Supplied in	Kitbox
Weight (kg)	7,3
Article Number	4935459609
EAN Code	4058546027810

KH 7E



4 058546 027810

SDS-MAX LARGE DEMOLITION HAMMER

PM 10E

- Powerful 1600 watt motor
- 20J impact energy for heavy demolition applications
- Variable speed electronics for control
- No load speed limitation
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Soft start for precise start of chiselling
- Service light provides in-time notice in the case of worn out brushes
- Automatic cut out carbon brushes
- Soft-grip on handles for comfort
- Supplied with a D front handle, grease and a 6m cable



	PM 10E
Power input (W)	1600
Full load hammer action (bpm)	975 - 1950
Blow energy (EPTAX/J)	20
Max. drilling concrete (mm)	50
Tool reception	SDS-Max
Supplied in	Kitbox
Weight (kg)	11,0
Article Number	4935412418
EAN Code	4002395198832

PM 10E



4 002395 198832

SDS-MAX LARGE COMBI HAMMER

PN 11E

- Powerful 1700 watt motor
- 20J impact energy for heavy demolition applications
- 50mm drilling capacity into concrete
- Variable speed electronics for control
- No load speed limitation
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Safety clutch for user protection
- Soft start for precise start of drilling/chiselling
- Service light provides in-time notice in the case of worn out brushes
- Automatic cut out carbon brushes



	PN 11E
Power input (W)	1700
No load speed (rpm)	125 - 250
Full load hammer action (bpm)	975 - 1950
Blow energy (EPTAX/J)	20
Max. drilling concrete/core bit/tunnel drill bit (mm)	50 / 150 / 80
Tool reception	SDS-Max
Supplied in	Kitbox
Weight (kg)	11,8
Article Number	4935412440
EAN Code	4002395198931

PN 11E



4 002395 198931

AEG

AC DRILLING
RANGE

2-SPEED PERCUSSION DRILL

- 1100 watt powerful 2 speed percussion drill
- Anti vibration system for better comfort of use
- Large metal gear case for maximum durability
- 13mm metal chuck
- Ergonomic soft-grip design for comfort

SB2E 1100 RV	
Power input (W)	1100
No load speed (rpm)	0 - 1000 / 0 - 3200
Max. drilling wood/ steel/ masonry/ concrete (mm)	40 / 16 / 24 / 22
Max. torque (Nm)	60
Chuck capacity (mm)	13
Chuck type	Keyless
Supplied in	Kitbox
Weight (kg)	2,9
Article Number	4935447375
EAN Code	4002395294176

SB2E 1100 RV



SB2E 1100 RV



2-SPEED PERCUSSION DRILL

- 850 watt powerful 2 speed percussion drill
- 10mm shorter than the previous version (235mm OAL)
- Large switch with speed dial for stationary drilling or light mixing
- Large metal gear case for maximum durability
- 13mm metal chuck
- Ergonomic soft-grip design for comfort

SB2E 850 R	
Power input (W)	850
No load speed (rpm)	0 - 1000 / 0 - 3000
Max. drilling wood/ steel/ masonry/ concrete (mm)	40 / 13 / 22 / 20
Max. torque (Nm)	56
Chuck capacity (mm)	13
Chuck type	Keyless
Supplied in	Kitbox
Weight (kg)	2,7
Article Number	4935447360
EAN Code	4002395294152

SB2E 850 R



SB2E 850 R



HIGH TORQUE PERCUSSION DRILL

- Compact and powerful 750 watt high torque percussion drill
- 62Nm torque delivers complete power
- IMB - Integrated-Metal-Block technology for highest durability and stability
- 2-speed gearbox with synchromesh gear lever
- Variable speed control with speed dial, forward and reverse mechanism
- Easy access to carbon brushes via removal of soft-grip rubber
- Hammer action stop for rotary drilling
- 13mm metal keyless chuck
- Supplied with a side handle, metal depth gauge and a 4m cable

	SB2E 750 RX ST	SB2E 750 R ST
Power input (W)	750	750
No load speed (rpm)	0 - 1200 / 0 - 3400	0 - 1200 / 0 - 3.400
Max. drilling wood/ steel/ masonry/ concrete (mm)	40 / 13 / 22 / 20	40 / 13 / 22 / 20
Max. torque (Nm)	62	62
Chuck capacity (mm)	13	13
Chuck type	Keyless	Keyless
Supplied in	Kitbox	Kitbox
Weight (kg)	2,5	2,5
Article Number	4935412853	4935412839
EAN Code	4002395192779	4002395192700

SB2E 750 RX ST



SB2E 750 RX ST



SB2E 750 R ST



1-SPEED PERCUSSION DRILL

- Compact and powerful 750 watt motor
- Speed dial and lock on trigger button for stationary drilling
- High drilling speed at 3000rpm
- IMB design for more durability
- Reinforced 2 sleeve 13mm chuck
- Rubber overmold with micro texture for a perfect handling

	SBE 750 RE	SBE 750 RZ
Power input (W)	750	750
No load speed (rpm)	0 - 3000	0 - 3000
Max. drilling wood/ steel/ masonry/ concrete (mm)	30 / 13 / 20 / 16	30 / 13 / 20 / 16
Max. torque (Nm)	27	27
Chuck capacity (mm)	1,5 - 13	1,5 - 13
Chuck type	Keyless	Keyed
Supplied in	Kitbox	Tool bag
Weight (kg)	1,9	1,9
Article Number	4935442850	4935442840
EAN Code	4002395247875	4002395247868

SBE 750 RE



SBE 750 RE



SBE 750 RZ



1-SPEED PERCUSSION DRILL

- Powerful 705 watt motor
- Speed dial on the switch with lock on button
- Fast drilling speed at 2800rpm
- IMB design for more durability
- High quality 13mm metal chuck
- Rubber overmold with micro texture for a perfect handling

SBE 705 RE	
Power input (W)	705
No load speed (rpm)	0 - 2800
Max. drilling wood/ steel/ masonry/ concrete (mm)	30 / 13 / 20 / 15
Max. torque (Nm)	25
Chuck capacity (mm)	13
Chuck type	Keyless
Supplied in	Tool bag
Weight (kg)	1,9
Article Number	4935442830
EAN Code	4002395247851

SBE 705 RE



SBE 705 RE



DRY DIAMOND DRILL

DB 1500-2 XE

- Powerful 1500 watt motor
- High performance 2-speed dry diamond drill
- Dual protection with interlinked mechanical and electronic clutches for safety
- Robust construction and full metal gearbox for durability
- 2-speed gear box
- Electronics with soft start for precision drilling and motor overload protection
- Soft hammer mode
- Supplied with a handle



	DB 1500-2XE
Power input (W)	1500
No load speed (rpm)	0 - 1500 / 0 - 3000
Spindle size	M 18 x 2,5
Max. drilling masonry (mm)	162
Supplied in	Kitbox
Weight (kg)	4,2
Article Number	4935412475
EAN Code	4002395198955

DB 1500-2XE



4 002395 198955

WALL CHASER

MFE 1500

- Powerful 1500 watt motor
- Electronics with thermal overload protection and soft start
- Variable and adjustable cutting depth for accurate results
- Variable cutting width for versatility
- Bayonet adaptor for dust extraction
- Spindle lock
- Supplied with a 4m cable, special break out chisel, front handle, suction adaptor and a spanner



	MFE 1500
Power input (W)	1500
Disc diameter (mm)	125
No load speed (rpm)	0 - 8600
Cutting width (mm)	8 - 30
Supplied in	Kitbox
Weight (kg)	4,1
Article Number	4935413605
EAN Code	4002395192809

MFE 1500



4 002395 192809

DRYWALL SCREWDRIVER

S 4000E

- Powerful 720 watt motor for increased productivity
- Compact high speed screwdriver for drywall applications
- Full metal gearbox for durability
- Easily adjustable depth-setting nosepiece for consistent fastener depth
- Forward and reverse mechanism
- Ergonomic design and soft-grip for comfortable handling
- 1/4" Hex bit reception
- Belt clip
- Supplied with a depth gauge, bit holder, PH 2 bit, belt clip and a 4m cable



	S 4000E
Power input (W)	720
No load speed (rpm)	0 - 4000
Drywall screws [mm]	5
Max. torque (Nm)	7
Tool reception	1/4" Hex
Supplied in	No kitbox or bag supplied
Weight (kg)	1,4
Article Number	4935413215
EAN Code	4002395197637

S 4000E



4 002395 197637

AEG

AC METALWORKING RANGE



SMALL ANGLE GRINDER

WS 8-115 S

- Powerful 800 watt motor
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Metal gearbox for durability
- Directed air exhaust
- Gear head rotates at 90° intervals for added versatility
- Flat metal gear head for excellent visibility of work piece and optimised cutting depth
- Protected air inlets
- Spindle lock
- Supplied with an additional handle, flange, flange nut and spanner



	WS 8-115S
Power input (W)	800
No load speed (rpm)	12.000
Max. cutting depth (mm)	26
Disc diameter (mm)	115
Spindle size	M14
Weight (kg)	1,9
Supplied in	Gift box
Article Number	4935451293
EAN Code	4002395150519



SMALL ANGLE GRINDER

WS 8-125 S

- Powerful 800 watt motor
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Metal gearbox for durability
- Directed air exhaust
- Gear head rotates at 90° intervals for added versatility
- Flat metal gear head for excellent visibility of work piece and optimised cutting depth
- Protected air inlets
- Spindle lock
- Supplied with an additional handle, flange, flange nut and spanner



	WS 8-125SK	WS 8-125S
Power input (W)	800	800
No load speed (rpm)	12.000	12.000
Max. cutting depth (mm)	31	31
Disc diameter (mm)	125	125
Spindle size	M14	M14
Weight (kg)	1,9	1,9
Supplied in	Kitbox	Gift box
Article Number	4935451298	4935451296
EAN Code	4002395150564	4002395150540



SMALL ANGLE GRINDER

WS 10-115 S

- Powerful 1000 watt motor with outstanding performance
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and working in restricted areas
- Optimised cooling slots prevent overheating, even when blocked occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Spindle lock
- Supplied with a AVS side handle, keyless safety guard, flange, flange nut and spanner



	WS 10-115 S
Power input (W)	1000
No load speed (rpm)	11.500
Max. cutting depth (mm)	26
Disc diameter (mm)	115
Spindle size	M14
Weight (kg)	2,3
Supplied in	-
Article Number	4935451300
EAN Code	4002395150588



SMALL ANGLE GRINDER

WS 10-125 S

- Powerful 1000 watt motor with outstanding performance
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocking occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Spindle lock
- Supplied with a AVS side handle, keyless safety guard, flange, flange nut and spanner



	WS 10-125 S	WS 10-125 SK
Power input (W)	1000	1000
No load speed (rpm)	11.500	11.500
Max. cutting depth (mm)	31	31
Disc diameter (mm)	125	125
Spindle size	M14	M14
Weight (kg)	2,3	2,3
Supplied in	Gift box	Kitbox
Article Number	4935451302	4935451303
EAN Code	4002395151202	4002395151219



SMALL ANGLE GRINDER

WS 12-125 S

- Powerful 1200 watt motor with outstanding performance
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocked occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Spindle lock
- Supplied with an AVS side handle, keyless safety guard, flange, flange nut and spanner



	WS 12-125 SK	WS 12-125 S
Power input (W)	1200	1200
No load speed (rpm)	11.500	11.500
Max. cutting depth (mm)	31	31
Disc diameter (mm)	125	125
Spindle size	M14	M14
Weight (kg)	2,4	2,4
Supplied in	Kitbox	Gift box
Article Number	4935451307	4935451306
EAN Code	4002395151257	4002395151240



SMALL ANGLE GRINDER

WS 13-125 SXE

- Powerful 1300 watt motor with outstanding performance
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Variable speed electronics for lower speed setting especially in finishing applications
- Constant speed for best performance and high torque, even in lower speed applications
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocked occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment



	WS 13-125 SXE	WS 13-125 SXEK
Power input (W)	1300	1300
No load speed (rpm)	2800 - 11.500	2800 - 11.500
Max. cutting depth (mm)	31	31
Disc diameter (mm)	125	125
Spindle size	M14	M14
Weight (kg)	2,4	2,4
Supplied in	Gift box	Kitbox
Article Number	4935451309	4935451310
EAN Code	4002395151271	4002395151288



LARGE ANGLE GRINDER

WS 15-125 SX

- Powerful 1520 watt motor
- DIGITRONIC with constant speed electronics, soft start, motor overload protection and no load speed limitation
- FIXTEC - patented nut for fast and easy disc changing
- Automatic cut-off, easy change carbon brushes
- Flat metal gear head for excellent visibility of work piece and optimised cutting depth
- Epoxy coating field and armature - combat abrasive dust to increase tool lifetime
- New "snap-in" safety guard for keyless adjustment
- Spindle lock, with safety mechanism
- Large surface safety switch



	WS 15-125 SX
Power input (W)	1520
No load speed (rpm)	2.600 - 11.000
Max. cutting depth (mm)	31
Disc diameter (mm)	125
Spindle size	M14
Weight (kg)	2,5
Supplied in	Gift box
Article Number	4935455100
EAN Code	4002395247264



LARGE ANGLE GRINDER

WS 22-180

- Powerful 2200 watt motor with powder field coating for long life time and outstanding performance in all applications
- Extreme compact design with an overall short length of 485mm and 5.1kg for most comfortable handling
- Line lock out function to prevent automatic start up after power loss
- Soft start for smooth start up
- Burst resistant keyed safety guard
- External brush doors for easy access to the brushes for fast servicing
- Supplied with a cable, wrench, flange, flange nut, anti-vibration addition handle and a safety guard



	WS 22-180 E
Power input (W)	2200
No load speed (rpm)	8500
Max. cutting depth (mm)	45
Disc diameter (mm)	180
Spindle size	M14
Deadman switch	No
Weight (kg)	5,1
Supplied in	Gift box
Article Number	4935431690
EAN Code	4002395194858



LARGE ANGLE GRINDER

WS 22-230

- Powerful 2200 watt motor with powder field coating for long life time and outstanding performance in all applications
- Extremely compact design with an overall short length of 485mm and 5.1kg for most comfortable handling
- Line lock out function to prevent automatic startup after power loss
- Burst resistant keyed safety guard
- External brush doors for easy access to the brushes for fast servicing
- Supplied with a cable, wrench, flange, flange nut, anti-vibration additional handle and a safety guard



	WS 22-230 E	WS 22-230 DMS
Power input (W)	2200	2200
No load speed (rpm)	6600	6600
Max. cutting depth (mm)	68	68
Disc diameter (mm)	230	230
Spindle size	M14	M14
Deadman switch	No	Yes
Weight (kg)	5,2	5,2
Supplied in	Gift box	Gift box
Article Number	4935431720	4935431730
EAN Code	4002395194889	4002395194902



LARGE ANGLE GRINDER

WS 24-230 GEV

- Powerful 2400 watt motor with powder field coating for long life time and outstanding performance in all applications
- Extremely compact design with an overall short length of 515mm and 5.6kg for most comfortable handling
- Line lock out function to prevent automatic start up after power loss
- Soft start for smooth start up
- Burst resistant quick release safety guard for easy adjustment
- AVS equipped motor housing and 2-positions Anti-vibration side handle for less vibrations
- 7 step rotating main handle and large soft grip area for most comfortable handling
- External brush doors for easy access to the brushes for fast servicing
- 4m rubber cable
- Supplied with a wrench, flange, flange nut, anti-vibration additional handle and a safety guard



	WS 24-230 GEV	WS 24-230 GV DMS
Power input (W)	2400	2400
No load speed (rpm)	0 - 6600	0 - 6600
Max. cutting depth (mm)	68	68
Disc diameter (mm)	230	230
Spindle size	M14	M14
Deadman switch	No	Yes
Weight (kg)	5,6	5,6
Supplied in	Kitbox	Kitbox
Article Number	4935431765	4935431775
EAN Code	4002395194964	4002395194971




THE PROCESS

FIXTEC NUTS



1




2



3

12
SEC



DIE GRINDER

GS 500 E

- High speed, one handed die grinder
- Variable speed electronic
- Automatic cut-off carbon brushes
- High rotation precision metal gearbox
- Weight only 1.3kg
- Ergonomic switch
- Supplied with a key, 6mm collet and a 4m cable



	GS 500 E
Power input (W)	500
No load speed (rpm)	10.000 - 29.000
Collet capacity (mm)	6
Max. grinding wheel diameter (mm)	40
Max. grinding pin diameter (mm)	20
Weight (kg)	1,3
Supplied in	Gift box
Article Number	4935412985
EAN Code	4002395192939

GS 500 E



4 002395 192939

DIE GRINDER

GSL 600 E

- Variable speed electronics
- Long spindle for easy access to awkward places
- Double bearing spindle seating for smooth rotation
- Automatic cut-off carbon brushes
- High rotation precision metal gearbox
- Weight only 1.9kg
- Ergonomic switch
- Supplied with a key, 6mm collet and a 4m cable



	GSL 600 E
Power input (W)	600
No load speed (rpm)	10.000 - 29.000
Collet capacity (mm)	6
Max. grinding wheel diameter (mm)	40
Max. grinding pin diameter (mm)	20
Weight (kg)	1,9
Supplied in	Gift box
Article Number	4935412965
EAN Code	4002395192946

GSL 600 E



4 002395 192946

POLISHER

PE 150

- 1200 watt polisher
- Variable speed electronics for various materials and finishes
- Special gearing for high spindle torque and ideal polishing speed
- Automatic cut-off carbon brushes
- Externally accessible brushes for easy replacement
- Spindle lock
- Large 3 finger switch
- Supplied with a 4m cable, additional handle, cap and a backing pad



	PE 150
Power input (W)	1200
No load speed (rpm)	900 - 2500
Disc diameter (mm)	150
Spindle size	M14
Weight (kg)	2,1
Supplied in	Gift box
Article Number	4935412266
EAN Code	4002395198443

PE 150



4 002395 198443



RIGHT ANGLE SANDER

SE 12-180

- 1200 watt sander with full wave electronics
- Variable speed electronics for various materials and finishing
- High motor torque and optimum speed range for sanding, especially for fine surface work
- Automatic cut-off carbon brushes
- Externally accessible brushes for easy replacement
- Spindle lock
- Large 3 finger switch
- Supplied with a 4m cable, additional handle with guard, flange nut and a flexible backing pad



	SE 12-180
Power input (W)	1200
No load speed (rpm)	1800 - 4800
Disc diameter (mm)	180
Spindle size	M14
Weight (kg)	2,5
Supplied in	Gift box
Article Number	4935412279
EAN Code	4002395198481

SE 12-180



4 002395 198481

METAL CHOPSAW

SMT 355

- Powerful 2300 watt motor
- - 45°/0°/45° mitre capacity with quick release mitre clamp
- Spindle lock for easy wheel and accessory changing
- Deflector protects the user from sparks
- Oversize guard for added safety
- On board wrench storage
- Rubber feet for greater stability
- Replaceable carbon brushes
- Supplied with a 4m cable, 355mm cutting disc and a spanner



	SMT 355
Power input (W)	2300
No load speed (rpm)	4280
Wheel size (mm)	355
Bore size (mm)	25,4
Weight (kg)	16,5
Supplied in	Gift box
Article Number	4935411770
EAN Code	4002395129638

SMT 355



4 002395 129638



AEG

AC WOODWORKING
RANGE

300W MULTI-TOOL

OMNI 300

- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2 finger switch with adjustable speed
- Range of one handed applications
- LED for work place illumination



OMNI 300 KIT1	
Power input (W)	300
Oscillation rate (opm)	20.000
Oscillation angle left/ right (°)	2,0
Standard equipment	1 x multi-tool head, accessories
Weight (kg)	2,52
Supplied in	Tool bag
Article Number	4935431790
EAN Code	4002395194995



4 002395 194995

1600W, 190MM CIRCULAR SAW

KS 66-2

- Powerful 1600 watt motor
- 0-56 degree bevel capacity with 45 degree positive stop
- Durable and stable die cast shoe and guard
- Large action levers for easy operating
- Micro texture grip on front and back handle
- 4m cable
- Dust port with DEK 26 connection to our AEG dust extractors



KS 66-2	
Power input (W)	1600
Blade diameter (mm)	190
Bevel capacity (°)	56
Max. cutting depth 45° (mm)	47
Max. cutting depth 90° (mm)	63
No load speed (rpm)	0 - 5800
Arbor size (mm)	30
Weight (kg)	4,8
Supplied in	Tool bag
Article Number	4935446675
EAN Code	4002395136339



4 002395 136339

1500W, 190MM CIRCULAR SAW

KS 15-1

- Powerful 1500 watt motor
- 64mm Max depth of cut
- 0 - 45° bevel capacity
- Durable die cast shoe and guard
- Large action levers for easy operating
- Micro texture grip for use comfort
- 2m cable
- Dust port extraction point



KS 15-1	
Power input (W)	1500
Blade diameter (mm)	190
Bevel capacity (°)	56
Max. cutting depth 45° (mm)	47
Max. cutting depth 90° (mm)	62
No load speed (rpm)	0 - 5000
Arbor size (mm)	30
Weight (kg)	4,2
Supplied in	Gift box
Article Number	4935472007
EAN Code	4058546324032



4 058546 324032

1200W, 190MM CIRCULAR SAW

KS 12-1

- Powerful 1200 watt motor
- 64mm max depth of cut
- 0 - 45° bevel capacity
- Durable steel shoe and die cast guard
- Large action levers for easy operating
- Micro texture grip for comfortable use
- 2m cable
- Dust port extraction point



KS 12-1	
Power input (W)	1200
Blade diameter (mm)	190
Bevel capacity (°)	51,5
Max. cutting depth 45° (mm)	47
Max. cutting depth 90° (mm)	62
No load speed (rpm)	0 - 5000
Arbor size (mm)	30
Weight (kg)	3,7
Supplied in	Gift box
Article Number	4935472006
EAN Code	4058546324025



4 058546 324025

TOPHANDLE JIGSAW

STEP 1200BX

- Powerful 600 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 4 - stage pendulum adjustment
- Variable speed electronics for control
- Ergonomic top handle design with integrated soft-grip
- Sawdust blower keeps cutting line clear for accuracy
- Base plate can be moved backwards for sawing close to edges and for precise mitre cuts to 45°
- Supplied with a 4 m cable, blade, anti-splintering guard, sliding shoe, dust cap and a suction adaptor



STEP 1200BX	
Power input (W)	600
No load stroke rate (spm)	500 - 3000
Mitre capacity (°)	45
Stroke length (mm)	26
Pendulum settings	4
Max. cutting capacity wood/ steel/ aluminium (mm)	110 / 10 / 30
Weight (kg)	2,4
Supplied in	Kitbox
Article Number	4935412819
EAN Code	4002395192694



4 002395 192694

TOPHANDLE JIGSAW

STEP 100X

- Tophandle jigsaw with a new powerful 700 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 6-different speed settings for better cutting control
- Better ergonomic design with integrated soft-grip
- Dust extraction port
- Dust blower keeps cut line clear for accuracy
- Keyless adjustment of the base plate for cutting close to edges and for precise Bevel cuts up to 45°
- Supplied with a 4m cable, blade, anti-splintering guard and dust cap



STEP 100X	
Power input (W)	700
No load stroke rate (spm)	1000 - 3200
Mitre capacity (°)	45
Stroke length (mm)	20
Pendulum settings	4
Max. cutting capacity wood/ steel/ aluminium (mm)	100 / 10 / 20
Weight (kg)	2,3
Supplied in	Kitbox
Article Number	4935451000
EAN Code	4002395136513



4 002395 136513



TOPHANDLE JIGSAW

- Tophandle jigsaw with a new powerful 700 watt motor
- 6-different speed settings for better cutting control
- Better ergonomic design with integrated soft-grip
- Dust extraction port
- Dust blower keeps cut line clear for accuracy
- Supplied with a 4m cable, blade, anti-splintering guard and dust cap

STEP 100	
Power input (W)	700
No load stroke rate (spm)	1000 - 3200
Mitre capacity (°)	45
Stroke length (mm)	20
Pendulum settings	4
Max. cutting capacity wood/ steel/ aluminium (mm)	100 / 10 / 20
Weight (kg)	2,2
Supplied in	Gift box
Article Number	4935451001
EAN Code	4002395136520



STEP 100



TOPHANDLE JIGSAW

- Tophandle jigsaw with a new powerful 700 watt motor
- 6-different speed settings for better cutting control
- Better ergonomic design with integrated soft-grip
- Dust extraction port
- Dust blower keeps cut line clear for accuracy
- Supplied with a 4m cable, blade, anti-splintering guard and dust cap

STEP 80	
Power input (W)	700
No load stroke rate (spm)	1000 - 3200
Mitre capacity (°)	45
Stroke length (mm)	20
Pendulum settings	4
Max. cutting capacity wood/ steel/ aluminium (mm)	80 / 10 / 20
Weight (kg)	2,2
Supplied in	Gift box
Article Number	4935451161
EAN Code	4002395138302



STEP 80



BODYGRIP JIGSAW

- Powerful 730 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 4 - stage pendulum adjustment
- Variable speed selection for correct speed to match the material and blade
- Soft start prevents sudden kick back of machine on start up
- Integrated electronics allows constant speed under load
- Ergonomic and very slim body grip design with integrated soft-grip zone
- Dust extraction port
- Sawdust blower keeps cutting line clear for accuracy
- Adjustable dust extraction (front or back) over switch
- Base plate can be moved backwards for cutting close to edges and for precise mitre cuts to 45°
- Supplied with a 4m cable, 1 saw blade, anti-splintering guard, dust cap and a suction adaptor

STEP 1200XE	
Power input (W)	730
No load stroke rate (spm)	500 - 3000
Mitre capacity (°)	45
Stroke length (mm)	26
Pendulum settings	4
Max. cutting capacity wood/ steel/ aluminium (mm)	135 / 10 / 30
Weight (kg)	2,4
Supplied in	Kitbox
Article Number	4935412878
EAN Code	4002395192762



STEP 1200XE



BODYGRIP JIGSAW

- Powerful 705 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 4 - stage pendulum adjustment
- Variable speed electronics for control
- Ergonomic slimline bodygrip design with integrated soft grip
- Dust extraction port
- Dust blower keeps cut line clear for accuracy
- Base plate can be moved backwards for cutting close to edges
- Supplied with a 4m cable, blade, anti-splintering guard, sliding shoe and a dust cap

ST 800XE	
Power input (W)	705
No load stroke rate (spm)	600 - 2700
Mitre capacity (°)	45
Stroke length (mm)	26
Pendulum settings	4
Max. cutting capacity wood/ steel/ aluminium (mm)	110 / 10 / 25
Weight (kg)	2,3
Supplied in	Kitbox
Article Number	4935412950
EAN Code	4002395192892



ST 800XE



PALM JIGSAW

- Powerful 440 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- LED light for cut line visibility
- Pendulum function
- Unique palm design for use in tight spaces and easy handling
- Dust blower keeps cut line clear for accuracy
- Supplied with a clear dust cap, splintering device, 1 saw blade and a 4m cable

PST 500X	
Power input (W)	450
No load stroke rate (spm)	3700
Mitre capacity (°)	45
Stroke length (mm)	15
Pendulum settings	1
Max. cutting capacity wood/ steel/ aluminium (mm)	40 / 6 / 10
Weight (kg)	2,3
Supplied in	Tool bag
Article Number	4935428260
EAN Code	4002395194315



PST 500X



COMBO ROUTER

- 2 routers in one for maximum flexibility in all kinds of application
- Soft start to prevent sudden kickback
- Integrated electronics maintain constant speed under load
- Variable speed electronics for optimum control in a wide range of materials
- Large soft-grip handles for decreased vibration and greater comfort
- Flat motor housing with integrated rubber feet for convenient upside down bit change with spindle lock
- Premium collet and shaft design minimises run out
- Built in LED for unparalleled workplace illumination
- Through table depth adjustment for ultimate convenience
- Supplied with 5 guide bushes, 3 dust extraction adaptors, parallel guide, 2 collects (8/12mm) 2 keys, oval base, round base and a chip shield

MF 1400KE



	MF 1400KE
Power input (W)	1400
Collet capacity (mm)	8 / 12
Plunge capacity (mm)	64
No load speed (rpm)	10.000 - 23.000
Weight (kg)	5,7
Supplied in	Tool bag
Article Number	4935411850
EAN Code	4002395193295



82MM PLANER

- Powerful 700 watt motor to power through the toughest timber
- Changeable left or right chip ejection
- Lockable kickstand on the base of the tool protects material from accidental damages
- 0.2mm fine depth adjustment for detailed applications
- 82mm dual reversible cutting blades
- Powerful brushed motor delivers up to 17000rpm to achieve professional surface finish.

PL 700



	PL 700
Power input (W)	700
No load speed (rpm)	17.000
Max. cutting depth (mm)	3
Cutting width (mm)	82
Rebate depth (mm)	12
Weight (kg)	2,6
Supplied in	Gift box
Article Number	4935472008
EAN Code	4058546324049



RECIPROCATING SAW

- Powerful 900 watt motor, for fast cuts in various materials
- Pendulum function with 19mm stroke length, for more powerful and faster cutting progress
- Speed regulation from 0 - 3500spm, especially needed for heat-sensitive materials
- FIXTEC - for fast and easy keyless blade change
- 24 % lighter than other saws, for better work control
- One hand blade insertion
- Soft grip handle, for better ergonomics
- Supplied with a 4m cable and 2 blades

US 900 XE



	US 900 XE
Power input (W)	900
No load stroke rate (spm)	0 - 3500
Stroke length (mm)	19
Weight (kg)	2,9
Supplied in	Tool bag
Article Number	4935419610
EAN Code	4002395193806



RECIPROCATING SAW

- Powerful 1300 watt motor
- FIXTEC blade clamp for fast and easy blade changes
- Variable speed switch for increased cutting control and efficiency
- Adjustable shoe for prolonged blade life
- Ergonomic soft grip handle design for comfort
- Blades can be turned 180° for various applications
- Supplied with a 4m cable and 2 blades

US 1300 XE



	US 1300 XE
Power input (W)	1300
No load stroke rate (spm)	0 - 2800
Stroke length (mm)	30
Weight (kg)	3,8
Supplied in	Kitbox
Article Number	4935413235
EAN Code	4002395197675



PALM DELTA SANDER

- Extremely compact 260 watt sheet sander
- Ideal for working in confined spaces and over head
- Delta base for sanding in corners
- Hook & loop and large release tabs for convenient paper changing
- Magnesium base for more stability and less vibration
- Dust extraction with dust bag or absorption system
- Soft-grip on handle
- Supplied with a 4m cable, 3 sheets (60, 80, 120 grit) sanding pad, delta base plate and dust bag

FDS 140



	FDS 140
Power input (W)	260
No load speed (rpm)	14.000
Oscillation rate (opm)	20.000
Oscillation diameter (mm)	1,6
Sanding pad size (mm)	110 x 105 / 110 x 110
Weight (kg)	1,5
Supplied in	Gift box
Article Number	4935416090
EAN Code	4002395129768



1/3 SHEET SANDER

FS 250

- Variable speed setting for increasing or decreasing sanding speed
- Sanding plate with velcro type attachment
- Lock-on switch designed to easily lock trigger in place during extended tool operation
- Wide trigger for convenient 2-finger on/off operation of tool
- Removable duct collection bag ensures efficient collection of dust residue
- Hex grip micro texture for maximum user comfort
- Front auxiliary grip ensures maximum user control and optimum distribution of force during sanding
- Supplied with 2m cable



	FS 250
Power input (W)	250
Oscillation rate (opm)	6000-12.000
Sanding pad size (mm)	90x187
Weight (kg)	1,8
Supplied in	Gift box
Article Number	4935472164
EAN Code	4058546325602



1/2 SHEET SANDER

FS 280

- Powerful 500 watt motor
- Variable speed for optimum control
- Convenient hook & loop paper fastening
- Dust extraction, with dustbag or absorption system
- Supplied with a 4m cable, 3 sheets (80, 120, 240 grit) sanding pads, dust bag and a pommel handle



	FS 280
Power input (W)	500
Oscillation rate (opm)	14.000 - 26.000
Sanding pad size (mm)	115 x 280
Weight (kg)	3,0
Supplied in	Tool bag
Article Number	4935419280
EAN Code	4002395133116



RANDOM ORBIT SANDER

EX 125 ES

- Ergonomic & compact 300 watt random orbit sander
- Ideal for working in confined spaces and over head
- Variable speed for optimum control
- Pad brake control: pad brake for a gauge free workpiece
- Convenient hook & loop paper fastening
- Very efficient dust extraction over 8 holes in the base plate
- Dust extraction, with dust bag or absorption system
- Soft-grip on handle
- Supplied with a 4m cable, sheets (80, 120, 180 grit) sanding pads and a dust bag



	EX 125 ES
Power input (W)	300
No load speed (rpm)	7000 - 12.000
Oscillation rate (opm)	14.000 - 24.000
Oscillation diameter (mm)	2,4
Sanding pad size (mm)	125
Weight (kg)	1,7
Supplied in	Gift box
Article Number	4935416100
EAN Code	4002395129799



RANDOM ORBIT SANDER

EX 150 ES

- Dual orbits for control of material removal
- Variable speed for optimum control
- Soft start and pad brake for a gauge free workpiece
- Through-body sealed slide switch for reliability and ease of use
- Convenient hook & loop paper fastening
- Dust extraction, with dust bag or absorption system
- Diecast construction for strength and durability
- Micro texture grip for perfect handling
- Supplied with a 4m cable, 3 x 80 grit sanding pads, dust bag and a pommel handle



	EX 150 ES
Power input (W)	440
No load speed (rpm)	4000 - 10.000
Oscillation rate (opm)	8000 - 20.000
Oscillation diameter (mm)	3,2 / 6,4
Sanding pad size (mm)	150
Weight (kg)	2,8
Supplied in	Kitbox
Article Number	4935443290
EAN Code	4002395135479



BELT SANDER

HBS 1000 E

- Powerful 1010 watt motor
- Electronic speed for control and optimum results
- Clamping lever for easy, tool free changing of sanding belt
- Externally accessible brushes for easy replacement
- Control wheel for precise adjustment of sanding belt
- Compact design, ideal for sanding close to edges
- Die-cast construction for high strength and durability
- Dust extraction, with dust bag or absorption system
- Supplied with a 4m cable, 1 x 80 grit sanding belt, dust bag and a pommel handle



	HBS 1000 E
Power input (W)	1010
Belt length (mm)	533
Belt speed (rpm)	240 - 450
Sanding surface (mm)	75 x 145
Belt width (mm)	75
Weight (kg)	5,1
Supplied in	Kitbox
Article Number	4935413205
EAN Code	4002395197613



BELT SANDER

BBSE 1100

- Powerful 1100 watt motor
- Extra-large sanding surface 100 x 140mm
- Full-wave electronics with pre-selection of belt speed
- Control wheel for precise adjustment of belt alignment
- Dust extraction, with dust bag or absorption system
- Supplied with a 4m cable, 1 x 100 grit sanding belt and a dust bag



	BBSE 1100
Power input (W)	1100
Belt speed (rpm)	230 - 400
Belt length (mm)	560
Belt width (mm)	100
Sanding surface (mm)	100 x 140
Weight (kg)	5,0
Supplied in	Gift box
Article Number	4935413530
EAN Code	4002395199037



HEAT GUN

- 2 temperature adjustment modes 300° / 560°
- 253 - 420l/min
- Reinforced fan for continuous use
- Extremely light product - 0.85kg
- Rubber overmold on back end for safe stationary use

HG 560



HG 560 D	
Power input (W)	1500
Air flow (l/min)	253 - 420
Temperature range (°C)	300 / 560
Weight (kg)	0,85
Supplied in	Gift box
Article Number	4935441015
EAN Code	4002395134991



HEAT GUN

- Electronic precise adjustment for temp from 90° up to 600°
- 345 - 434l/min
- Reinforced fan for continuous use
- Extremely light product - 0.9kg
- Rubber overmold on back end for safe stationary use

HG 600



	HG 600 V	HG 600 VK
Power input (W)	2000	2000
Air flow (l/min)	345 - 434	345 - 434
Temperature range (°C)	90 - 600	90 - 600
Weight (kg)	0,9	0,9
Supplied in	Gift box	Kitbox
Article Number	4935441025	4935441035
EAN Code	4002395135011	4002395135035



1800W 254MM MITRE SAW

- Internal fan that removes 80% of the dust
- Cut line visibility - Adjustable LED and laser
- Blade depth adjustment. Allows for trenching application
- Mitre lock with detent plate. Mitre: 50 left or right
- Powerful 1800 watt motor delivers 5000rpm
- Supplied with a 48 tooth blade, clamp, hose, bucket cover and a dust bag

PS 254 L



PS 254 L	
Power input (W)	1800
Blade diameter (mm)	254
No load speed (rpm)	4500
Mitre capacity left (°)	50
Mitre capacity right (°)	50
Max. cutting depth (mm)	90
Mitre saw capacity 90° (mm)	305
Max. cutting capacity 0 mitre/ 90° bevel [mm]	90 x 305
Max. cutting capacity 45° mitre/ 90° bevel (mm)	90 x 215
Max. cutting capacity 0 mitre/ 45° bevel [mm]	50 x 305
Max. cutting capacity 45° mitre/ 45° bevel (mm)	50 x 215
Weight (kg)	19,5
Supplied in	Gift box
Article Number	4935440670
EAN Code	4002395134687



1400W 216MM MITRE SAW

- 1400 watt motor delivers 5000rpm producing fast cuts through toughest material
- Cut line visibility with LED light and laser
- Mitre lock out with detent plate
- Blade depth stop for trench cutting applications
- 50° mitre capacity / 45° bevel capacity
- Supplied with 40 tooth blade
- Comes with an integrated dust extraction attachment, compatible with AEG DEK 26

PS 216 L



PS 216 L	
Power input (W)	1400
Blade diameter (mm)	216
No load speed (rpm)	5000
Mitre capacity left (°)	50
Mitre capacity right (°)	50
Max. cutting depth (mm)	65
Mitre saw capacity 90° (mm)	65 x 305
Max. cutting capacity 0 mitre/ 90° bevel [mm]	65 x 305
Max. cutting capacity 45° mitre/ 90° bevel (mm)	65 x 215
Max. cutting capacity 0 mitre/ 45° bevel [mm]	36 x 305
Max. cutting capacity 45° mitre/ 45° bevel (mm)	36 x 215
Weight (kg)	16,5
Supplied in	Gift box
Article Number	4935440650
EAN Code	4002395134656



1400W 216MM MITRE SAW

PS 216 L3

- 1400 watt motor delivers 5000rpm producing fast cuts through toughest material
- Cut line visibility with LED light and laser
- Mitre lock out with detent plate
- Blade depth stop for trench cutting applications
- 50° Mitre capacity / -2° 47° Bevel capacity
- Supplied with 40 tooth blade

Power input (W)	1400
Blade diameter (mm)	216
No load speed (rpm)	5000
Mitre capacity left (°)	50
Mitre capacity right (°)	50
Max. cutting depth (mm)	65
Mitre saw capacity 90° (mm)	65x305
Max. cutting capacity 0 mitre/ 90 bevel (mm)	65x305
Max. cutting capacity 45° mitre/ 90° bevel (mm)	65x215
Max. cutting capacity 0 mitre/ 45 bevel (mm)	36x305
Max. cutting capacity 45° mitre/ 45° bevel (mm)	36x215
Weight (kg)	16,2
Supplied in	Gift box
Article Number	4935471981
EAN Code	4058546298807



PS 216 L3



UNIVERSAL MITRE SAW LEGSTAND

PSU 1000

- Extendable to 2,3m
- Quick release brackets
- Adjustable leg
- Low weight 14kg
- 180kg maximum load capacity



Extendable up to (mm)	2,3
Bearing force (kg)	180
Weight (kg)	14,0
Article Number	4935440850
EAN Code	4002395134892

PSU 1000



DUST EXTRACTOR

AP2-200 ELCP

- Clear press filters cleaning system
- "L" industry dust class
- PET Filter, with fleece filter bag
- Wet and dry cleaning
- Wet overflow protection
- Click system easy to change accessories
- Fleece double wall filter bag and disposal bag



Power input (W)	1000
Air volume (l/min)	3600
Max. vacuum (mbar)	210
Container capacity (ml)	20
Hose diameter (mm)	32
Hose length (m)	3,5
Weight (kg)	7,5
Article Number	4935447460
EAN Code	4002395294190

AP2-200 ELCP



AEG



ACCESSORIES RANGE



BATTERIES

18V



	L1890RHD	L1860RHD	L1830RHD	L1840S	L1820S
Battery type	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	9,0	6,0	3,0	4,0	2,0
Article Number	4932464231	4932464754	4932471051	4935478636	4935472275
EAN Code	4058546221768	4058546226992	4058546286798	4058546348298	4058546339210

18V



	L1850R	L1840R	L1820R
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	5,0	4,0	2,0
Article Number	4932451630	4932430170	4932430169
EAN Code	4002395140978	4002395378319	4002395378302

12V



	L1260	L1240	L1230	L1220	L1215R
Battery type	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	6,0	4,0	3,0	2,0	1,5
Article Number	4932459181	4932430166	4932459180	4932430165	4932451095
EAN Code	4002395288564	4002395378272	4002395288557	4002395378265	4002395811212

12V



	L1215R
Battery type	Li-ion
Battery pack capacity (Ah)	1,5
Article Number	4932451095
EAN Code	4002395811212

3.6V



	SL 3.6
Battery type	Li-ion
Battery pack capacity (Ah)	1,5
Article Number	4932352969
EAN Code	4002395376278

CHARGERS

	BL1418	BL 18S	AL 18G	LL1240
Battery type	Li-ion	Li-ion	Li-ion	Li-ion
Charge rate (Amps per hour)	4,1	2,0	2,0	4,0
Charging range	14-18V	18V	18V	12V
Article Number	4932464542	4935472276	4932459891	4932430166
EAN Code	4058546224875	4058546339227	4058546030636	4002395378272

AEG SDS-PLUS 2-CUT DRILL BITS

- Fast Drilling- 2 cutter design offers the users a fast-drilling progress because of the big entrance gaps beside the tip.
- Durability- 2 Cutter Carbide Head for added durability and lifetime.
- Accuracy- Single Flute Design for accurate drilling



Diameter (mm)	Total length (mm)	Working length (mm)	Quantity	Article Number	EAN Code
6	110	41	1	4932478681	4892210193063
6	160	91	1	4932478682	4892210193070
6	210	140	1	4932478683	4892210193087
6	260	185	1	4932478684	4892210193094
8	160	91	1	4932478685	4892210193100
8	210	140	1	4932478686	4892210193117
8	260	185	1	4932478687	4892210193124
8	460	365	1	4932478693	4892210193186
10	160	92	1	4932478688	4892210193131
10	210	140	1	4932478689	4892210193148
10	310	235	1	4932478690	4892210193155
10	460	365	1	4932478694	4892210193193
12	160	92	1	4932478691	4892210193162
12	210	140	1	4932478692	4892210193179
12	460	365	1	4932478695	4892210193209
16	460	365	1	4932478696	4892210193216
18	460	365	1	4932478697	4892210193223
20	460	365	1	4932478698	4892210193230
22	460	365	1	4932478699	4892210193247
24	460	365	1	4932478700	4892210193254

AEG 25MM BALLISTIC IMPACT SCREWDRIVER BITS

- Impact Rated 25mm Screwdriver bits ideal for impact drivers and repeat screwdriving applications such as decking. Also suitable for everyday screwdriving applications
- Ballistic impact bits offer up to x30 more life than standard quality bits. Bits are specially hardened to withstand high torque output
- Tip design delivers the best fit into fasteners, preventing the tip of bit from slipping out of the screw head. The Torsion Zone flexes to absorb torque impact during demanding screwdriving applications.



Description	Article Number	EAN Code
AEG Ballistic Impact Screwdriver Bit 25mm PH2 – 2 pcs	4932479164	4892210198495
AEG Ballistic Impact Screwdriver Bit 25mm Hex 3 – 3 pcs	4932479177	4892210198624
AEG Ballistic Impact Screwdriver Bit 25mm Hex 4 – 3 pcs	4932479178	4892210198631
AEG Ballistic Impact Screwdriver Bit 25mm Hex 5 – 3 pcs	4932479179	4892210198648
AEG Ballistic Impact Screwdriver Bit 25mm PH1 – 3 pcs	4932479167	4892210198525
AEG Ballistic Impact Screwdriver Bit 25mm PH2 – 3 pcs	4932479168	4892210198532
AEG Ballistic Impact Screwdriver Bit 25mm PH3 – 3 pcs	4932479169	4892210198549
AEG Ballistic Impact Screwdriver Bit 25mm PZ1 – 3 pcs	4932479170	4892210198556
AEG Ballistic Impact Screwdriver Bit 25mm PZ2 – 3 pcs	4932479171	4892210198563
AEG Ballistic Impact Screwdriver Bit 25mm PZ3 – 3 pcs	4932479172	4892210198570
AEG Ballistic Impact Screwdriver Bit 25mm TX10 – 3 pcs	4932479173	4892210198587
AEG Ballistic Impact Screwdriver Bit 25mm TX20 – 3 pcs	4932479174	4892210198594
AEG Ballistic Impact Screwdriver Bit 25mm TX25 – 3 pcs	4932479175	4892210198600
AEG Ballistic Impact Screwdriver Bit 25mm TX30 – 3 pcs	4932479176	4892210198617



AEG 50MM BALLISTIC IMPACT SCREWDRIVER BITS

- Impact Rated 50mm Screwdriver bits ideal for impact drivers and repeat screwdriving applications such as decking. Also suitable for everyday screwdriving applications
- Ballistic impact bits offer up to x30 more life than standard quality bits. Bits are specially hardened to withstand high torque output
- Tip design delivers the best fit into fasteners, preventing the tip of bit from slipping out of the screw head. The Torsion Zone flexes to absorb torque impact during demanding screwdriving applications.

BALLISTIC SERIES



Description	Article Number	EAN Code
AEG Ballistic Impact Screwdriver Bit 50mm PH2 – 2 pcs	4932479165	4892210198501
AEG Ballistic Impact Screwdriver Bit 50mm PZ2 – 2 pcs	4932479166	4892210198518
AEG Ballistic Impact Screwdriver Bit 50mm Hex 3 – 3 pcs	4932479191	4892210198761
AEG Ballistic Impact Screwdriver Bit 50mm Hex 4 – 3 pcs	4932479192	4892210198778
AEG Ballistic Impact Screwdriver Bit 50mm Hex 5 – 3 pcs	4932479193	4892210198785
AEG Ballistic Impact Screwdriver Bit 50mm Hex 6 – 3 pcs	4932479194	4892210198792
AEG Ballistic Impact Screwdriver Bit 50mm PH1 – 3 pcs	4932479180	4892210198655
AEG Ballistic Impact Screwdriver Bit 50mm PH2 – 3 pcs	4932479181	4892210198662
AEG Ballistic Impact Screwdriver Bit 50mm PH3 – 3 pcs	4932479182	4892210198679
AEG Ballistic Impact Screwdriver Bit 50mm PZ1 – 3 pcs	4932479183	4892210198686
AEG Ballistic Impact Screwdriver Bit 50mm PZ2 – 3 pcs	4932479184	4892210198693
AEG Ballistic Impact Screwdriver Bit 50mm PZ3 – 3 pcs	4932479185	4892210198709
AEG Ballistic Impact Screwdriver Bit 50mm TX10 – 3 pcs	4932479186	4892210198716
AEG Ballistic Impact Screwdriver Bit 50mm TX20 – 3 pcs	4932479187	4892210198723
AEG Ballistic Impact Screwdriver Bit 50mm TX25 – 3 pcs	4932479188	4892210198730
AEG Ballistic Impact Screwdriver Bit 50mm TX30 – 3 pcs	4932479189	4892210198747
AEG Ballistic Impact Screwdriver Bit 50mm TX40 – 3 pcs	4932479190	4892210198754
AEG Ballistic Impact Screwdriver Bit 50mm TX40 – 10 pcs	4932479529	4892210201737

10PCS 50MM BALLISTIC SCREWDRIVER BITS

- 10 x 50mm Ballistic Impact Rated Screwdriver Bits (1 x PH2, 1 x PH3, 1 x PZ2, 1 x PZ3, 1 x TX15, 2 x TX20, 2 x TX25, 1 x TX30).
- Impact Rated 25mm Screwdriver bits ideal for impact drivers and repeat screwdriving applications such as decking. Also suitable for everyday screwdriving applications
- Ballistic impact bits offer up to x30 more life than standard quality bits. Bits are specially hardened to withstand high torque output
- Tip design delivers the best fit into fasteners, preventing the tip of bit from slipping out of the screw head. The Torsion Zone flexes to absorb torque impact during demanding screwdriving applications.



10pcs 50mm Ballistic Screwdriver Bits	Article Number	EAN Code
10 x 50mm Ballistic Impact Rated Screwdriver Bits (1 x PH2, 1 x PH3, 1 x PZ2, 1 x PZ3, 1 x TX15, 2 x TX20, 2 x TX25, 1 x TX30).	4932471963	4892210183309

31PCS 25MM BALLISTIC SCREWDRIVER BITS

- 30 x 25mm Ballistic Impact Rated Screwdriver Bits (1 x PH1, 3 x PH2, 2 x PH3, 1 x PZ1, 3 x PZ2, 2 x PZ3, 1 x HEX3, 1 x HEX4, 1 x HEX5, 1 x HEX6, 3 x TX15, 4 x TX20, 4 x TX25, 2 x TX30, 1 x TX40), 1 x Magnetic Impact Rated 60mm Bit Holder
- Impact Rated 25mm Screwdriver bits ideal for impact drivers and repeat screwdriving applications such as decking. Also suitable for everyday screwdriving applications
- Ballistic impact bits offer up to x30 more life than standard quality bits. Bits are specially hardened to withstand high torque output
- Tip design delivers the best fit into fasteners, preventing the tip of bit from slipping out of the screw head. The Torsion Zone flexes to absorb torque impact during demanding screwdriving applications.



31pcs 25mm Ballistic Screwdriver Bits	Article Number	EAN Code
30 x 25mm Ballistic Impact Rated Screwdriver Bits (1 x PH1, 3 x PH2, 2 x PH3, 1 x PZ1, 3 x PZ2, 2 x PZ3, 1 x HEX3, 1 x HEX4, 1 x HEX5, 1 x HEX6, 3 x TX15, 4 x TX20, 4 x TX25, 2 x TX30, 1 x TX40), 1 x Magnetic Impact Rated 60mm Bit Holder	4932471962	4892210183293



POWER SET SDS-PLUS DRILL BITS

- High quality 2 cutter carbide top with 130° tip angle
- The carbide tip is set deeper into the head for a more precise fit and better durability
- 2 flute geometry for rapid material removal
- Surface treated flute eliminates binding for faster drilling and high abrasion resistance
- High quality robust and compact power set with secure lock
- Made in Germany

	Article Number	EAN Code
Single Power Set SDS-Plus Drill Bits (8pcs) with Ø 5/6/8 x 110 mm and Ø 6 (2pcs)/8/10/12 x 160 mm	4932352236	4002395368952



POWER SET STONE DRILL BITS

- Extra sharp diamond ground carbide tip with 130 degree angle
- Polished silver and black finish eliminates binding for faster cutting and material removal
- Made from special alloy steel for best precision and robustness
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Single Power Set Stone Drill Bits (10pcs) 10x SDS bits (4mm, 5mm, 5.5mm, 2x 6mm, 7mm, 2x 8mm, 9mm, 10mm)	4932352239	4002395368983



POWER SET HSS-R (DIN 338) METAL DRILL BITS

- HSS-Rollforged metal drill bits manufactured according to DIN 338
- Oxide coating for improved swarf removal
- Normal point cutting tip with 118 degree angle
- Standard type N flute design
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 x sets) HSS-R	4932352240	4002395368990
Single Power Set HSS-R Drill Bits (19pcs) Contents: Ø 2 x 49 mm / Ø 2.5 (2pcs) x 57 mm/ Ø 3 (2pcs) x 61 mm/ Ø 3.5 (2pcs) x 70 mm/ Ø 4 (2pcs) x 75 mm/ Ø 4.5 (2pcs) x 80 mm/ Ø 5 (2pcs) x 86 mm/ Ø 6 (2pcs) x 93 mm/ Ø 7 x 109 mm/ Ø 8 x 117 mm/ Ø 9 x 125 mm/ Ø 10 x 133 mm	4932352241	4002395369003



POWER SET HSS-G (DIN 338) METAL DRILL BITS

- Fully ground drill bits according to DIN 338
- Standard tip for cutting geometry with 118° angle
- Standard type N flute design for faster chip removal and faster cutting
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 x sets) HSS-G	4932352242	4002395369010
Single Power Set HSS-G Drill Bits (19pcs) Contents: Ø 2 x 49 mm / Ø 2.5 (2pcs) x 57 mm/ Ø 3 (2pcs) x 61 mm/ Ø 3.5 (2pcs) x 70 mm/ Ø 4 (2pcs) x 75 mm/ Ø 4.5 (2pcs) x 80 mm/ Ø 5 (2pcs) x 86 mm/ Ø 6 (2pcs) x 93 mm/ Ø 7 x 109 mm/ Ø 8 x 117 mm/ Ø 9 x 125 mm/ Ø 10 x 133 mm	4932352243	4002395369027



POWER SET HSS-G TIN DRILL BITS

- Metal drill bits ground from high speed steel according to DIN 338
- Normal point cutting tip with 118° angle
- Standard type N flute design
- Titanium nitride coating increases cutting speed by 50% and lifetime by 300%
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Single Power Set HSS-G TiN Drill Bits (19pcs) Contents: Ø 2 x 49 mm / Ø 2.5 (2pcs) x 57 mm/ Ø 3 (2pcs) x 61 mm/ Ø 3.5 (2pcs) x 70 mm/ Ø 4 (2pcs) x 75 mm/ Ø 4.5 (2pcs) x 80 mm/ Ø 5 (2pcs) x 86 mm/ Ø 6 (2pcs) x 93 mm/ Ø 7 x 109 mm/ Ø 8 x 117 mm/ Ø 9 x 125 mm/ Ø 10 x 133 mm	4932352245	4002395369041



POWER SET LIP & SPUR WOOD DRILL BITS

- Manufactured from chrome vanadium steel according to DIN 7487 E
- Center point guarantees precise positioning
- Sharpened shoulders provide for clean holes avoiding splintering
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Single Power Set Lip & Spur Wood Drills Bits (8 pcs) Contents: Ø 3 x 60 mm / Ø 4 x 75 mm/ Ø 5 x 85 mm/ Ø 6 x 97 mm/ Ø 7 x 104 mm/ Ø 8 x 117 mm/ Ø 9 x 120 mm/ Ø 10 x 133 mm	4932352247	4002395369065



POWER SET HSS-G (DIN 338) METAL DRILL BITS & SCREWDRIVING BITS

- Metal drill bits ground from high speed steel according to DIN 338
- Normal point cutting tip with 118° angle
- Standard type N flute design
- Screwdriving bits are milled from S2 steel
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Single Power Set HSS-G & Screwdriving Bits (35pcs) Contents: Ø 2/ 2.5/ 3/ 3.2/ 3.5/ 4/ 4.5/ 6/ 8/ 10mm, 25mm length: PH1 (2pcs)/ PH2 (2pcs)/ PH3 (2pcs)/ PZ1 (2pcs)/ PZ2 (2pcs)/ PZ3 (2pcs)/ TX10 (2pcs)/ TX15 (2pcs)/ TX20 (2pcs)/ TX25 (2pcs)/ TX30/ TX40, 50mm length: PH2/ PZ2, 1/4" Hex magnetic bit holder	4932352249	4002395369089



POWER SET JIGSAW BLADES FOR WOOD & METAL

- Wood applications: T144D - Fast cutting T101B - Very clean, splinter free cutting
- Metal applications: T118A - Cutting of thin sheet material Ø 1.5-4 mm T118B - cutting of thicker material 3-6 mm
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter Display (6 X Sets) Jigsaw Blades	4932352252	4002395369119
Power Set 50pcs - jigsaw blades for wood and metal 10 x T 144 D/ 10 x T 101 B/ 15 x T 118 A/ 15 x T 118 B	4932352253	4002395369126



POWER SET SCREWDRIVING BITS

- COLDFire® is a special hardening treatment for making metal stronger, tougher and more durable. This cryogenic process is a one-time permanent treatment affecting the entire screwdriving bit and it is not just a surface coating. The cryogenic process consists of two steps, firstly the bit is hardened by heating it up to 870° and then freezing the bit down to -148° using a dry nitrogen atmosphere. The result of this process is a bit with exceptional durability
- + 40% stronger - bit tips hold their form and will accept higher torque forces
- + 45% longer life - over the lifetime of a bit one can expect to drive 45% more screws

	Article Number	EAN Code
Single Power Set Screwdriving Bits (40pcs) Contents: 25mm length: PH1 / PH2 (2pcs)/ PH3 / PZ1 (2pcs)/ PZ2 (2pcs)/ PZ3 (2pcs)/ TX6/ TX7 / TX 8/ TX9/ TX10 (2pcs)/ TX15 (2pcs)/ TX20 (2pcs)/ TX25 (2pcs)/ TX30/ TX40/ Hex 3/ Hex 4/ Hex 5/ Hex 6/ SL 0.6 x 4.5/ SL 0.8 x 5.5/ SL 1.0 x 5.5/ SL 1.2 x 6.5 / 50mm length: PH1/ PH2/ PZ1/ PZ2/ TX10/ TX15/ TX20 / 1/4" Hex magnetický držák bitů	4932352255	4002395369140



COLDfire®
Cryogenically Treated

PROFI-BOX HSS-R (DIN 338) METAL DRILL BITS

- HSS-Rollforged metal drill bits manufactured according to DIN 338
- 118° cutting tip angle
- Oxide coating for improved swarf removal
- Robust metal box

	Article Number	EAN Code
Single Profi-Box HSS-R Drill Bits (19pcs) Contents: Ø 1-10 mm in 0.5 mm incrementals	4932352459	4002395371181



MAXI-MIX DRILL BITS

- Contains a mixed assortment of drill bits for drilling wood, metal and masonry/stone (18 pieces in total)
- Robust metal box

	Article Number	EAN Code
Single Maxi-Mix Drill Bits (18pcs) Contents: Stone drill bits: Ø 3/4/5/6/8/10 mm, HSS-R drill bits: Ø 3/4/5/6/8/10 mm, Wood drill bits: Ø 3/4/5/6/8/10 mm	4932352463	4002395371228



WB1 - SCREWDRIVER ANGLE ATTACHMENT WITH 10 SCREWDRIVING BITS

- Contents: WB1 and screwdriving bits 25mm PH1/ PH2/ PZ1/ PZ2 (2pcs)/ PZ3/ TX15/ TX20/ Hex 4/ Hex 5
- Being only 30mm high it is ideally suited to working in confined and limited spaces
- Fits to all machines. The 1/4" Hex shank fits directly into the chuck preventing slippage
- Magnetic 1/4" Hex reception. Accepts 1/4" Hex screwdriving bits
- Adjustable to working situation. 360° variable thumb lever for extra grip
- Industrial quality up to 11Nm torque and 400min⁻¹
- Tough gears made of special hardened steel



	Article Number	EAN Code
Counter Display (10 X WB1 Sets)	4932430174	4002395378357
Screwdriver Angle Attachment With 10 Screwdriving Bits Contents: Screwdriver angle attachment with 10 screwdriving bits	4932430173	4002395378340

MAXI-BIT SCREWDRIVING SET

	Article Number	EAN Code
Single Maxi-Bit Set Screwdriving Bits (10pcs) Contents: SL 0.6 x 4.5/ SL 0.8 x 5.5/ SL 1.5 x 6.5/ PH1/ PH2/ PH3/ PZ1/ PZ2/ PZ3 / 1/4" Hex magnetic bit holder	4932399493	4002395361151



PROFI-BIT SCREWDRIVING SET

	Article Number	EAN Code
Single Profi-Bit Set Screwdriving Bits (17pcs) Contents: SL 0.8 x 5.5/ SL 1.2 x 6.5/ PH1/ PH2 (2pcs)/ PH3/ PZ1/ PZ2 (2pcs)/ PZ3/ TX10/ TX15/ TX20/ TX25/ TX30/ TX40 1/4" Hex magnetic bit holder	4932399495	4002395361175



FIXTEC NUTS

- FIXTEC: Disc changing in seconds, no extra tools required
- 12 seconds from removing the worn disc to fixing a new disc
- Only 8 mm thick, enabling more surface of disc on the material
- Compatible to all manufactures angle grinders up to 150 mm with standard M14 spindle thread
- With integrated keyholes, for removal of the nut with a standard pin spanner in the event of the nut becoming too tight



	Article Number	EAN Code
Single FIXTEC Nut	4932358225	4002395325528

AEG SDS-MAX DRILL BITS

- Fast Drilling- 2 cutter design offers the users a fast-drilling progress because of the big entrance gaps beside the tip.
- Durability- 2 Cutter Carbide Head for added durability and lifetime.
- Accuracy- Single Flute Design for accurate drilling
- SDS Max shank for use with SDS Max Drills

NEW



Diameter (mm)	Total length (mm)	Working length (mm)	Quantity	Article Number	EAN Code
12	340	280	1	4932479279	4892210199799
12	540	480	1	4932479280	4892210199805
14	340	280	1	4932479281	4892210199812
14	540	480	1	4932479282	4892210199829
16	340	280	1	4932479283	4892210199836
16	540	480	1	4932479284	4892210199843
18	1000	940	1	4932479287	4892210199874
18	340	280	1	4932479285	4892210199850
18	540	480	1	4932479286	4892210199867
20	1000	940	1	4932479290	4892210199904
20	340	280	1	4932479288	4892210199881
20	540	480	1	4932479289	4892210199898
22	1000	940	1	4932479292	4892210199928
22	540	480	1	4932479291	4892210199911
24	540	480	1	4932479293	4892210199935
25	1000	940	1	4932479295	4892210199959
25	540	480	1	4932479294	4892210199942
28	570	510	1	4932479296	4892210199966
32	1000	940	1	4932479298	4892210199980
32	570	510	1	4932479297	4892210199973
35	570	510	1	4932479299	4892210199997
40	1000	940	1	4932479301	4892210201140
40	570	510	1	4932479300	4892210200006



AEG SDS-MAX CHISELS

- Heat treated SDS Max Bits for maximum lifetime
- High quality material for maximum durability and heat distribution during usage
- Flute Design for maximum speed allowing for fast applications
- SDS Max shank for use with SDS Max Drills

NEW



Description	Diameter (mm)	Total length (mm)	Working length (mm)	Article Number	EAN Code
Ponted Chisel	20	300	18	4932479269	4892210199690
Flat Chisel	25	300	18	4932479272	4892210199720
Flat Chisel	50	300	18	4932479275	4892210199751
Flat Chisel	75	300	18	4932479277	4892210199775
Pointed Chisel	20	400	18	4932479270	4892210199706
Flat Chisel	25	400	18	4932479273	4892210199737
Flat Chisel	50	400	18	4932479276	4892210199768
Flat Chisel	75	400	18	4932479278	4892210199782
Pointed Chisel	20	600	18	4932479271	4892210199713
Flat Chisel	25	600	18	4932479274	4892210199744

MULTIMIX SET 75 PCS - DRILLING AND SCREWDRIVING SET

	Article Number	EAN Code
Contents: Screwdriving bits 25 mm length: 1 x PH 0/ 1 x PH 1/ 3 x PH 2/ 1 x PH 3/ 1 x PZ 0/ 1 x PZ 1/ 3 x PZ 2/ 1 x PZ 3/ 1 x SQ 1/ 1 x SQ 2/ 1 x SQ 3/ 1 x TX 10/ 1 x TX 15/ 1 x TX 20/ 1 x TX 25/ 1 x TX 30/ 1 x TX 40/ 1 x Hex 4/ 1 x Hex 5/ 1 x Hex 6/ 1 x SL 3/ 1 x SL 4/ 1 x SL 4/ 1 x SL 5/ 1 x SL 6/ 1 x SL 7/ 1 x SL 8, 1/4" Hex magnetic bit holder. Screwdriving bits 50 mm length: 1 x PH 2/ 1 x PZ 2/ 1 x SL 4/ 1 x SL 6/ 1 x SL 8. Nut drivers: 1 x 5 mm/ 1 x 6 mm/ 1 x 7 mm/ 1 x 8 mm/ 1 x 10 mm/ 1 x 12 mm. Metal drill bits HSS-R DIN 338: 2 x 1 mm/ 1 x 1.5 mm/ 1 x 2 mm/ 1 x 2.5 mm/ 1 x 3 mm/ 1 x 3.5 mm/ 1 x 4 mm. Lip & Spur wood drill bits: 3 x 3 mm/ 3 x 4 mm/ 2 x 5 mm/ 1 x 6 mm/ 1 x 7 mm/ 1 x 8 mm/ 1 x 10 mm. Countersink with 1/4" Hex reception 45°. Masonry drill bits: 1 x 4 mm/ 1 x 5 mm/ 1 x 5.5 mm/ 3 x 6 mm/ 1 x 6.5 mm/ 2 x 7 mm/ 1 x 8 mm/ 1 x 10 mm/ 1 x 12 mm	4932352670	4002395373284



AEG HSS-G COBALT DRILL BITS

- Metal drill bits ground from solid extremely heat resistant cobalt-alloyed high speed steel produced according to DIN 338
- Polished finish. Split point shaped cutting tip with 135° angle for improved centering -- no center punch required
- 5% Cobalt content
- Withstands high drilling heat
- Suitable for drilling high alloy content steels and metals with tensile strengths over 1000 N/mm² like heat and acid proof steels and stainless steel
- Bronze Coating for added durability and bit protection

Description	Article Number	EAN Code
AEG HSS-G Cobalt Metal Drill Bit 1.0mm – 1 pc	4932479321	4892210200914
AEG HSS-G Cobalt Metal Drill Bit 1.5mm – 1 pc	4932479322	4892210200921
AEG HSS-G Cobalt Metal Drill Bit 10.0mm – 1 pc	4932479340	4892210201102
AEG HSS-G Cobalt Metal Drill Bit 11.0mm – 1 pc	4932479341	4892210201119
AEG HSS-G Cobalt Metal Drill Bit 12.0mm – 1 pc	4932479342	4892210201126
AEG HSS-G Cobalt Metal Drill Bit 13.0mm – 1 pc	4932479343	4892210201133
AEG HSS-G Cobalt Metal Drill Bit 2.0mm – 1 pc	4932479323	4892210200938
AEG HSS-G Cobalt Metal Drill Bit 2.5mm – 1 pc	4932479324	4892210200945
AEG HSS-G Cobalt Metal Drill Bit 3.0mm – 1 pc	4932479325	4892210200952
AEG HSS-G Cobalt Metal Drill Bit 3.2mm – 1 pc	4932479326	4892210200969
AEG HSS-G Cobalt Metal Drill Bit 3.5mm – 1 pc	4932479327	4892210200976
AEG HSS-G Cobalt Metal Drill Bit 4.0mm – 1 pc	4932479328	4892210200983
AEG HSS-G Cobalt Metal Drill Bit 4.2mm – 1 pc	4932479329	4892210200990
AEG HSS-G Cobalt Metal Drill Bit 4.5mm – 1 pc	4932479330	4892210201003
AEG HSS-G Cobalt Metal Drill Bit 4.8mm – 1 pc	4932479331	4892210201010
AEG HSS-G Cobalt Metal Drill Bit 5.0mm – 1 pc	4932479332	4892210201027
AEG HSS-G Cobalt Metal Drill Bit 5.5mm – 1 pc	4932479333	4892210201034
AEG HSS-G Cobalt Metal Drill Bit 6.0mm – 1 pc	4932479334	4892210201041
AEG HSS-G Cobalt Metal Drill Bit 6.5mm – 1 pc	4932479335	4892210201058
AEG HSS-G Cobalt Metal Drill Bit 7.0mm – 1 pc	4932479336	4892210201065
AEG HSS-G Cobalt Metal Drill Bit 8.0mm – 1 pc	4932479337	4892210201072
AEG HSS-G Cobalt Metal Drill Bit 8.5mm – 1 pc	4932479338	4892210201089
AEG HSS-G Cobalt Metal Drill Bit 9.0mm – 1 pc	4932479339	4892210201096



AEG HSS-G DRILL BITS

- Metal drill bits ground from high speed steel according to DIN 338
- Polished finish. Split point shaped cutting tip with 135° angle for improved centering -- no center punch required
- Standard type N flute design
- Bronze Coating for added durability and bit protection


Description	Article Number	EAN Code
AEG HSS-G Metal Drill Bit 1.0mm – 2 pcs	4932479302	4892210200723
AEG HSS-G Metal Drill Bit 1.5mm – 2 pcs	4932479303	4892210200730
AEG HSS-G Metal Drill Bit 2.0mm – 2 pcs	4932479304	4892210200747
AEG HSS-G Metal Drill Bit 2.5mm – 2 pcs	4932479305	4892210200754
AEG HSS-G Metal Drill Bit 3.0mm – 2 pcs	4932479306	4892210200761
AEG HSS-G Metal Drill Bit 3.5mm – 2 pcs	4932479307	4892210200778
AEG HSS-G Metal Drill Bit 4.0mm – 2 pcs	4932479308	4892210200785
AEG HSS-G Metal Drill Bit 4.5mm – 1 pc	4932479309	4892210200792
AEG HSS-G Metal Drill Bit 5.0mm – 1 pc	4932479310	4892210200808
AEG HSS-G Metal Drill Bit 5.5mm – 1 pc	4932479311	4892210200815
AEG HSS-G Metal Drill Bit 6.0mm – 1 pc	4932479312	4892210200822
AEG HSS-G Metal Drill Bit 6.5mm – 1 pc	4932479313	4892210200839
AEG HSS-G Metal Drill Bit 7.0mm – 1 pc	4932479314	4892210200846
AEG HSS-G Metal Drill Bit 8.0mm – 1 pc	4932479315	4892210200853
AEG HSS-G Metal Drill Bit 9.0mm – 1 pc	4932479316	4892210200860
AEG HSS-G Metal Drill Bit 10.0mm – 1 pc	4932479317	4892210200877
AEG HSS-G Metal Drill Bit 11.0mm – 1 pc	4932479318	4892210200884
AEG HSS-G Metal Drill Bit 12.0mm – 1 pc	4932479319	4892210200891
AEG HSS-G Metal Drill Bit 13.0mm – 1 pc	4932479320	4892210200907



MASONRY DRILL BITS

- Carbide tip with diamond ground cutting edges with 130° angle - For drilling in brick and aerated concrete blocks

Diameter (mm)	Total length (mm)	Working length (mm)	Quantity	Article Number	EAN Code
4	75	40	1	4932363591	4002395332410
5	85	50	1	4932363593	4002395332434
5.5	85	50	1	4932363595	4002395332458
6	100	60	1	4932363597	4002395332472
8	120	80	1	4932363600	4002395332502
10	120	80	1	4932363602	4002395332526
12	150	85	1	4932363604	4002395332540
Single Power Set Stone Drill Bits (10pcs)				4932352239	4002395368983
10x SDS bits (4mm, 5mm, 5.5mm, 2x 6mm, 7mm, 2x 8mm, 9mm, 10mm)					



HIGH PERFORMANCE BI-METAL HOLESAWS / SYSTEM ACCESSORIES

Diameter (mm)	Ø (inch)	Article Number	EAN Code
20	25/32	4932367248	4002395335985
24	15/16	4932367251	4002395336012
25	1	4932367252	4002395336029
30	1 3/16	4932367254	4002395336050
43	1 11/16	4932367259	4002395336104
48	1 7/8	4932367262	4002395336135
51	2	4932367263	4002395336142
60	2 3/8	4932367267	4002395336180
64	2 1/2	4932367268	4002395336197
70	2 3/4	4932367271	4002395336227
92	3 5/8	4932367278	4002395336296
105	4 1/8	4932367282	4002395336333
114	4 1/2	4932367284	4002395336357
127	5	4932367286	4002395336371
152	6	4932367288	4002395336395

	Article Number	EAN Code
Arbor Hex 11 -5/8" x 18 - 1pc	4932367421	4002395337422
Arbor Hex 9 -1/2"x20 - 1pc	4932367422	4002395337439
Pilot Drill - Long - 1pc	4932367423	4002395337446
Pilot Drill - Short - 1pc	4932367424	4002395337453



JIGSAW BLADES FOR WOOD / PLASTICS / METAL

Blade length (mm)	Tooth pitch (mm)	Ref. No.	Quantity	Description	Max. cutting capacity wood (mm)	Max. cutting capacity laminated chipboard (mm)	Max. cutting capacity parquet laminate (mm)	Max. cutting capacity PVC (mm)	Max. cutting capacity non-ferrous metals (mm)	Max. cutting capacity metal pipe Ø (mm)	Max. cutting capacity aluminium (mm)	Article Number	EAN Code
3521 47 AEG													
75	4	T 144 D	5	For Fast, Rough Cutting	< 60							4932352147	4002395368006
3521 48 AEG													
75	2.5	T 101 B	5	For Very Clean, Splinter Free Cutting	< 30	< 60		< 30				4932352148	4002395368013
3521 49 AEG													
75	4	T 101 D	5	For Fast, Clean, Splinter Free Cutting	< 60	< 60		< 45				4932352149	4002395368020
3521 50 AEG													
55	1.2	T 118 A	5	For Thin Sheet Metal					1.5-4	1.5-4		4932352150	4002395368037
12 piece set in container													
Suitable for applications in wood, cutting worktops and laminate flooring and metals													
4932373494 4002395349944													
Power Set 50pcs - jigsaw blades for wood and metal													
10 x T 144 D/ 10 x T 101 B/ 15 x T 118 A/ 15 x T 188 B													
4932352253 4002395369126													

CIRCULAR SAW BLADES FOR PORTABLE TOOLS

Total length (mm)	Working length (mm)	No. of teeth	Cutting width (kerf) (mm)	Fibre cement board	Chip-board	MDF and fibre-board	Laminated chip-board	Plywood & OSB boards	Plastics	Plaster-board	Non ferrous metals profiles alu	Fine cut	Article Number	EAN Code
165	20	24	2.6	✓	✓	✓	✓	✓	✓				4932430311	4002395379729
165	20	52	2.8	✓	✓	✓	✓	✓	✓			✓	4932430312	4002395379736
190	30	24	2.2	✓	✓	✓	✓	✓	✓				4932430469	4002395381302
190	30	48	2.8	✓	✓	✓	✓	✓	✓			✓	4932430470	4002395381319

CIRCULAR SAW BLADES FOR CORDLESS TOOLS

Total length (mm)	Working length (mm)	No. of teeth	Cutting width (kerf) (mm)	Fibre cement board	Chip-board	MDF and fibre-board	Laminated chip-board	Plywood & OSB boards	Plastics	Plaster-board	Non ferrous metals profiles alu	Fine cut	Article Number	EAN Code
165	15.8	18	1.5		✓	✓	✓	✓	✓			✓	4932430366	4002395380275

MITRE SAW BLADES

Total length (mm)	Working length (mm)	No. of teeth	Cutting width (kerf) (mm)	Fibre cement board	Chip-board	MDF and fibre-board	Laminated chip-board	Plywood & OSB boards	Plastics	Plaster-board	Non ferrous metals profiles alu	Fine cut	Article Number	EAN Code
216	30	48	2.4		✓	✓	✓	✓	✓	<attrib a="1207"	<attrib a="592"	<attrib a="1051"	4932430721	4002395383825
254	30	80	3.2	<attrib	<attrib	<attrib	✓	<attrib	<attrib		✓	✓	4932430472	4002395381333
305	30	96	3.2								✓	✓	4932430474	4002395381357




DUST EXTRACTION

- Xtractor
- The ideal dust extraction solution.
- The Xtractor can be used with all household vacuum cleaners and industrial dust extraction units with a hose diameter from 26-41mm.

Description	Article Number	EAN Code
Xtractor - 1pc The ideal dust extraction solution. The Xtractor can be used with all household and industrial dust extraction units with a hose diameter from 26-41 mm.	4932373501	4002395351862



RECIPROCATING SAW BLADES FOR WOOD / PLASTICS / METAL

Blade length (mm)	Tooth pitch (mm)	Ref. No.	Quantity	Description	Article Number	EAN Code	
	150	2.5	S811H	3	For all woods, nail embedded wood, plaster board 3-100 mm, non-ferrous metals, aluminium 3-10 mm, plastic pipes	4932318127	4002395301959
	150	4.2	S744D	2	For fast scroll cutting 6-100 mm	4932323801	4002395304240
	150	4	S644D	2	For fast cutting of wood and plastic, plunge cutting, 6-100 mm	4932323800	4002395304233
	240	8.5	S1542K	2	Special hardened teeth design, for fast coarse cut, as well for green and fire wood, 20-180mm	4932323804	4002395304271
	300	4.2	S1344D	2	For cutting large timbers and plastic, clean cut, 6-250 mm	4932323802	4002395304257
	150	14	S922EF	3	For all metals with a wall thickness between 1.5-4 mm	4932354792	4002395324477
	150	18	S922BF	3	For all metals with a wall thickness between 3-10 mm	4932354789	4002395324446
	450	17	-	1	For abrasive materials ie. bricks, soft abrasive blocks	4932430447	4002395381081

5PCS ABRASIVE CUT-OFF WHEEL

- 5pcs set of 76mm Abrasive Cut-off Wheels
- For Cut-off tools with capacity of 76mm width and 10mm bore size including AEG BMM18SBL-0
- For cutting applications including: Cutting thread rods, Unistrut, cable tray, ventilation ducting, copper and many more

Diameter (mm)	Bore size (mm)	Quantity	Article Number	EAN Code
76	10	5	4932478588	4892210192035



1PC DIAMOND ABRASIVE WHEEL

- 1pc 76mm Diamond Abrasive Wheel
- For Cut-off tools with capacity of 76mm width and 10mm bore size including AEG BMM18SBL-0
- For cutting applications including: Cutting of wall tiles for bathroom and kitchen and Cutting out of floor tile for new or existing pipe work

Diameter (mm)	Bore size (mm)	Quantity	Article Number	EAN Code
76	10	1	4932478589	4892210192059



1PC CARBIDE ABRASIVE WHEEL


- 1pc 76mm Carbide Abrasive Wheel
- For Cut-off tools with capacity of 76mm width and 10mm bore size including AEG BMM18SBL-0
- For cutting applications including: Cutting of drywall and plasterboard, nails and wood.

Diameter (mm)	Bore size (mm)	Quantity	Article Number	EAN Code
76	10	1	4932478590	4892210192042




BLADES FOR OSCILLATING TOOL

- Universal blade reception make AEG blades compatible with most popular oscillating tools
- Every blade pack contains both washers




Description	Cutting width (mm)	Max. cutting depth (mm)	Quantity	Article Number	EAN Code
① Bi-Metal plunge cutting blade. Application: Wood, metal, PVC. Plunge cutting in wood/ steel/ copper/ aluminium	28	40	1	4932430315	4002395379767
② Plunge cutting blade. Application: Wood, PVC. Plunge cutting in soft and hard wood, PVC. Recess cutting in wood. Flush cutting to length in wood	28	40	1	4932430316	4002395379774
③ Bi-Metal flush cutting blade. Application: Wood, metal, PVC. Plunge cutting in solid wood. Flush cutting in wood. Cutting steel, copper/ aluminium/ metal pipes and profiles with small dimensions. Cutting PVC pipes to length	88	20	1	4932430319	4002395379804
④ 9pc Set: 2 x bi-metal plunge cutting blades, 2 x plunge cutting blades 28 mm, 2 x plunge cutting blades 9 mm, 1 x bi-metal flush cutting blade, 1 x scraper, 1 x grout blade			9	4932430314	4002395379750



SANDING ACCESSORIES FOR OSCILLATING TOOL


Description	Dimensions (mm)	Quantity	Article Number	EAN Code
⑥ Sanding Pad	93 x 93	1	4932430320	4002395379811



ABRASIVE PAPER- HOOK & LOOP FOR FDS 140

- Perforated sanding discs for wood, metal, paint, lacquer, plaster
- Grit type: fused alumina, half-open
- Artificial resin-bonded on special tear-resistant paper


Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
60	115 x 107	10	4932352420	4002395370795
80	115 x 107	10	4932352421	4002395370801
120	115 x 107	10	4932352422	4002395370818
240	115 x 107	10	4932352423	4002395370825



ABRASIVE PAPER- CLAMP TYPE FOR FDS 140

- Perforated sanding discs for wood, metal, paint, lacquer, plaster
- Grit type: fused alumina, half-open
- Artificial resin-bonded on special tear-resistant paper


Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
60	115 x 140	10	4932352424	4002395370832
80	115 x 140	10	4932352425	4002395370849
120	115 x 140	10	4932352426	4002395370856
240	115 x 140	10	4932352427	4002395370863



ABRASIVE DELTA PAPER- HOOK & LOOP FOR FDS 140

- Perforated sanding discs for wood, metal, paint, lacquer, plaster
- Grit type: fused alumina, half-open
- Artificial resin-bonded on special tear-resistant paper


Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
60	110 x 88	10	4932352925	4002395375837
120	110 x 88	10	4932352927	4002395375851



ABRASIVE DISCS- HOOK & LOOP- 6 HOLES

- Perforated sanding discs for wood, metal, paint, lacquer, plaster
- Grit type: fused alumina, half-open
- Artificial resin-bonded on special tear-resistant paper

Grit	Diameter (mm)	Quantity	Article Number	EAN Code
40	150	5	4932430454	4002395381159
60	150	5	4932430455	4002395381166
80	150	5	4932430456	4002395381173
120	150	5	4932430457	4002395381180
180	150	5	4932430458	4002395381197
240	150	5	4932430459	4002395381203



POLISHING ACCESSORIES- HOOK & LOOP

Description	Diameter (mm)	Height (mm)	Quantity	Article Number	EAN Code
Polishing Backing Pad. Application: Reception Of Felt- / Lambswool Polishing Discs And Polishing Sponges. Characteristics: M14 Thread, Break Resistant With Integrated Soft And Flexible Foam Layer, Hook & Loop Fixation	150	25	1	4932430450	4002395381111
Lambswool Polishing Disc. Application: Finishing High Gloss Polishing. Requires Polishing Backing Pad. Characteristics: Natural Lambs Wool, Very Soft And Adaptable. Hook & Loop Fixation	150		1	4932430453	4002395381142
Polishing Sponge - Hard. Application: Polish Up Of Weather-Beaten Lacquer, Lacquer Reconditioning. Requires Polishing Backing Pad. Characteristics: Medium Hard, Fine Pored, With Rounded Edge, Hook & Loop Fixation	150	50	1	4932430452	4002395381135
Polishing Sponge- Soft. Application: Second Polish Of Lacquer, Lacquer Care. Requires Polishing Backing Pad. Characteristics: Super-Soft, Fine Pored, With Rounded Edge, Hook & Loop Fixation	150	50	1	4932430451	4002395381128



BASE PLATES

Description	Diameter (mm)	No. of holes	Article Number	EAN Code
Base Plate For EX 125 ES. Complete With Rubber Ring As Spare	125	8	4932352870	4002395375288
Base Plate For EX 150 E. Complete With Rubber Ring As Spare	150	6	4932352871	4002395375295



26" TOOLBOX

- 26" Toolbox, 37 litres capacity
- Heavy duty PP construction
- Water resistant seal built into the lid
- Metal latches and portable tray



Description	Quantity	Article Number	EAN Code
37 liters toolbox	1	4932471878	4058546323769

21" TOOLBOX

- 21.5 litres capacity / 21"
- Heavy duty PP construction
- Water resistant seal built into the lid
- Metal latches and portable tray



Description	Quantity	Article Number	EAN Code
21L Toolbox	1	4932471879	4058546323776

TOTE BAG

- High quality 1680 denier
- 8x inner pockets with 6x inner tool loops and 7x outer pockets
- Hard plastic and waterproof base
- Straight zip for open mouth style
- Adjustable shoulder strap



Description	Quantity	Article Number	EAN Code
Tote Bag Eight Pockets	1	4932471880	4892210183286



PRO 18v

PRO TOOLS. ONE BATTERY.



AEG POWERTOOLS promises to draw upon its heritage and deliver exciting, high performance, innovative working solutions for the professional tradesmen of today and the future.

WWW.CMC.PT

 www.facebook.com/CunhaMendesCunhaLda

 www.youtube.com/c/CUNHAMENDESCUNHALDA

cunha  mendes cunha, lda
Equipamentos Industriais

AEG

© AEG POWERTOOLS

AEG is a registered trademark used under license from AB Electrolux (publ).