

Molas de Porta

Door Closers / Ferme-Porte
Türschliesser / Cierra Puertas

M



MA 01




Mola hidráulica aérea de uso intensivo, velocidade de fecho ajustável, com paragem a 90°.
Acabamento: cor inox, bronze, branco e dourado.

Door closer for intensive use, power is adjustable, with stop 90°.
Finish: Aluminum, bronze, white, gold.

Ferme-porte hydraulique d'usage intensif, vitesse de fermeture ajustable, avec arrêt à 90°.
Finitions: aluminium, bronze, blanc, doré.

Intensive hydraulikanschluss, einstellbare schließgeschwindigkeit, stopp bei 90°.
Farbe edelstahl, bronze, weiß und gold.

Cierrapuerta hidráulico aéreo, uso intensivo, velocidad de cierre ajustable, con stop a 90°.
Acabado: acero inox, cuero, blanco, oro.



ART.	REF.
MA 01	499010020001

MA 02




Mola hidráulica aérea de uso moderado, velocidade de fecho ajustável, com paragem a 90°.
Acabamento: cor inox, bronze, branco e dourado.

Door closer for moderate use, power is adjustable, with stop 90°.
Finish: Aluminum, bronze, white, gold.

Ferme-porte hydraulique d'usage modéré, vitesse de fermeture ajustable, avec arrêt à 90°.
Finitions: aluminium, bronze, blanc, doré.

Moderate hydraulikanschluss, einstellbare schließgeschwindigkeit, stopp bei 90°.
Farbe edelstahl, bronze, weiß und gold.

Cierrapuerta hidráulico aéreo, uso moderado, velocidad de cierre ajustable, con stop a 90°.
Acabado: acero inox, cuero, blanco, oro.



ART.	REF.
MA 02	499010020005

Molas de Porta

Door closers / Ferme-porte / Türschliesser / Cierra puerta



MI 001




Mola hidráulica de embutir uso intensivo, velocidade de fecho ajustável, com paragem a 90°.
Acabamento: cor inox.

Embed door closer for intensive use, power is adjustable, with stop 90°.
Finish: aluminum.

Ferme-porte hydraulique d'incruster et d'usage intensif, vitesse de fermeture ajustable, avec arrêt à 90°.
Finitions: aluminium.

Intensive hydraulikanschluss, einstellbare schließgeschwindigkeit, stopp bei 90°.
Farbe: aluminium.


Cierrapuerta hidráulico de encastrar, uso intensivo, velocidad de cierre ajustable, con stop a 90°.
Acabado: acero inox.



M
1

ART.	REF.
MI 001	499010020012

AMORTECEDOR HIDRAÚLICO



Amortecedor hidráulico
Hydraulic damper
Amortisseur hydraulique
Stoßdämpfer
Amortiguadores hidráulico

ART.	REF.
AMORT. HIDAÚLICO	134970010003

MC 01



Mola hidráulica de uso intensivo para chão, com paragem a 90°
Hydraulic floor spring closer, intensive use with stop 90°
Ferme-porte hydraulique de fixation au sol para usage intensif avec stop 90°
Cierrapuerta hidráulico de suelo de uso intensivo con stop a 90°

ART.	REF.
MC 01	499010020010

MC 02



Mola hidráulica de uso moderado para chão, com paragem a 90°
Hydraulic floor spring closer, moderate use with stop 90°
Ferme-porte hydraulique de fixation au sol para usage modéré avec stop 90°
Cierrapuerta hidráulico de suelo de uso moderado con stop a 90°

ART.	REF.
MC 02	499010020011